

SAFETY DATA SHEET

Issuing Date 25-Jul-2018 Revision Date 26-Jul-2018 Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name A10 PAINT MARKER - A20 PAINT MARKER WITH REVERSIBLE TIP - A30 BROAD TIP

PAINT MARKER - MOST COLORS

Other means of identification

Product Code(s) A10: #10101 Black;#10102 Blue;#10103 Green;#10104 Red;#10105 White;#10106

Yellow;10107 Orange;#10109 Light Green;#10111 Pink;#10112 Violet;#10113 Light

Blue, #10115 Brown

A20: #10701 Black;#10702 Blue;#10703 Green;#10704 Red;#10705 White;#10706

Yellow;#10707 Orange;#10709 Light Green;#10711 Pink;#10712 Violet;#10713 Light

Blue;#10715 Brown;#10717 Gray

A30: #10301 Black;#10302 Blue, #10303 Green;#10304 Red;#10305 White;#10306

Yellow;#10307 Orange;#10309 Light Green;#10311 Pink:#10312 Violet;#10313 Light

Blue.

UN-Number UN1210

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Solvent based marker

Uses advised againstNot for use on skin. Keep away from children.

Supplier's details

Supplier Address

U-Mark, Inc 102 Iowa Ave. Belleville, IL 62220 TEL: 618-235-7500

Emergency telephone number

Chemical Emergency Phone

Number

24-hour Emergency Phone: Infotrac 1-800-535-5053 (USA & Canada), 1-352-323-3500

(International)

2. HAZARDS IDENTIFICATION

Classification

This product is an article as defined by the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200), Canada WHMIS 2015, which includes the amended Hazardous Products Act (HPA) and the Hazardous Product Regulations (HPR), and Mexico's NMX-R-019-SC-2011. No exposure to hazardous chemicals is expected to occur during intended product use. Misuse of the

product may result in exposure to hazardous chemicals.

Label Elements

Signal Word

None

Physical and Health Hazards Not Otherwise Classified

Not applicable.

Precautionary Statements

Prevention

None

General Advice

None

Storage

• None

Disposal

None

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Propyl alcohol	71-23-8	30-70	-	-
Titanium dioxide	13463-67-7	<1-20	-	-
Iron oxide	1309-37-1	0-6	-	-
Carbon black	1333-86-4	0-5	-	-
C.I. Pigment Blue 15	147-14-8	0-5	-	-
Silicon dioxide	7631-86-9	1-3	-	-
Quartz	14808-60-7	0-<1	-	-

4. FIRST AID MEASURES

Description of necessary first-aid measures

General Advice Under normal conditions of use first aid is not required.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or Poison Control Center

immediately.

Skin Contact Wash skin with soap and water. Get medical attention if irritation develops and persists.

Inhalation If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

WPS-UMARK-001 - A10 PAINT MARKER - A20 PAINT MARKER WITH REVERSIBLE TIP - A30 BROAD TIP PAINT MARKER - MOST COLORS

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects None known

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the The ink contained in this product is flammable but not readily ignited.

Chemical

Explosion Data
Sensitivity to Mechanical Impact
None.

Sensitivity to Static Discharge None.

Protective Equipment and
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

<u>Precautions for Firefighters</u> (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Remove all sources of ignition.

Environmental Precautions

Environmental PrecautionsAvoid release to the environment. Dispose of contents/container to an approved waste

disposal plant. See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment None required.

Methods for Cleaning Up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Keep away from open flames, hot surfaces and sources of ignition.

Conditions for safe storage, including any incompatibilities

Storage Store in a well-ventilated place. Keep cool.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure GuidelinesThe following exposure limits are provided for information only; exposure is not expected

under normal conditions of use or storage.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propyl alcohol	TWA: 100 ppm	TWA: 200 ppm	IDLH: 800 ppm
71-23-8	71-23-8		TWA: 200 ppm
		(vacated) TWA: 200 ppm	TWA: 500 mg/m ³
		(vacated) TWA: 500 mg/m ³	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 625 mg/m ³
		(vacated) STEL: 625 mg/m ³	
Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m ³
13463-67-7		(vacated) TWA: 10 mg/m³ total	
		dust	
Iron oxide	TWA: 5 mg/m³ respirable	TWA: 10 mg/m ³ fume	IDLH: 2500 mg/m³ Fe dust and
1309-37-1	particulate matter	TWA: 15 mg/m³ total dust	fume
			TWA: 5 mg/m³ Fe dust and fume
		(vacated) TWA: 10 mg/m³ fume	
		and total dust Iron oxide	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction regulated	
		under Rouge	.=
Carbon black	TWA: 3 mg/m³ inhalable	TWA: 3.5 mg/m ³	IDLH: 1750 mg/m ³
1333-86-4	particulate matter	(vacated) TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
			TWA: 0.1 mg/m³ Carbon black in
			presence of Polycyclic aromatic
0.1.51			hydrocarbons PAH
C.I. Pigment Blue 15	TWA: 1 mg/m³ Cu dust and mist	-	IDLH: 100 mg/m³ Cu dust and
147-14-8			mist
0.00	10 / 0		TWA: 1 mg/m³ Cu dust and mist
Silicon dioxide	10 mg/m ³	20 mppcf TWA; ((80)/(% SiO2)	IDLH: 3000 mg/m ³
7631-86-9	TIMA 0.005 / 0 1.11	mg/m³)	TWA: 6 mg/m³
Quartz	TWA: 0.025 mg/m³ respirable	30/(%SiO2+2) mg/m³ TWA, Total	IDLH: 50 mg/m³ respirable dust
14808-60-7	particulate matter	Dust;250/%SiO2+5) mppcf TWA,	TWA: 0.05 mg/m³ respirable dust
		respirable fraction; 10/(%SiO2+2)	
		mg/m³ TWA, respirable	
		TWA: 0.1 mg/m³ (vacated)	

Appropriate engineering controls

Engineering Measures None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/Face Protection No protective equipment is needed under normal use conditions. **Skin and Body Protection** No protective equipment is needed under normal use conditions. **Respiratory Protection** No protective equipment is needed under normal use conditions.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid. **Appearance** Varies. Odor Alcohol. Odor Threshold

No information available.

Values **Property** Remarks/ - Method

No data available None known pН Melting Point/Range No data available None known **Boiling Point/Boiling Range** 96 °C / 205 °F (Liquid Ink only) 23 °C / 73 °F Flash Point (Liquid Ink only) **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limits in Air

upper flammability limit 13.5% lower flammability limit 2.1%

Vapor Pressure No data available None known **Vapor Density** No data available None known

WPS-UMARK-001 - A10 PAINT MARKER - A20 PAINT MARKER WITH REVERSIBLE TIP - A30 BROAD TIP PAINT MARKER - MOST COLORS

Relative Density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	No data available	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/w	aterNo data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known
Viscosity	No data available	None known

Flammable Properties Flammable.

Explosive Properties No data available
Oxidizing Properties No data available

Other information

VOC Content (%) No data available

10. STABILITY AND REACTIVITY

Reactivity No data available.

<u>Chemical stability</u> Stable under recommended storage conditions.

<u>Possibility of hazardous reactions</u> None under normal processing.

<u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

InhalationNone under normal use conditionsEye ContactNone under normal use conditions.Skin ContactNone under normal use conditions.IngestionNone under normal use conditions.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 1747 mg/kg; Acute toxicity estimate LD50 Dermal 3787 mg/kg; Acute toxicity estimate

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Propyl alcohol	= 1870 mg/kg (Rat)	= 4049 mg/kg (Rabbit)	> 13548 ppm (Rat) 4 h
Titanium dioxide	> 10000 mg/kg (Rat)	-	> 6820 mg/m ³
Iron oxide	> 10000 mg/kg (Rat)	-	-
Carbon black	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
C.I. Pigment Blue 15	> 10000 mg/kg (Rat)	-	-
Silicon dioxide	= 7900 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	>2.2 mg/L (Rat) 4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms None under normal use.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity No information available No information available

This product contains titanium dioxide which is classified as a possible carcinogen when present as respirable dust. This is not relevant for this product since it is a liquid. This product contains carbon black which is classified as a possible carcinogen when present as respirable dust. This is not relevant for this product since it is not in a respirable form. This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide		Group 2B		X
Iron oxide		Group 3		
Carbon black	A3	Group 2B		X
Silicon dioxide		Group 3		
Quartz	A2	Group 1	Known	X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to its Carcinogenicity to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration Hazard
No information available
No information available
No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Not Applicable

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Propyl alcohol 71-23-8		LC50 96 h: = 4480 mg/L flow-through (Pimephales promelas)	EC50 = 17700 mg/L 5 min EC50 = 45000 mg/L 5 h EC50 = 8686 mg/L 15 min	EC50 48 h: 3339 - 3977 mg/L Static (Daphnia magna) EC50 48 h: = 3642
			EC50 = 980 mg/L 12 h	mg/L (Daphnia magna)
Carbon black 1333-86-4	-	-	-	EC50 24 h: > 5600 mg/L (Daphnia magna)
C.I. Pigment Blue 15 147-14-8		LC50 48 h: > 100 mg/L static (Oryzias latipes)		
Silicon dioxide 7631-86-9	EC50 72 h: = 440 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h: = 5000 mg/L static (Brachydanio rerio)		EC50 48 h: = 7600 mg/L (Ceriodaphnia dubia)

Persistence and Degradability No information available

Bioaccumulation No information available

WPS-UMARK-001 - A10 PAINT MARKER - A20 PAINT MARKER WITH REVERSIBLE TIP - A30 BROAD TIP PAINT MARKER - MOST COLORS

Chemical Name	Log Pow
Propyl alcohol	0.34
C.I. Pigment Blue 15	6.6

Mobility No information available

<u>Other Adverse Effects</u> No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated Packaging Not Applicable

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
n-Butyl alcohol - 71-36-3		Included in waste stream:		U031
		F039		

14. TRANSPORT INFORMATION

DOT

UN-Number UN1210 Proper shipping name Printing ink

Hazard Class 3
Packing Group III

Description UN1210, Printing ink, 3, III, Limited Quantity

Emergency Response Guide 129

Number

TDG

UN-Number UN1210 Proper Shipping Name Printing ink

Hazard Class 3
Packing Group III

Description UN1210, Printing ink, 3, III, Limited Quantity

MEX

UN-Number UN1210 Proper Shipping Name Printing ink

Hazard Class 3
Packing Group III

Description UN1210, Printing ink, 3, III, Limited Quantity

<u>IATA</u>

UN-Number UN1210 Proper Shipping Name Printing ink

Hazard Class 3
Packing Group III
ERG Code 3L

Description UN1210, Printing ink, 3, III, Limited Quantity

IMDG/IMO

UN-Number UN1210 **Proper Shipping Name** Printing ink

 Hazard Class
 3

 Packing Group
 III

 EmS No.
 F-E, S-D

Description UN1210, Printing ink, 3, III, (23°C c.c.), Limited Quantity

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances Not applicable Persistent Organic Pollutants Not applicable

Hazardous Waste

 Chemical Name
 Basel Convention (Hazardous Wastes)

 C.I. Pigment Blue 15
 Y22

The Rotterdam Convention (Prior

Informed Consent)

International Convention for the Prevention of Pollution from Ships

Not applicable

Not applicable

Prevention of Pollution from Ships (MARPOL)

International Inventories

TSCA Contact supplier for inventory compliance status
DSL/NDSL Contact supplier for inventory compliance status

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
C.I. Pigment Blue 15		X		

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

The classification listed below only applies to respirable Titanium dioxide and respirable carbon black. The classification listed below only applies to respirable quartz. This product contains the following Proposition 65 chemicals:

Chemical Name	CAS-No	California Prop. 65
Titanium dioxide	13463-67-7	Carcinogen
Carbon black	1333-86-4	Carcinogen
Quartz	14808-60-7	Carcinogen

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Propyl alcohol	X	X	X		X
Titanium dioxide	Х	Х	Х	-	Х
Iron oxide	X	X	X		X
Carbon black	Х	Х	Х	Х	Х
C.I. Pigment Blue 15	X		X		

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

	16. OTHER INFORMATION					
NFPA	Health Hazard 0	Flammability 2	Instability 0	Physical and Chemical Hazards -		

HMIS Health Hazard 0 Flammability 2 Physical Hazard 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501 25-Jul-2018 26-Jul-2018

Revision Date

Revision Note New regional format.

General Disclaimer

Issuing Date

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet