

SAFETY DATA SHEET

Issuing Date 25-Jul-2018

Revision Date 26-Jul-2018

Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier	
Product Name	A10 Paint Marker – A20 Paint Marker with Reversible Tip – A30 Broad Tip Paint Marker – Silver and Gold
Other means of identification	
Product Code(s)	A10 #10110 Silver, #10114 Gold A20 #10710 Silver, #10714 Gold A30 #10310 Silver
UN-Number	UN1210
Synonyms	None
Recommended use of the chemical	and restrictions on use
Neconimended use of the chemical	
Recommended Use	Solvent based marker
Uses advised against	Keep away from children. Not for use on skin.
Supplier's details	
Supplier Address U-Mark, Inc 102 Iowa Ave. Belleville, IL 62220 TEL: 618-235-7500	
Emergency telephone number	
Emergency Telephone Number	24-hour Emergency Phone: Infotrac 1-800-535-5053 (USA & Canada), 1-352-323-3500 (International)
	2. HAZARDS IDENTIFICATION

Classification

This product is an article as defined by the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200), Canada WHMIS 2015, which includes the amended Hazardous Products Act (HPA) and the Hazardous Product Regulations (HPR), and Mexico's NMX-R-019-SC-2011. No exposure to hazardous chemicals is expected to occur during intended product use. Misuse of the product may result in exposure to hazardous chemicals.

Label Elements

Signal Word None

Physical and Health Hazards Not Otherwise Classified

Not applicable.

Precautionary Statements

- Prevention
- None

General Advice

None

Storage

- None
- Disposal
- None

Other information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
n-Butyl acetate	123-86-4	40-50	-	-
Ethyl acetate	141-78-6	35-45	-	-
Propylene glycol monomethyl ether acetate	108-65-6	0-5	-	-

4. FIRST AID MEASURES

Description of necessary first-aid measures **General Advice** Under normal conditions of use first aid is not required. Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or Poison Control Center immediately. Wash skin with soap and water. Get medical attention if irritation develops and persists. **Skin Contact** Inhalation If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Most important symptoms/effects, acute and delayed Most Important Symptoms/Effects None known Indication of immediate medical attention and special treatment needed, if necessary Treat symptomatically. Notes to Physician 5. FIRE-FIGHTING MEASURES Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical	The ink contained in this product is flammable but not readily ignited.	
Explosion Data		
Sensitivity to Mechanical Impac	t None.	
Sensitivity to Static Discharge	None.	
Sensitivity to Static Discharge	None.	
Protective Equipment and	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH	
Precautions for Firefighters	(approved or equivalent) and full protective gear.	
recautions for threngitters	(approved of equivalent) and fail protective gear.	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective eq	uipment and emergency procedures	
Personal Precautions	Remove all sources of ignition.	
Environmental Precautions		
Environmental Precautions	Avoid release to the environment. Dispose of contents/container to an approved waste	
Linnonmentari recautions	disposal plant. See Section 12 for additional Ecological Information.	
Methods and materials for containment and cleaning up		
Methods for Containment	None required.	
Methods for Cleaning Up	Pick up and transfer to properly labeled containers.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Handling	Keep away from open flames, hot surfaces and sources of ignition.	
Conditions for safe storage, including any incompatibilities		
Storage	Store in a well-ventilated place. Keep cool.	
Incompatible Products	None known based on information supplied.	
8. EXP	OSURE CONTROLS / PERSONAL PROTECTION	

Control parameters

Exposure Guidelines

The following exposure limits are provided for information only; exposure is not expected under normal conditions of use or storage.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-Butyl acetate	STEL: 150 ppm	TWA: 150 ppm	IDLH: 1700 ppm
123-86-4	TWA: 50 ppm	TWA: 710 mg/m ³	TWA: 150 ppm
		(vacated) TWA: 150 ppm	TWA: 710 mg/m ³
		(vacated) TWA: 710 mg/m ³	STEL: 200 ppm
		(vacated) STEL: 200 ppm	STEL: 950 mg/m ³
		(vacated) STEL: 950 mg/m ³	_
Ethyl acetate	TWA: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
141-78-6		TWA: 1400 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 1400 mg/m ³
		(vacated) TWA: 1400 mg/m ³	_

Appropriate engineering controls

Engineering Measures

None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection No protective equipment is needed under normal use conditions. No protective equipment is needed under normal use conditions. No protective equipment is needed under normal use conditions.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Odor	Liquid. Mild.	Appearance Odor Threshold	Varies. No information available.
Property pH Melting Point/Range Boiling Point/Boiling Range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air upper flammability limit lower flammability limit lower flammability limit Vapor Pressure Vapor Density Relative Density Relative Density Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octand Autoignition Temperature Decomposition Temperature Viscosity	ValuesNo data availableNo data available96 °C / 205 °F23 °C / 73 °FNo data availableNo data available13.5%2.1%No data availableNo data	Remarks/ - Me None known None known (Liquid Ink only) None known None known	
Flammable Properties Explosive Properties Oxidizing Properties <u>Other information</u> VOC Content (%)	Highly flammable. No data available No data available No data available		

10. STABILITY AND REACTIVITY

Reactivity	No data available.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	None under normal use condtions
Eye Contact	None under normal use conditions.
Skin Contact	None under normal use conditions.
Ingestion	None under normal use conditions.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document: Not applicable

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
n-Butyl acetate	= 10768 mg/kg (Rat)	> 17600 mg/kg (Rabbit)	= 390 ppm (Rat) 4 h
Ethyl acetate	= 5620 mg/kg(Rat)	>20 mL/kg (Rabbit)>18000 mg/kg (Rabbit)	= 4000 ppm (Rat)4 h
Propylene glycol monomethyl ether acetate	= 8532 mg/kg (Rat)	>5 g/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

None under normal use.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization	No information available
Germ Cell Mutagenicity	No information available
Carcinogenicity	Contains no ingredient listed as a carcinogen.

Reproductive Toxicity	No information available
STOT - single exposure	No information available
STOT - repeated exposure	No information available
Aspiration Hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Not Applicable

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
n-Butyl acetate 123-86-4	EC50 72 h: = 674.7 mg/L (Desmodesmus subspicatus)	LC50 96 h: 17 - 19 mg/L flow-through (Pimephales promelas) LC50 96 h: = 100 mg/L static (Lepomis macrochirus) LC50 96 h: = 62 mg/L static (Leuciscus idus)	EC50 = 70.0 mg/L 5 min EC50 = 82.2 mg/L 15 min EC50 = 959 mg/L 18 h EC50 = 98.9 mg/L 30 min	EC50 24 h: = 72.8 mg/L (Daphnia magna)
Ethyl acetate 141-78-6	EC50 48 h: = 3300 mg/L (Desmodesmus subspicatus)	LC50 96 h: 220 - 250 mg/L flow-through (Pimephales promelas) LC50 96 h: 352 - 500 mg/L semi-static (Oncorhynchus mykiss) LC50 96 h: = 484 mg/L flow-through (Oncorhynchus mykiss)	EC50 = 1180 mg/L 5 min EC50 = 1500 mg/L 15 min EC50 = 5870 mg/L 15 min EC50 = 7400 mg/L 2 h	EC50 48 h: = 560 mg/L Static (Daphnia magna)
Propylene glycol monomethyl ether acetate 108-65-6		LC50 96 h: = 161 mg/L static (Pimephales promelas)		EC50 48 h: > 500 mg/L (Daphnia magna)

Persistence and Degradability

Bioaccumulation

No information available

No information available

Chemical Name	Log Pow
n-Butyl acetate	1.81
Ethyl acetate	0.6
Propylene glycol monomethyl ether acetate	0.43

Mobility

No information available

Other Adverse Effects

No information available.

Not Applicable

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Dispose of in accordance with local regulations.

Contaminated Packaging

14. TRANSPORT INFORMATION

DOT

UN-Number Proper shipping name Hazard Class Packing Group Description Emergency Response Guide Number	UN1210 Printing ink 3 III UN1210, Printing ink, 3, III, Limited Quantity 129
<u>TDG</u> UN-Number Proper Shipping Name Hazard Class Packing Group Description	UN1210 Printing ink 3 III UN1210, Printing ink, 3, III, Limited Quantity
MEX UN-Number Proper Shipping Name Hazard Class Packing Group Description	UN1210 Printing ink 3 III UN1210, Printing ink, 3, III, Limited Quantity
IATA UN-Number Proper Shipping Name Hazard Class Packing Group ERG Code Description	UN1210 Printing ink 3 III 3L UN1210, Printing ink, 3, III, Limited Quantity
IMDG/IMO UN-Number Proper Shipping Name Hazard Class Packing Group EmS No. Description	UN1210 Printing ink 3 III F-E, S-D UN1210, Printing ink, 3, III, (23°C c.c.), Limited Quantity

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances Persistent Organic Pollutants Hazardous Waste	Not applicable Not applicable Not applicable	
Chemical Name		Basel Convention (Hazardous Wastes)
Ethyl acetate		Y42
The Rotterdam Convention (Prior Informed Consent) International Convention for the Prevention of Pollution from Ships (MARPOL)	Not applicable Not applicable	
International Inventories TSCA DSL/NDSL	Contact supplier for inventory compliance status Contact supplier for inventory compliance status	

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
n-Butyl acetate	5000 lb			Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
n-Butyl acetate	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Ethyl acetate	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
n-Butyl acetate	Х	Х	Х		Х
Ethyl acetate	Х	Х	Х		Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA_	Health Hazard 0	Flammability 2	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard 0	Flammability 2	Physical Hazard 0	Personal Protection X
Prepared By	23 Britisl	Stewardship h American Blvd. NY 12110 72-6501		
Issuing Date Revision Date Revision Note	25-Jul-20 26-Jul-20 New reg			

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet