### Material Name: SOUDAL GUN & FOAM CLEANER

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name SOUDAL GUN & FOAM CLEANER Chemical Family None reported. Product Use cleaner. Restrictions on Use None known.

Details of the supplier of the safety data sheet

Soudal Chemical Products 95 Avenue Lindsay Dorval, QC H9P 2S6 Canada +1-(514)497-1016 Info.canada@soudal.com

Emergency phone number : +1-(800)-424-8300

### Section 2 - HAZARDS IDENTIFICATION

### Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Flammable Aerosols - Category 1 Serious Eye Damage/Eye Irritation - Category 2A Reproductive Toxicity - Category 2 Specific Target Organ Toxicity - Single Exposure - Category 2 ( heart ) Specific Target Organ Toxicity - Single Exposure - Category 3 ( respiratory tract, central nervous system )

Specific Target Organ Toxicity - Repeated Exposure - Category 2 ( blood, )

#### **GHS Label Elements**

#### Symbol(s)



### Material Name: SOUDAL GUN & FOAM CLEANER

#### SDS ID: SD-011

### Signal Word

Danger

### Hazard Statement(s)

Extremely flammable aerosol Causes serious eye irritation Suspected of damaging fertility or the unborn child May cause damage to organs May cause respiratory irritation. May cause drowsiness or dizziness May cause damage to organs through prolonged or repeated exposure

### **Precautionary Statement(s)**

### Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Keep away from heat/sparks/open flame/hot surfaces - No smoking Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition sources Use only outdoors or in a well-ventilated area Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust/fume/gas/mist/vapours/spray Wash thoroughly after handling Do not eat, drink or smoke when using this product

### Response

IF exposed or concerned: Get medical advice/attention IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor if you feel unwell IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations

### Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
67-64-1	Acetone	50 - 75
74-98-6	Propane	10 - 20
75-28-5	Isobutane	10 - 20

The chemical identity and/or percentage of composition is being withheld as a trade secret.

### Section 4 - FIRST AID MEASURES

### **Description of Necessary Measures**

IF exposed or concerned: Call a POISON CENTER or doctor/physician.

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

#### Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor if you feel unwell. If eye irritation persists: Get medical advice/attention.

### Ingestion

If a large amount is swallowed, get medical attention.

#### **Indication of any immediate medical attention and special treatment needed** Treat symptomatically and supportively.

#### Most Important Symptoms/Effects

#### Acute

Causes serious eye irritation. May cause damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness.

#### Delayed

Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.

### Section 5 - FIRE FIGHTING MEASURES

### **Extinguishing Media**

### Suitable Extinguishing Media

Use carbon dioxide, regular dry chemical, regular foam or water.

### Unsuitable Extinguishing Media

None known.

### Special Hazards Arising from the Chemical

Extremely flammable aerosol. Pressurized container: may burst if heated. Vapors are heavier than air and may travel a considerable distance to a source of ignition and flashback. Vapor/air mixtures are

### Material Name: SOUDAL GUN & FOAM CLEANER

explosive. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

### **Hazardous Combustion Products**

Oxides of carbon, carbon monoxide

### **Advice for firefighters**

Wear self-contained breathing apparatus with a full facepiece and protective clothing. Avoid inhalation of material or combustion by-products. Move container from fire area if it can be done without risk.

### **Fire Fighting Measures**

Move container from fire area if it can be done without risk. Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. Stay away from the ends of tanks. For fires in cargo or storage area: If this is impossible then take the following precautions: Keep unnecessary people away, isolate hazard area and deny entry. Let the fire burn. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. For tank, rail car or tank truck: Stop leak if possible without personal risk. Let burn unless leak can be stopped immediately. For smaller tanks or cylinders, extinguish and isolate from other flammables. Evacuation radius: 800 meters (1/2 mile). Do not attempt to extinguish fire unless flow of material can be stopped first. Flood with fine water spray. Cool containers with water spray until well after the fire is out. Apply water from a protected location or from a safe distance. Stay upwind and keep out of low areas. Evacuate if fire gets out of control or containers are directly exposed to fire. 500 meters (1/3 mile). Consider downwind evacuation if material is leaking.

### Section 6 - ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Safe handling: see section 7. See Section 8 for personal protection information. Keep unnecessary people away, isolate hazard area and deny entry. Avoid contact with eyes and skin.

### Methods and Materials for Containment and Cleaning Up

Avoid heat, flames, sparks and other sources of ignition. Do not spray on an open flame or other ignition sources. Pressurized container: Do not pierce or burn, even after use. Stop leak if possible without personal risk. Only personnel trained for the hazards of this material should perform clean up and disposal. Use non-sparking tools and equipment.

### **Environmental Precautions**

Do not flush into sanitary sewer systems, drains or surface water. Avoid release to the environment.

### Section 7 - HANDLING AND STORAGE

### **Precautions for Safe Handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flame/hot surfaces - No smoking. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition sources. Use only outdoors or in a well-ventilated area. Wear protective eye/face protection. Do not breathe

### Material Name: SOUDAL GUN & FOAM CLEANER

dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

### Conditions for Safe Storage, Including any Incompatibilities

Store in a well-ventilated place. Keep container tightly closed Store locked up Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

### **Incompatible Materials**

oxidizing materials, bases, combustible materials, strong acids

### Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Component Exposure Limits**

Acetone	67-64-1
ACGIH:	500 ppm TWA
	750 ppm STEL
NIOSH:	250 ppm TWA; 590 mg/m3 TWA
	2500 ppm IDLH (10% LEL)
Europe:	500 ppm TWA; 1210 mg/m3 TWA
OSHA (US):	1000 ppm TWA; 2400 mg/m3 TWA
Mexico:	1000 ppm TWA LMPE-PPT; 2400 mg/m3 TWA LMPE-PPT
	1260 ppm STEL [LMPE-CT]; 3000 mg/m3 STEL [LMPE-CT]
Propane	74-98-6
ACGIH:	1000 ppm TWA
NIOSH:	1000 ppm TWA; 1800 mg/m3 TWA
	2100 ppm IDLH (10% LEL)
OSHA (US):	1000 ppm TWA; 1800 mg/m3 TWA
Isobutane	75-28-5
ACGIH:	1000 ppm STEL
NIOSH:	800 ppm TWA; 1900 mg/m3 TWA

### **Biological limit value**

There are no biological limit values for any of this product's components.

#### SDS ID: SD-011

### Material Name: SOUDAL GUN & FOAM CLEANER

#### **Engineering Controls**

Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

### Individual Protection Measures, such as Personal Protective Equipment

### **Eye/face protection**

Wear splash resistant safety goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

### **Skin Protection**

Wear appropriate chemical resistant clothing.

### **Respiratory Protection**

A NIOSH approved air-purifying respirator with an appropriate cartridge or canister may be appropriate under certain circumstances where airborne concentrations are expected to exceed exposure limits.

### **Glove Recommendations**

Wear appropriate chemical resistant gloves.

### Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Not available	Physical State	aerosol			
Odor	acetone	Color	colorless			
Odor Threshold	Not available	рН	Not available			
Melting Point	Not available	Boiling Point	Not available			
Freezing point	Not available	Evaporation Rate	Not available			
<b>Boiling Point Range</b>	Not available	Flammability (solid, gas)	Not available			
Autoignition	Not available	Flash Point	Not available			
Lower Explosive Limit	1.5 %	Decomposition	Not available			
Upper Explosive Limit	12.5 %	Vapor Pressure	Not available			
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available			
Water Solubility	Insoluble	Partition coefficient: n- octanol/water	Not available			
Viscosity	Not available	Solubility (Other)	Ethanol ether			
Bulk Density	Not available	Density	Not available			
Physical Form	aerosol	OSHA Flammability Class	Extremely flammable aerosol			

### Section 10 - STABILITY AND REACTIVITY

### Material Name: SOUDAL GUN & FOAM CLEANER

### Reactivity

None known.

**Chemical Stability** Stable under normal conditions of use.

**Possibility of Hazardous Reactions** Hazardous polymerization will not occur.

#### **Conditions to Avoid** Avoid contact with incompatible materials. Avoid heat, flames, sparks and other sources of ignition.

**Incompatible Materials** oxidizing materials, bases, combustible materials, strong acids, halogens

Hazardous decomposition products oxides of carbon, carbon monoxide

### Section 11 - TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

### Inhalation

May cause respiratory irritation.

### **Skin Contact**

No information on significant adverse effects.

### **Eye Contact**

Causes serious eye irritation.

### Ingestion

No information on significant adverse effects.

### Acute and Chronic Toxicity

### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published: Acetone (67-64-1) Inhalation LC50 Rat 50100 mg/m3 8 h Propane (74-98-6) Inhalation LC50 Rat 658 mg/L 4 h Isobutane (75-28-5) Inhalation LC50 Rat 658 mg/L 4 h

### **Immediate Effects**

Causes serious eye irritation. May cause damage to organs. May cause respiratory irritation. May cause drowsiness or dizziness.

### **Delayed Effects**

Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.

### **Irritation/Corrosivity Data**

Causes serious eye irritation. May cause respiratory irritation.

### Material Name: SOUDAL GUN & FOAM CLEANER

#### **Respiratory Sensitization**

No information available for the product.

### **Dermal Sensitization**

No information available for the product.

### **Component Carcinogenicity**

Acetone	67-64-1	
ACGIH:	A4 - Not Classifiable as a Human Carcinogen	

### Germ Cell Mutagenicity

No information available for the product.

### **Tumorigenic Data**

No data available

### **Reproductive Toxicity**

Suspected of damaging fertility or the unborn child.

### Specific Target Organ Toxicity - Single Exposure

heart, respiratory tract, central nervous system

# Specific Target Organ Toxicity - Repeated Exposure blood

**Aspiration hazard** No information available for the product.

### Medical Conditions Aggravated by Exposure

respiratory disorders, heart disorders, central nervous system disorders, blood system disorders

### Section 12 - ECOLOGICAL INFORMATION

### **Component Analysis - Aquatic Toxicity**

Acetone	67-64-1
Fish:	LC50 96 h Oncorhynchus mykiss 4.74 - 6.33 mL/L; LC50 96 h Pimephales promelas 6210 - 8120 mg/L [static]; LC50 96 h Lepomis macrochirus 8300 mg/L
Invertebrate:	EC50 48 h Daphnia magna 10294 - 17704 mg/L [static] EPA; EC50 48 h Daphnia magna 12600 - 12700 mg/L IUCLID

### Section 13 - DISPOSAL CONSIDERATIONS

### **Disposal Methods**

Dispose of contents/container in accordance with local/regional/national/international regulations.

### Material Name: SOUDAL GUN & FOAM CLEANER

### SDS ID: SD-011

Section 14 - TRANSPORT INFORMATION

US DOT Information: Shipping Name: AEROSOLS Hazard Class: 2.1 UN/NA #: UN1950 Required Label(s): 2.1

IATA Information: Shipping Name: AEROSOLS, FLAMMABLE Hazard Class: 2.1 UN#: UN1950 Required Label(s): 2.1

IMDG Information: Shipping Name: AEROSOLS Hazard Class: 2.1 UN#: UN1950 Required Label(s): 2.1

TDG Information: Shipping Name: AEROSOLS Hazard Class: 2.1 UN#: UN1950 Required Label(s): 2.1

### Section 15 - REGULATORY INFORMATION

### **U.S. Federal Regulations**

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Acetone	67-64-1
CERCLA:	5000 lb final RQ; 2270 kg final RQ

SARA Section 311/312 (40 CFR 370 Subparts B and C) Acute Health: Yes Chronic Health: Yes Fire: Yes Pressure: Yes Reactivity: No

### **U.S. State Regulations**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Acetone	67-64-1	Yes	Yes	Yes	Yes	Yes
Propane	74-98-6	No	Yes	Yes	Yes	Yes
Isobutane	75-28-5	No	Yes	No	Yes	Yes

### Material Name: SOUDAL GUN & FOAM CLEANER

### Not listed under California Proposition 65

### Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Acetone	67-64-1
	1 %

### **WHMIS Classification**

B5, D2A, D2B

### **Component Analysis - Inventory**

Acetone (67-64-1)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Propane (74-98-6)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

Isobutane (75-28-5)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX
Yes	DSL	EIN	Yes	Yes	Yes	No	Yes	No	Yes	Yes	Yes

### Section 16 - OTHER INFORMATION

### HMIS Rating

Health: 3\* Fire: 4 Reactivity: 1 Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

### **NFPA Ratings**

Health: 2 Fire: 4 Reactivity: 1 Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical

### Material Name: SOUDAL GUN & FOAM CLEANER

Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD -Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA -Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH -Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

### **Other Information**

### **Disclaimer:**

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.

#### SDS ID: SD-011