



# SAFETY DATA SHEET

Issuing Date 25-Jul-2018

Revision Date 26-Jul-2018

Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

### GHS product identifier

**Product Name** 100P Industrial Paint Marker/100P FL/ 130P Broad Tip Industrial Paint Marker - Silver and Gold

### Other means of identification

**Product Code(s)** 100P #10210 Silver, #10214 Gold, 100P FL #10210FL Silver, #10214FL Gold, 130P #13010 Silver, #13014 Gold

**UN-Number** UN1210

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Solvent based marker

**Uses advised against** Keep away from children. Not for use on skin.

### Supplier's details

**Supplier Address**  
U-Mark, Inc  
102 Iowa Ave.  
Belleville, IL 62220  
TEL: 618-235-7500

### Emergency telephone number

**Emergency Telephone Number** 24-hour Emergency Phone: Infotrac 1-800-535-5053 (USA & Canada), 1-352-323-3500 (International)

## 2. HAZARDS IDENTIFICATION

### Classification

This product is an article as defined by the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200), Canada WHMIS 2015, which includes the amended Hazardous Products Act (HPA) and the Hazardous Product Regulations (HPR), and Mexico's NMX-R-019-SC-2011. No exposure to hazardous chemicals is expected to occur during intended product use. Misuse of the product may result in exposure to hazardous chemicals.

### Label Elements

**Signal Word**  
None

**Physical and Health Hazards Not Otherwise Classified**

Not applicable.

**Precautionary Statements**

**Prevention**

- None

**General Advice**

- None

**Storage**

- None

**Disposal**

- None

**Other information**

No information available

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
n-Butyl acetate	123-86-4	40-50	-	-
Ethyl acetate	141-78-6	35-45	-	-
Propylene glycol monomethyl ether acetate	108-65-6	0-5	-	-

**4. FIRST AID MEASURES**

**Description of necessary first-aid measures**

**General Advice**

Under normal conditions of use first aid is not required.

**Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or Poison Control Center immediately.

**Skin Contact**

Wash skin with soap and water. Get medical attention if irritation develops and persists.

**Inhalation**

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

**Ingestion**

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.

**Most important symptoms/effects, acute and delayed**

**Most Important Symptoms/Effects** None known

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to Physician**

Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media**

None

**Specific Hazards Arising from the Chemical** The ink contained in this product is flammable but not readily ignited.

**Explosion Data**  
**Sensitivity to Mechanical Impact** None.  
**Sensitivity to Static Discharge** None.

**Protective Equipment and Precautions for Firefighters** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Remove all sources of ignition.

**Environmental Precautions**

**Environmental Precautions** Avoid release to the environment. Dispose of contents/container to an approved waste disposal plant. See Section 12 for additional Ecological Information.

**Methods and materials for containment and cleaning up**

**Methods for Containment** None required.

**Methods for Cleaning Up** Pick up and transfer to properly labeled containers.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Handling** Keep away from open flames, hot surfaces and sources of ignition.

**Conditions for safe storage, including any incompatibilities**

**Storage** Store in a well-ventilated place. Keep cool.

**Incompatible Products** None known based on information supplied.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines** The following exposure limits are provided for information only; exposure is not expected under normal conditions of use or storage.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-Butyl acetate 123-86-4	STEL: 150 ppm TWA: 50 ppm	TWA: 150 ppm TWA: 710 mg/m <sup>3</sup> (vacated) TWA: 150 ppm (vacated) TWA: 710 mg/m <sup>3</sup> (vacated) STEL: 200 ppm (vacated) STEL: 950 mg/m <sup>3</sup>	IDLH: 1700 ppm TWA: 150 ppm TWA: 710 mg/m <sup>3</sup> STEL: 200 ppm STEL: 950 mg/m <sup>3</sup>
Ethyl acetate 141-78-6	TWA: 400 ppm	TWA: 400 ppm TWA: 1400 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 1400 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 1400 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Measures** None under normal use conditions.

**Individual protection measures, such as personal protective equipment**

<b>Eye/Face Protection</b>	No protective equipment is needed under normal use conditions.
<b>Skin and Body Protection</b>	No protective equipment is needed under normal use conditions.
<b>Respiratory Protection</b>	No protective equipment is needed under normal use conditions.
<b>Hygiene Measures</b>	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical State</b>	Liquid.	<b>Appearance</b>	Varies.
<b>Odor</b>	Mild.	<b>Odor Threshold</b>	No information available.

<u>Property</u>	<u>Values</u>	<u>Remarks/ - Method</u>
<b>pH</b>	No data available	None known
<b>Melting Point/Range</b>	No data available	None known
<b>Boiling Point/Boiling Range</b>	96 °C / 205 °F	None known
<b>Flash Point</b>	23 °C / 73 °F	(Liquid Ink only)
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limits in Air</b>		
upper flammability limit	13.5%	
lower flammability limit	2.1%	
<b>Vapor Pressure</b>	No data available	None known
<b>Vapor Density</b>	No data available	None known
<b>Relative Density</b>	No data available	None known
<b>Specific Gravity</b>	.9418	None known
<b>Water Solubility</b>	No data available	None known
<b>Solubility in other solvents</b>	No data available	None known
<b>Partition coefficient: n-octanol/water</b>	No data available	None known
<b>Autoignition Temperature</b>	No data available	None known
<b>Decomposition Temperature</b>	No data available	None known
<b>Viscosity</b>	No data available	None known

<b>Flammable Properties</b>	Highly flammable.
<b>Explosive Properties</b>	No data available
<b>Oxidizing Properties</b>	No data available

### Other information

<b>VOC Content (%)</b>	No data available
------------------------	-------------------

## 10. STABILITY AND REACTIVITY

<b><u>Reactivity</u></b>	No data available.
<b><u>Chemical stability</u></b>	Stable under recommended storage conditions.
<b><u>Possibility of hazardous reactions</u></b>	None under normal processing.
<b><u>Hazardous Polymerization</u></b>	Hazardous polymerization does not occur.
<b><u>Conditions to avoid</u></b>	None known based on information supplied.
<b><u>Incompatible materials</u></b>	None known based on information supplied.
<b><u>Hazardous decomposition products</u></b>	Thermal decomposition can lead to release of irritating gases and vapors.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

<b>Product Information</b>	Product does not present an acute toxicity hazard based on known or supplied information.
<b>Inhalation</b>	None under normal use conditions
<b>Eye Contact</b>	None under normal use conditions.
<b>Skin Contact</b>	None under normal use conditions.
<b>Ingestion</b>	None under normal use conditions.

**Numerical measures of toxicity - Product**

The following values are calculated based on chapter 3.1 of the GHS document: Not applicable

**Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
n-Butyl acetate	= 10768 mg/kg ( Rat )	> 17600 mg/kg ( Rabbit )	= 390 ppm ( Rat ) 4 h
Ethyl acetate	= 5620 mg/kg ( Rat )	> 20 mL/kg ( Rabbit ) > 18000 mg/kg ( Rabbit )	= 4000 ppm ( Rat ) 4 h
Propylene glycol monomethyl ether acetate	= 8532 mg/kg ( Rat )	> 5 g/kg ( Rabbit )	-

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** None under normal use.

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Respiratory or Skin Sensitization** No information available  
**Germ Cell Mutagenicity** No information available  
**Carcinogenicity** Contains no ingredient listed as a carcinogen.

**Reproductive Toxicity** No information available  
**STOT - single exposure** No information available  
**STOT - repeated exposure** No information available  
**Aspiration Hazard** No information available.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**  
 Not Applicable

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
n-Butyl acetate 123-86-4	EC50 72 h: = 674.7 mg/L (Desmodesmus subspicatus)	LC50 96 h: 17 - 19 mg/L flow-through (Pimephales promelas) LC50 96 h: = 100 mg/L static (Lepomis macrochirus) LC50 96 h: = 62 mg/L static (Leuciscus idus)	EC50 = 70.0 mg/L 5 min EC50 = 82.2 mg/L 15 min EC50 = 959 mg/L 18 h EC50 = 98.9 mg/L 30 min	EC50 24 h: = 72.8 mg/L (Daphnia magna)
Ethyl acetate 141-78-6	EC50 48 h: = 3300 mg/L (Desmodesmus subspicatus)	LC50 96 h: 220 - 250 mg/L flow-through (Pimephales promelas) LC50 96 h: 352 - 500 mg/L semi-static (Oncorhynchus mykiss) LC50 96 h: = 484 mg/L flow-through (Oncorhynchus mykiss)	EC50 = 1180 mg/L 5 min EC50 = 1500 mg/L 15 min EC50 = 5870 mg/L 15 min EC50 = 7400 mg/L 2 h	EC50 48 h: = 560 mg/L Static (Daphnia magna)
Propylene glycol monomethyl ether acetate 108-65-6		LC50 96 h: = 161 mg/L static (Pimephales promelas)		EC50 48 h: > 500 mg/L (Daphnia magna)

**Persistence and Degradability** No information available

**Bioaccumulation** No information available

Chemical Name	Log Pow
n-Butyl acetate	1.81
Ethyl acetate	0.6
Propylene glycol monomethyl ether acetate	0.43

**Mobility** No information available

**Other Adverse Effects** No information available.

**13. DISPOSAL CONSIDERATIONS**

**Waste Disposal Methods** Dispose of in accordance with local regulations.

**Contaminated Packaging** Not Applicable

**14. TRANSPORT INFORMATION**

**DOT**

UN-Number UN1210  
 Proper shipping name Printing ink  
 Hazard Class 3  
 Packing Group III  
 Description UN1210, Printing ink, 3, III, Limited Quantity  
 Emergency Response Guide Number 129

**TDG**

UN-Number UN1210  
 Proper Shipping Name Printing ink  
 Hazard Class 3  
 Packing Group III  
 Description UN1210, Printing ink, 3, III, Limited Quantity

**MEX**

UN-Number UN1210  
 Proper Shipping Name Printing ink  
 Hazard Class 3  
 Packing Group III  
 Description UN1210, Printing ink, 3, III, Limited Quantity

**IATA**

UN-Number UN1210  
 Proper Shipping Name Printing ink  
 Hazard Class 3  
 Packing Group III  
 ERG Code 3L  
 Description UN1210, Printing ink, 3, III, Limited Quantity

**IMDG/IMO**

UN-Number UN1210  
 Proper Shipping Name Printing ink  
 Hazard Class 3  
 Packing Group III  
 EmS No. F-E, S-D  
 Description UN1210, Printing ink, 3, III, (23°C c.c.), Limited Quantity

**15. REGULATORY INFORMATION**

**International Regulations**

Ozone depleting substances Not applicable  
 Persistent Organic Pollutants Not applicable  
 Hazardous Waste Not applicable

Chemical Name	Basel Convention (Hazardous Wastes)
Ethyl acetate	Y42

The Rotterdam Convention (Prior Informed Consent) Not applicable  
 International Convention for the Prevention of Pollution from Ships (MARPOL) Not applicable

**International Inventories**

TSCA Contact supplier for inventory compliance status  
 DSL/NDSL Contact supplier for inventory compliance status

**Legend**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**U.S. Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
n-Butyl acetate	5000 lb			X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
n-Butyl acetate	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
Ethyl acetate	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

**U.S. State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
n-Butyl acetate	X	X	X		X
Ethyl acetate	X	X	X		X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

---

**16. OTHER INFORMATION**

<u>NFPA</u>	Health Hazard 0	Flammability 2	Instability 0	Physical and Chemical Hazards -
<u>HMIS</u>	Health Hazard 0	Flammability 2	Physical Hazard 0	Personal Protection X

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Issuing Date** 25-Jul-2018  
**Revision Date** 26-Jul-2018  
**Revision Note** New regional format.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**