



PREMIER FINISHES INC.

**Safety Data Sheet
10-468 *EnviroTech-Satin, Neutral Base DTM**

SECTION 1: Identification

Product identifier

Product name EnviroTech-Satin, Neutral Base DTM
Product number 10-468
Brand EnviroTech

Other means of identification
formerly 10-439n S

Supplier's details

Name Premier Finishes Inc.
Address PO Box 3146
Oregon City, OR 97045
USA

Telephone 503-241-2770
Fax 503-241-2363
email office@premierfinishes.net

SECTION 2: Hazard identification

Classification of the substance or mixture

GHS label elements, including precautionary statements

Pictogram



Hazard statement(s)

H303 May be harmful if swallowed
H333 May be harmful if inhaled
H317 May cause an allergic skin reaction

Precautionary statement(s)

P102 Keep out of reach of children.
P103 Read label before use.
P202 Do not handle until all safety precautions have been read and understood.
P233 Keep container tightly closed.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P262 Do not get in eyes, on skin, or on clothing.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P501 Dispose of contents/container to an approved waste disposal plant.

Safety Data Sheet
10-468 *EnviroTech-Satin, Neutral Base DTM

SECTION 3: Composition/information on ingredients

Mixtures

Any concentration shown as a range is to protect confidentiality or due to batch variation.

Hazardous components

1. Silica

Concentration 1 - 5 %

- Eye damage/irritation (chapter 3.3), Cat. 2A

H319 Causes serious eye irritation
H335 May cause respiratory irritation

2. DIETHYLENE GLYCOL MONOMETHYL ETHER

Concentration 3 - 5 %
EC no. 203-906-6
CAS no. 111-77-3
Index no. 603-107-00-6

- Toxic to reproduction (chapter 3.7), Cat. 2

H361d Suspected of damaging the unborn child

3. 2,2,4-trimethyl-1, 3-pentanediol monoisobutyrate

Concentration 1 - 5 %

Trade secret statement (OSHA 1910.1200(i))

See OSHA 1910.1200(i)

SECTION 4: First-aid measures

Description of necessary first-aid measures

General advice	Seek medical attention if ingested.
If inhaled	Remove from exposure. Seek medical attention if breathing becomes difficult.
In case of skin contact	Rinse with warm soap and water. Remove contaminated clothing and launder before re-use.
In case of eye contact	If in eyes: Rinse with water for 15 minutes, remove contact lenses. Get medical advice.
If swallowed	Call a poison center or doctor. Do not induce vomiting unless directed to do so by medical personnel.

SECTION 5: Fire-fighting measures

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

No data available.

Safety Data Sheet

10-468 *EnviroTech-Satin, Neutral Base DTM

Special protective actions for fire-fighters

No data available.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and ensure adequate ventilation.

Environmental precautions

Keep out of drains, sewers, ditches, and waterways.

Methods and materials for containment and cleaning up

Create a dike or trench to contain material. Soak up with inert absorbent material and then place in a chemical waste container. Contain all liquids for treatment or disposal.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep out of reach of children.

SECTION 8: Exposure controls/personal protection

Individual protection measures, such as personal protective equipment (PPE)

Pictograms



Eye/face protection

Safety glasses.

Skin protection

Wear protective gloves and suitable protective clothing.

Body protection

Wear suitable clothing.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	Liquid
Odor	Acrylic
Odor threshold	No data available.
pH	8.3 - 9.3
Melting point/freezing point	Melt - NA / Freeze - 0 C/32 F
Initial boiling point and boiling range	100C / 212F
Flash point	(closed cup) >200F
Evaporation rate	Slower than ether
Vapor density	Heavier than air
Relative density	8.61 lb./gl.
Solubility(ies)	Water
Viscosity	102 - 105 KU
Explosive properties	None

Safety Data Sheet

10-468 *EnviroTech-Satin, Neutral Base DTM

Other safety information

No data available.

SECTION 10: Stability and reactivity

Reactivity

No specific test data related to reactivity available for this product or its ingredients.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous polymerization does not occur.

Incompatible materials

Avoid contact with strong oxidizing agents

Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

No data available.

Skin corrosion/irritation

No data available.

Serious eye damage/irritation

No data available.

Respiratory or skin sensitization

No data available.

Germ cell mutagenicity

No data available.

Summary of evaluation of the CMR properties

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

Safety Data Sheet
10-468 *EnviroTech-Satin, Neutral Base DTM

SECTION 12: Ecological information

Toxicity

No data available.

Persistence and degradability

Dipropylene glycol monomethyl ether: Biodegradability aerobic - Exposure time 28 d
Result: 76 % - Readily biodegradable
(OECD Test Guideline 301F)

Propylene glycol ethers are unlikely to persist in the environment. Once in air, the half-life of the category members due to direct reactions with photochemically generated hydroxyl radicals, range from 2.0 hours for TPM to 4.6 hours for PnB. In water, 3 of the 4 new categories members and all 3 existing members are "readily biodegradable" under aerobic conditions. (DPMA degraded within 28 days (and within the specified 10-day window) but only using pre-adapted or "acclimated" inoculum.) In soil, biodegradation is rapid for PM and PMA. Acute aquatic toxicity testing indicates low toxicity for both ethers and acetates. For ethers, effect concentrations are > 500 mg/L. For acetates, effect concentrations are > 151 mg/L.

Bioaccumulative potential

Does not bioaccumulate

Dipropylene glycol butoxy ether:

<http://webnet.oecd.org/Hpv/UI/handler.axd?id=312b87f0-63b5-4e78-82b5-b53bc3f7b0d3>

For this class of chemical, Calculated BCF's range from 1.47 for DPnB to 3.16 for DPMA and TPM, indicating low bioaccumulation.

Mobility in soil

No data available.

Results of PBT and vPvB assessment

No data available.

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Disposal of the product

Dispose of contents/containers in accordance with local regulations.

Disposal of contaminated packaging

Dispose of contents/containers in accordance with local regulations.

Waste treatment

Dispose of contents/containers in accordance with local regulations.

Sewage disposal

Dispose of contents/containers in accordance with local regulations.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

Safety Data Sheet

10-468 *EnviroTech-Satin, Neutral Base DTM

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question


US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. CERCLA/SARA Hazardous Substance- Not applicable

HMIS Rating

10-468 *EnviroTech-Satin, Neutral Base DTM	
HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B

NFPA Rating



SECTION 16: Other information

Further information/disclaimer

While the description, data, and information contained herein are presented in good faith and believed to be accurate, it is provided for guidance only. Because many factors may affect application/use, it is recommended that you make tests to determine the suitability of a product for your particular purpose prior to use. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding the product described, data, or information set forth, or that the product, data, or information may be used without infringing the intellectual property rights of others. In no case shall the description, information, or data provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree the description, data, and information furnished herein are provided gratis and we assume no obligation or liability for the description, data, and information given or results obtained, all such being given and accepted at your risk. The content of this SDS (a.k.a. MSDS) is copyrighted [(c) PFI]. This SDS may be shared, without changes, and no changes to the PFI content are authorized. Updates to all PFI SDS documents must be obtained directly from PFI. See Section 1 for PFI contact and website information.