



## PREMIER FINISHES INC.

### Safety Data Sheet CW Premium White

#### SECTION 1: Identification

##### Product identifier

Product name	CW Premium White
Product number	10-565

##### Other means of identification

CW Premium White - Improved Flow Higher solids/hide 9/19

##### Supplier's details

Name	Premier Finishes Inc.
Address	PO Box 3146 Oregon City, OR 97045 USA
Telephone	503-241-2770

#### SECTION 2: Hazard identification

##### Classification of the substance or mixture

Not a hazardous substance or mixture.

##### GHS label elements, including precautionary statements

Not a hazardous substance or mixture.

##### Other hazards which do not result in classification

Not a hazardous substance or mixture.

#### SECTION 3: Composition/information on ingredients

##### Mixtures

Any concentration shown as a range is to protect confidentiality or due to batch variation.

##### Components

###### 1. MONOETHANOLAMINE 85% & 99%

Concentration	0.1 - 3 %
EC no.	205-483-3
CAS no.	141-43-5
Index no.	603-030-00-8

# Safety Data Sheet

## CW Premium White

- Acute toxicity (chapter 3.1), Cat. 4
- Skin corrosion/irritation (chapter 3.2), Cat. 1B
- Flammable liquids (chapter 2.6), Cat. 4
- Eye damage/irritation (chapter 3.3), Cat. 1
- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3
- Hazardous to the aquatic environment - acute hazard (chapter 4.1), Cat. 2
- Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 3

H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H332	Harmful if inhaled
H335	May cause respiratory irritation
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

### 2. Propylene Glycol

Concentration	0.1 - 3 %
CAS no.	57-55-6

### 3. Kaolin, calcined

Concentration	3 - 5 %
EC no.	296-473-8
CAS no.	92704-41-1

### 4. Kaolin

Concentration	3 - 5 %
CAS no.	1332-58-7

### 5. Talc

Concentration	20 - 25 %
---------------	-----------

### 6. amine salt of modified acrylic copolymer

Concentration	10 - 15 %
---------------	-----------

### 7. Dipropylene glycol monomethyl ether

Concentration	0.1 - 3 %
CAS no.	34590-94-8

- Flammable liquids (chapter 2.6), Cat. 4
- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3

H227	Combustible liquid
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness

# Safety Data Sheet

## CW Premium White

Trade secret statement (OSHA 1910.1200(i))

See OSHA 1910.1200(i)

### SECTION 4: First-aid measures

#### Description of necessary first-aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled	If inhaled: Call a poison center or doctor if you feel unwell.  Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.
In case of skin contact	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a poison center or doctor. Wash contaminated clothing before reuse.  Acute and delayed symptoms and effects: May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.
In case of eye contact	If in eyes: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  Acute and delayed symptoms and effects: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.
If swallowed	If swallowed: Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.  Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

#### Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### SECTION 5: Fire-fighting measures

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Specific hazards arising from the chemical

Closed containers may rupture if exposed to fire or extreme heat.

#### Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# Safety Data Sheet

## CW Premium White

### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

#### Environmental precautions

Keep out of drains, sewers, ditches, and waterways.

#### Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

### SECTION 7: Handling and storage

#### Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

#### Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep out of the reach of children.

### SECTION 8: Exposure controls/personal protection

#### Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### Individual protection measures, such as personal protective equipment (PPE)

##### Pictograms



#### Eye/face protection

Safety glasses with side-shields.

#### Skin protection

Protective gloves and impervious clothing.

#### Body protection

Wear suitable protective clothing.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# Safety Data Sheet

## CW Premium White

### SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)	White Liquid
Odor threshold	Not determined.
pH	8.3-9.3
Flammability (solid, gas)	Not applicable.
Relative density	12.55 wpg
Viscosity	2ZAHN = 32-34"
Explosive properties	None.
Oxidizing properties	No data available.

### SECTION 10: Stability and reactivity

#### Reactivity

No specific test data related to reactivity available for this product or its ingredients.

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous polymerization does not occur.

#### Conditions to avoid

No data available.

#### Incompatible materials

MONOETHANOLAMINE 85% & 99%: Oxidizers, acids

#### Hazardous decomposition products

No data available.

### SECTION 11: Toxicological information

#### Information on toxicological effects

##### Acute toxicity

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Symptoms (including delayed and immediate effects):

Inhalation: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Ingestion: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Eye: see below.

Skin: see below.

-----

MONOETHANOLAMINE 85% & 99%: \*ACUTE/CHRONIC HAZARDS:

This compound is irritating to the skin, eyes, lungs and mucous membranes.

[058,269]. It may be absorbed through the skin [058]. Hazardous decomposition products may include carbon monoxide, carbon dioxide and oxides of nitrogen [058,269].

# Safety Data Sheet

## CW Premium White

### Skin corrosion/irritation

May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

### Serious eye damage/irritation

May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

### Respiratory or skin sensitization

MONOETHANOLAMINE 85% & 99%: \*RECOMMENDED RESPIRATOR:

Where the neat test chemical is weighed and diluted, wear a NIOSH- approved half face respirator equipped with an organic vapor/acid gas cartridge (specific for organic vapors, HCl, acid gas and SO<sub>2</sub>) with a dust/mist filter. Splash proof safety goggles should be worn while handling this chemical. Alternatively, a full-face respirator, equipped as above, may be used to provide simultaneous eye and respiratory protection.

### Germ cell mutagenicity

No data available.

### Carcinogenicity

No data available.

### Reproductive toxicity

No data available.

### Summary of evaluation of the CMR properties

No data available.

### STOT-single exposure

No data available.

### STOT-repeated exposure

No data available.

### Aspiration hazard

No data available.

## SECTION 12: Ecological information

### Toxicity

No data available.

### Persistence and degradability

MONOETHANOLAMINE 85% & 99%: Biodegradability aerobic - Exposure time 28 d  
Result: > 70 % - Readily biodegradable  
(OECD Test Guideline 301F)

-----

Dipropylene glycol monomethyl ether: Biodegradability aerobic - Exposure time 28 d  
Result: 76 % - Readily biodegradable  
(OECD Test Guideline 301F)

### Bioaccumulative potential

MONOETHANOLAMINE 85% & 99%:

<http://webnet.oecd.org/ccrweb/ChemicalDetails.aspx?ChemicalID=A51B9C16-0837-416F-9697-991CEC9F46D1>

Bioaccumulative (B)?

No

-----

# Safety Data Sheet

## CW Premium White

Dipropylene glycol monomethyl ether:

<http://webnet.oecd.org/ccrweb/ChemicalDetails.aspx?ChemicalID=0F505FF5-E297-4D11-B841-AE6B73A2C59C>

### Mobility in soil

No data available.

### Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## SECTION 13: Disposal considerations

### Disposal of the product

Dispose of contents/containers in accordance with local regulations.

### Disposal of contaminated packaging

Do not reuse empty containers.

## SECTION 14: Transport information

### DOT (US)

Not dangerous goods

### IMDG

Not dangerous goods

### IATA

Not dangerous goods

## SECTION 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

#### Massachusetts Right To Know Components

Chemical name: Propanol, (2-methoxymethylethoxy)-

CAS number: 34590-94-8

#### New Jersey Right To Know Components

Common name: ETHANOLAMINE

CAS number: 141-43-5

Common name: DIPROPYLENE GLYCOL METHYL ETHER

CAS number: 34590-94-8

#### Pennsylvania Right To Know Components

Chemical name: Ethanol, 2-amino-

CAS number: 141-43-5

Chemical name: Propanol, (2-methoxymethylethoxy)-

CAS number: 34590-94-8


# Safety Data Sheet

## CW Premium White

### HMIS Rating

CW Premium White	
HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B

### NFPA Rating



## SECTION 16: Other information

### Further information/disclaimer

While the description, data, and information contained herein are presented in good faith and believed to be accurate, it is provided for guidance only. Because many factors may affect application/use, it is recommended that you make tests to determine the suitability of a product for your particular purpose prior to use. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding the product described, data, or information set forth, or that the product, data, or information may be used without infringing the intellectual property rights of others. In no case shall the description, information, or data provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree the description, data, and information furnished herein are provided gratis and we assume no obligation or liability for the description, data, and information given or results obtained, all such being given and accepted at your risk. The content of this SDS (a.k.a. MSDS) is copyrighted [(c) PFI]. This SDS may be shared, without changes, and no changes to the PFI content are authorized. Updates to all PFI SDS documents must be obtained directly from PFI. See Section 1 for PFI contact and website information.