

# PREMIER FINISHES INC.

# Safety Data Sheet 10-980

# **SECTION 1: Identification**

## **Product identifier**

Product name 10-980

Product number 10-980 Brand Rubberizelt

Other means of identification DuraRubber Neutral Base

# Supplier's details

Name Premier Finishes Inc.

Address PO Box 3146

Oregon City, OR 97045

USA

Telephone 503-241-2770 Fax 503-241-2363

# **SECTION 2: Hazard identification**

Classification of the substance or mixture

GHS label elements, including precautionary statements

## **Pictogram**



# Precautionary statement(s)

P102 Keep out of reach of children.

P103 Read label before use.

P202 Do not handle until all safety precautions have been read and understood.

P233 Keep container tightly closed.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

# **SECTION 3: Composition/information on ingredients**

#### **Mixtures**

Any concentration shown as a range is to protect confidentiality or due to batch variation.

## **Hazardous components**

#### 1. MONOETHANOLAMINE

Concentration 0.33 - 0.34 % (Weight)

EC no. 205-483-3 CAS no. 141-43-5 Index no. 603-030-00-8

- Acute toxicity (chapter 3.1), Cat. 4

Skin corrosion/irritation (chapter 3.2), Cat. 1B
Flammable liquids (chapter 2.6), Cat. 4
Eye damage/irritation (chapter 3.3), Cat. 1

- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3

- Hazardous to the aquatic environment - acute hazard (chapter 4.1), Cat. 2 - Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 3

H227 Combustible liquid
H302 Harmful if swallowed
H312 Harmful in contact with skin

H314 Causes severe skin burns and eve damage

H318 Causes serious eye damage

H332 Harmful if inhaled

H335 May cause respiratory irritation

H401 Toxic to aquatic life

H412 Harmful to aquatic life with long lasting effects

# 2. Distillates (petroleum), hydrotreated heavy paraffinic

Concentration 0.4 - 0.8 % (Weight)

CAS no. 64742-54-7

## 3. Poly(ethylene glycol-ran-propylene glycol) monobutyl ether

Concentration 0.16 - < 0.26 % (Weight)

CAS no. 9038-95-3

4. Propylene Glycol

Concentration 2.6 - 2.9 % (Weight)

CAS no. 57-55-6

5. Zinc oxide

Concentration 3.99 - 4.6 % (Weight)

EC no. 215-222-5 CAS no. 1314-13-2 Index no. 030-013-00-7

- Hazardous to the aquatic environment - acute hazard (chapter 4.1), Cat. 1 - Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 1

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

6. Nepheline Svenite

Concentration 21 - 25 % (Weight)

EC no. 270-666-7 CAS no. 37244-96-5

- Eye damage/irritation (chapter 3.3), Cat. 2

Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3
 H319 Causes serious eye irritation
 H335 May cause respiratory irritation
 H336 May cause drowsiness or dizziness

## 7. Dipropylene glycol butoxy ether

Concentration 1.4 - 1.6 % (Weight)

CAS no. 29911-28-2

# Trade secret statement (OSHA 1910.1200(i))

See OSHA 1910.1200(i)

## **SECTION 4: First-aid measures**

## Description of necessary first-aid measures

General advice Consult a physician. Show this safety data sheet to the doctor in attendance.

Move out of dangerous area.

If inhaled If inhaled: Call a poison center or doctor if you feel unwell.

Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache,

hoarseness, and nose and throat pain.

In case of skin contact If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower. Immediately call a poison center or doctor. Wash

contaminated clothing before reuse.

Acute and delayed symptoms and effects: May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

In case of eye contact If in eyes: Rinse cautiously with water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

Acute and delayed symptoms and effects: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or

hazy vision.

If swallowed: Call a poison center or doctor if you feel unwell. If vomiting

occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never

give anything by mouth to an unconscious person.

## Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# **SECTION 5: Fire-fighting measures**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Specific hazards arising from the chemical

Closed containers may rupture if exposed to fire or extreme heat.

# Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: Accidental release measures**

## Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

## **Environmental precautions**

Keep out of drains, sewers, ditches, and waterways.

#### Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

# **SECTION 7: Handling and storage**

## Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

# Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep out of the reach of children.

# **SECTION 8: Exposure controls/personal protection**

## Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

# Individual protection measures, such as personal protective equipment (PPE)

## **Pictograms**





### Eye/face protection

Safety glasses with side-shields.

#### Skin protection

Protective gloves and impervious clothing.

## **Body protection**

Wear suitable protective clothing.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## **Environmental exposure controls**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.) liquid
Odor acrylic

pH 8.3 - 9.3

Melting point/freezing point

Evaporation rate

Vapor density

Relative density

Viscosity

O C / 32F = Freeze
slower than ether
Heaver than air
10.01 lb/g
94 - 98KU

Oxidizing properties Hazardous polymerization will not occur.

# **SECTION 10: Stability and reactivity**

# Reactivity

No specific test data related to reactivity available for this product or its ingredients.

# **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous polymerization does not occur.

#### Conditions to avoid

No data available.

## Incompatible materials

No data available.

# Hazardous decomposition products

No data available.

# **SECTION 11: Toxicological information**

## Information on toxicological effects

## **Acute toxicity**

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

## Skin corrosion/irritation

May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

## Serious eye damage/irritation

May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

## Respiratory or skin sensitization

No data available.

## Germ cell mutagenicity

No data available.

# Carcinogenicity

No data available.

## Reproductive toxicity

No data available.

## Summary of evaluation of the CMR properties

No data available.

STOT-single exposure
No data available.
STOT-repeated exposure
No data available.
Aspiration hazard
No data available.

# **SECTION 12: Ecological information**

## **Toxicity**

No data available.

## Persistence and degradability

Dipropylene glycol monomethyl ether: Biodegradability aerobic - Exposure time 28 d Result: 76 % - Readily biodegradable (OECD Test Guideline 301F)

----

Dipropylene glycol butoxy ether:

http://webnet.oecd.org/Hpv/UI/handler.axd?id=312b87f0-63b5-4e78-82b5-b53bc3f7b0d3

Propylene glycol ethers are unlikely to persist in the environment. Once in air, the half-life of the category members due to direct reactions with photochemicallygenerated hydroxyl radicals, range from 2.0 hours for TPM to 4.6 hours for PnB. In water, 3 of the 4 new category members and all 3 existing members are "readily biodegradable" under aerobic conditions. (DPMA degraded within 28 days (and within the specified 10-day window) but only using pre-adapted or "acclimated" inoculum.) In soil, biodegradation is rapid for PM and PMA. Acute aquatic toxicity testing indicates low toxicity for both ethers and acetates. For ethers, effect concentrations are > 500 mg/L. For acetates, effect concentrations are > 151 mg/L.

## Bioaccumulative potential

Does not bioaccumuate

----

Dipropylene glycol butoxy ether:

http://webnet.oecd.org/Hpv/UI/handler.axd?id=312b87f0-63b5-4e78-82b5-b53bc3f7b0d3

For this class of chemical, Calculated BCF's range from 1.47 for DPnB to 3.16 for DPMA and TPM, indicating low bioaccumulation.

## Mobility in soil

No data available.

### Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## **SECTION 13: Disposal considerations**

## Disposal of the product

Dispose of contents/containers in accordance with local regulations.

# Disposal of contaminated packaging

Dispose of contents/containers in accordance with local regulations.

### Waste treatment

Dispose of contents/containers in accordance with local regulations.

## Sewage disposal

Dispose of contents/containers in accordance with local regulations.

# Other disposal recommendations

Dispose of contents/containers in accordance with local regulations.

# **SECTION 14: Transport information**

DOT (US)

Not dangerous goods

**IMDG** 

Not dangerous goods

**IATA** 

Not dangerous goods

# **SECTION 15: Regulatory information**

## Safety, health and environmental regulations specific for the product in question


## **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

**HMIS Rating** 

10-980	
HEALTH	* 1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	В

# **NFPA Rating**



## **SECTION 16: Other information**

#### Further information/disclaimer

While the description, data, and information contained herein are presented in good faith and believed to be accurate, it is provided for guidance only. Because many factors may affect application/use, it is recommended that you make tests to determine the suitability of a product for your particular purpose prior to use. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding the product described, data, or information set forth, or that the product, data, or information may be used without infringing the intellectual property rights of others. In no case shall the description, information, or data provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree the description, data, and information furnished herein are provided gratis and we assume no obligation or liability for the description, data, and information given or results obtained, all such being given and accepted at your risk. The content of this SDS (a.k.a. MSDS) is copyrighted [(c) PFI]. This SDS may be shared, without changes, and no changes to the PFI content are authorized. Updates to all PFI SDS documents must be obtained directly from PFI. See Section 1 for PFI contact and website information.