

## PREMIER FINISHES INC.

# Safety Data Sheet 11-198 SolarShield Bright White EggShell Acrylic Sealer/Stain

## **SECTION 1: Identification**

#### **Product identifier**

Product name 11-198 SolarShield Bright White EggShell Acrylic Sealer/Stain

Product number 11-198
Brand SolarShield

Supplier's details

Name Premier Finishes Inc.

Address PO Box 3146

Oregon City, OR 97045

USA

Telephone 503-241-2770 Fax 503-912-1439

email office@premierfinishes.net

## **SECTION 2: Hazard identification**

Classification of the substance or mixture

GHS label elements, including precautionary statements

**Pictogram** 



1. Exclamation mark

Hazard statement(s)

H303 May be harmful if swallowed

H317 May cause an allergic skin reaction

H333 May be harmful if inhaled

Precautionary statement(s)

P102 Keep out of reach of children.

P103 Read label before use.

P233 Keep container tightly closed.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P501 Dispose of contents/container to an approved waste disposal plant.

## 11-198 SolarShield Bright White EggShell Acrylic Sealer/Stain

## **SECTION 3: Composition/information on ingredients**

#### **Mixtures**

Any concentration shown as a range is to protect confidentiality or due to batch variation.

#### **Hazardous components**

1.	O	ptig	el	W	X	*

Concentration 0.01 - 1 %

#### 2. Propylene Glycol

Concentration 1 - 5 % CAS no. 57-55-6

#### 3. TiO2 90

Concentration 15 - 20 % CAS no. 13463-67-7

## 4. Kaolin, calcined

Concentration 1 - 5 % EC no. 296-473-8 CAS no. 92704-41-1

#### 5. Calcium Carbonate 90-100

Concentration 1 - 5 % CAS no. 1317-65-3

## 6. Ammonium hydroxide 0.6%

 Concentration
 40 - 45 %

 EC no.
 215-647-6

 CAS no.
 1336-21-6

 Index no.
 007-001-01-2

- Skin corrosion/irritation (chapter 3.2), Cat. 1B
- Hazardous to the aquatic environment acute hazard (chapter 4.1), Cat. 1

H314 Causes severe skin burns and eye damage

H400 Very toxic to aquatic life

#### 7. Propanoic acid, 2-methyl-, monoester with 2,2,4-trimethyl-1,3-pentanediol

Concentration 1 - 5 % EC no. 246-771-9 CAS no. 25265-77-4

## Trade secret statement (OSHA 1910.1200(i))

See OSHA 1910.1200(i)

#### **SECTION 4: First-aid measures**

## Description of necessary first-aid measures

General advice Seek medical attention if ingested.

Version: 1.0, Date of issue: 2018-12-23, p. 2 of 8

## 11-198 SolarShield Bright White EggShell Acrylic Sealer/Stain

If inhaled Remove from exposure. Seek medical attention if breathing becomes

difficult.

In case of skin contact Rinse with soap and water. Remove contaminated clothing and launder

before re-use.

In case of eye contact If in eyes: Rinse with water for 15 minutes, remove contact lenses. Get

medical advice.

If swallowed Call a poison center or doctor. Do not induce vomiting unless directed to do

so by medical personnel.

## **SECTION 5: Fire-fighting measures**

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Specific hazards arising from the chemical

No data available.

## Special protective actions for fire-fighters

No data available.

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and ensure adequate ventilation.

#### **Environmental precautions**

Keep out of drains, sewers, ditches, and waterways.

## Methods and materials for containment and cleaning up

Create a dike or trench to contain material. Soak up with inert absorbent material and then place in a chemical waste container. Contain all liquids for treatment or disposal.

## **SECTION 7: Handling and storage**

#### Precautions for safe handling

Avoid contact with skin and eyes.

#### Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep out of reach of children.

## **SECTION 8: Exposure controls/personal protection**

## **Control parameters**

#### CAS: (not specified)

Nuisance Dust

ACGIH (US): 3 mg/m3 10 mg/m3 TWA inhalation

CAS: 1317-65-3 Calcium Carbonate

ACGIH (USA): SeebLV GookAppendix G TLV® inhalation; Cal/OSHA: see PNOR PEL inhalation

Version: 1.0, Date of issue: 2018-12-23, p. 3 of 8

## 11-198 SolarShield Bright White EggShell Acrylic Sealer/Stain

Calcium Carbonate, Respirable fraction

Cal/OSHA: 5 mg/m3 PEL inhalation; NIOSH: 5 mg/m3 REL inhalation; OSHA: 5 mg/m3 PEL inhalation Calcium Carbonate. Total dust

Cal/OSHA: 10 mg/m3 PEL inhalation; NIOSH: 10 mg/m3 REL inhalation; OSHA: 15 mg/m3 PEL inhalation Limestone

ACGIH (USA): See calcium carbonate TLV® inhalation; Cal/OSHA: see PNOR PEL inhalation Limestone. Respirable fraction

Cal/OSHA: 5 mg/m3 PEL inhalation; NIOSH: 5 mg/m3 REL inhalation; OSHA: 5 mg/m3 PEL inhalation Limestone, Total dust

Cal/OSHA: 10 mg/m3 PEL inhalation; NIOSH: 10 mg/m3 REL inhalation; OSHA: 15 mg/m3 PEL inhalation Marble

Cal/OSHA: See PNOR PEL inhalation

Marble, Respirable fraction

Cal/OSHA: 5 mg/m3 PEL inhalation; NIOSH: 5 mg/m3 REL inhalation; OSHA: 5 mg/m3 PEL inhalation

Marble, Total dust

Cal/OSHA: 10 mg/m3 PEL inhalation; NIOSH: 10 mg/m3 REL inhalation; OSHA: 15 mg/m3 PEL inhalation

#### CAS: 1332-58-7

Kaolin, Respirable fraction

ACGIH (USA): 2 mg/m3 (no asbestos and < 1% crystalline silica) TLV® inhalation; Cal/OSHA: 2 mg/m3, (no asbestos, < 1% crystalline silica) PEL inhalation; NIOSH: 5 mg/m3 REL inhalation; OSHA: 5 mg/m3 PEL inhalation

CAS: 14808-60-07

Quartz

ACGIH (US): .025 mg/m3 TWA

CAS: 14808-60-7

Quartz

## Individual protection measures, such as personal protective equipment (PPE)

#### **Pictograms**



## Eye/face protection

Safety glasses.

#### Skin protection

Wear protective gloves and suitable protective clothing.

#### **Body protection**

Wear suitable clothing.

## **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

Appearance/form (physical state, color, etc.)

White Liquid
8.3-9.3

Melting point/freezing point

Initial boiling point and boiling range

Value 12°F / 100°C

Flash point

None (closed cup)

Version: 1.0, Date of issue: 2018-12-23, p. 4 of 8

## 11-198 SolarShield Bright White EggShell Acrylic Sealer/Stain

Evaporation rate

Vapor density

Relative density

Explosive properties

Oxidizing properties

Slower than ether
Heavier than air
10.38 wpg
None.
None.

## **SECTION 10: Stability and reactivity**

## Reactivity

No specific test data related to reactivity available for this product or its ingredients.

## **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur. Hazardous polymerization does not occur.

#### Conditions to avoid

No data available.

## Incompatible materials

No data available.

MONOETHANOLAMINE 85% & 99%: Oxidizers, acids

#### **Hazardous decomposition products**

No dangerous reaction known under conditions of normal use

## **SECTION 11: Toxicological information**

## Information on toxicological effects

## **Acute toxicity**

MONOETHANOLAMINE 85% & 99%: \*ACUTE/CHRONIC HAZARDS: This compound is irritating to the skin, eyes, lungs and mucous membranes. [058,269]. It may be absorbed through the skin [058]. Hazardous decomposition products may include carbon monoxide, carbon dioxide and oxides of nitrogen [058,269].

#### Skin corrosion/irritation

No data available.

## Serious eye damage/irritation

No data available.

## Respiratory or skin sensitization

#### MONOETHANOLAMINE 85% & 99%: \*RECOMMENDED RESPIRATOR:

Where the neat test chemical is weighed and diluted, wear a NIOSH-approved half face respirator equipped with an organic vapor/acid gas cartridge (specific for organic vapors, HCl, acid gas and SO2) with a dust/mist filter. Splash proof safety goggles should be worn while handling this chemical. Alternatively, a full-face respirator, equipped as above, may be used to provide simultaneous eye and respiratory protection.

Version: 1.0, Date of issue: 2018-12-23, p. 5 of 8

## 11-198 SolarShield Bright White EggShell Acrylic Sealer/Stain

#### Germ cell mutagenicity

No data available.

## Reproductive toxicity

No data available.

## Summary of evaluation of the CMR properties

No data available.

## STOT-single exposure

No data available.

## STOT-repeated exposure

No data available.

#### **Aspiration hazard**

No data available.

## **SECTION 12: Ecological information**

## **Toxicity**

Optigel WX \*: Contains a substance which risk of hazardous effects to the environment.

#### Persistence and degradability

Not inherently biodegradable. the methods for determining the biological degradability are not applicable to inorganic substances.

MONOETHANOLAMINE 85% & 99%: Biodegradability aerobic - Exposure time 28 d

No

Result: > 70 % - Readily biodegradable

(OECD Test Guideline 301F)

#### Bioaccumulative potential

No data available.

## MONOETHANOLAMINE 85% & 99%:

http://webnet.oecd.org/ccrweb/ChemicalDetails.aspx?ChemicalID=A51B9C16-0837-416F-9697-991CEC9F46D1

Bioaccumulative (B)?

## Mobility in soil

No data available.

## Results of PBT and vPvB assessment

No data available.

#### Other adverse effects

No data available.

## **SECTION 13: Disposal considerations**

## Disposal of the product

Dispose of contents/containers in accordance with local regulations.

## Disposal of contaminated packaging

Dispose of contents/containers in accordance with local regulations.

## 11-198 SolarShield Bright White EggShell Acrylic Sealer/Stain

#### Waste treatment

Dispose of contents/containers in accordance with local regulations.

## Sewage disposal

Dispose of contents/containers in accordance with local regulations.

## **SECTION 14: Transport information**

## DOT (US)

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### **IATA**

Not dangerous goods

## **SECTION 15: Regulatory information**

Safety, health and environmental regulations specific for the product in question

## Pennsylvania Right to Know Components

## **US** federal regulations

Common name: AMMONIA CAS number: 7664-41-7. Quartz

CAS number: 7722-88-5. Chemical name: 1,2-Propanediol CAS number: 57-55-6. 2,4,7,9-Tetramethyldec-5-yne-4,7-diol CERCLA/SARA Hazardous Substance- Not applicable

#### **HMIS Rating**

11-198 SolarShield Bright White				
EggShell Acrylic Sealer/Stain				
HEALTH	1			
FLAMMABILITY	0			
PHYSICAL HAZARD	0			
PERSONAL PROTECTION	В			

## **NFPA** Rating



# Safety Data Sheet 11-198 SolarShield Bright White EggShell Acrylic Sealer/Stain

## **SECTION 16: Other information**

#### Further information/disclaimer

While the description, data, and information contained herein are presented in good faith and believed to be accurate, it is provided for guidance only. Because many factors may affect application/use, it is recommended that you make tests to determine the suitability of a product for your particular purpose prior to use. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding the product described, data, or information set forth, or that the product, data, or information may be used without infringing the intellectual property rights of others. In no case shall the description, information, or data provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree that the description, data, and information furnished herein are given gratis and we assume no obligation or liability for the description, data, and information given or results obtained, all such being given and accepted at your risk. The content of this SDS (a.k.a. MSDS) is copyrighted [(c) PFI]. This SDS may be shared, without changes, and no changes to the PFI content are authorized. Updates to all PFI SDS documents must be obtained directly from PFI. See Section 1 for PFI contact and website information.