

SAFETY DATA SHEET

Issuing Date 16-Nov-2009 Revision Date 24-May-2015 Revision Number 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name Mothers Foaming Wheel & Tire Cleaner

Other means of identification

Product Code(s) 05924, 05902

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Car care

Uses advised against No information available

Supplier's details

Supplier Address

MOTHERS POLISHES WAXES CLEANERS 5456 Industrial Drive

Huntington Beach, CA 92649

TEL: 714-891-3364 FAX: 714-893-1827

Emergency telephone number

Emergency Telephone

Number

Chemtrec Phone: 1-800-424-9300 (within the U.S.) or +1 703-527-3887 (outside the U.S.)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word Warning Hazard Statements

Causes skin irritation

Causes serious eye irritation



Appearance Yellow.

Physical State Liquid.

Odor Perfume

Precautionary Statements

Prevention

- · Wash face, hands and any exposed skin thoroughly after handling.
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

• Specific treatment (see supplemental first aid instructions on this label)

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

Skir

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash before reuse.

Storage

• None

Disposal

None

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Harmful to aquatic life with long lasting effects

0.5% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Ethylenediamine tetraacetic acid (EDTA)	60-00-4	5-10	*
Sodium metasilicate	6834-92-0	1-5	*
Isopropyl alcohol	67-63-0	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

General Advice Immediate medical attention is not required. Show this safety data sheet to the doctor in

attendance. If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician.

Skin Contact Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

Ingestion Drink plenty of water. Rinse mouth. Do NOT induce vomiting. Never give anything by mouth

to an unconscious person. Consult a physician if necessary

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Irritation.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the Chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None. None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with the skin and the eyes. If spilled, take caution, as material can cause

surfaces to become very slippery.

Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Do not flush into surface water or

sanitary sewer system. Avoid release to the environment. See Section 12 for additional

Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Stop leak if you can do it without risk.

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Handle in

accordance with good industrial hygiene and safety practice. Do not breathe vapors or

spray mist. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated Storage

place. Keep out of the reach of children.

Incompatible Products Strong oxidizing agents. Strong acids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 980 mg/m ³
		(vacated) TWA: 400 ppm	TWA: 400 ppm
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	

Immediately Dangerous to Life or Health.

Appropriate engineering controls

Engineering Measures Showers. Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields. If splashes are likely to occur, wear: Tightly fitting safety

goggles.

Skin and Body Protection

Impervious clothing. Impervious gloves.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

be worn.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Liauid. Yellow. **Physical State Appearance** Odor Perfume. Odor Threshold No information available.

Property pH	<u>Values</u> No data available	Remarks/ - Method None known
Melting Point/Range	No data available	None known
Boiling Point/Boiling Range	No data available	None known
Flash Point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	No data available	None known
Vapor Density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	No data available	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/wate	rNo data available	None known
Autoignition Temperature	No data available	None known
Decomposition Temperature	No data available	None known
Viscosity	No data available	None known

Flammable Properties Not flammable

Explosive PropertiesNo data available **Oxidizing Properties**No data available

Other information

VOC Content (%) No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Do not freeze.

Incompatible materials

Strong oxidizing agents. Strong acids.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause irritation of respiratory tract. Avoid breathing vapors or mists.

Eye Contact Irritating to eyes.
Skin Contact Irritating to skin.
Ingestion None known.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylenediamine tetraacetic acid	= 1700 mg/kg (Rat)	-	=
(EDTA)	(EDTA)		
Sodium metasilicate = 600 mg/kg (Rat)		-	-
Isopropyl alcohol = 4396 mg/kg (Rat)		12800 mg/kg (Rat)	72.6 mg/L (Rat)4 h
		12870 mg/kg (Rabbit)	

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization May cause sensitization of susceptible persons.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol		Group 3		

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to its Carcinogenicity to Humans

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic Toxicity Avoid repeated exposure. Repeated contact may cause allergic reactions in very

susceptible persons.

Target Organ Effects Aspiration HazardRespiratory system. Eyes. Skin. No information available.

Numerical measures of toxicity - Product

Acute Toxicity 0.5% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 5230 mg/kg; Acute toxicity estimate

LD50 Dermal 10906 mg/kg; Acute toxicity estimate mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Ethylenediamine tetraacetic acid (EDTA) 60-00-4		LC50 96 h: 34 - 62 mg/L static (Lepomis macrochirus) LC50 96 h: 44.2 - 76.5 mg/L static (Pimephales promelas)		EC50 48 h: = 113 mg/L Static (Daphnia magna)
Sodium metasilicate 6834-92-0		LC50 96 h: = 210 mg/L semi-static (Brachydanio rerio) LC50 96 h: = 210 mg/L (Brachydanio rerio)		EC50 96 h: = 216 mg/L (Daphnia magna)
Isopropyl alcohol 67-63-0	EC50 96 h: > 1000 mg/L (Desmodesmus subspicatus) EC50 72 h: > 1000 mg/L (Desmodesmus subspicatus)	LC50 96 h: = 11130 mg/L static (Pimephales promelas) LC50 96 h: = 9640 mg/L flow-through (Pimephales promelas) LC50 96 h: > 1400000 µg/L (Lepomis macrochirus)		EC50 48 h: = 13299 mg/L (Daphnia magna)

Persistence and Degradability No information available.

Bioaccumulation No information available.

Chemical Name	Log Pow
Ethylenediamine tetraacetic acid (EDTA)	-3
Isopropyl alcohol	0.05

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging Dispose of in accordance with local regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste	
Isopropyl alcohol	Toxic	
	Ignitable	

14. TRANSPORT INFORMATION

DOT Not regulated TDG Not regulated Not regulated MEX Not regulated <u>ICAO</u> IATA Not regulated IMDG/IMO Not regulated Not regulated RID Not regulated <u>ADR</u> ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies EINECS Complies

<u>Legend</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ethylenediamine tetraacetic acid (EDTA)	5000 lb			Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Ethylenediamine tetraacetic acid (EDTA)	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Ethylenediamine tetraacetic acid (EDTA)	X	X	Х		
Isopropyl alcohol	Х	X	X		X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA	Health Hazard 2	Flammability 0	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard 2	Flammability 0	Physical Hazard 0	Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501 16-Nov-2009 24-May-2015

Issuing Date16-Nov-2009Revision Date24-May-2015Revision NoteUpdate to Format.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet
