

SAFETY DATA SHEET

Revision Date 31-Aug-2018

Revision Number 1

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier			
Product Name	Mothers R3 Racing Rubber Remover		
Other means of identification			
Product Code(s)	09224		
Synonyms	None		
Recommended use of the chemica	l and restrictions on use		
Recommended Use	Car care		
Uses advised against	No information available		
Supplier's details			
Supplier Address MOTHERS POLISHES WAXES CLEANERS 5456 Industrial Drive Huntington Beach, CA 92649 TEL: 714-891-3364 FAX: 714-893-1827	Company MOTHERS POLISHES WAXES CLEANERS 5456 Industrial Drive Huntington Beach, CA 92649 TEL: 714-891-3364 FAX: 714-893-1827		
Emergency telephone number			
Emergency Telephone Number	Chemtrec Phone: 1-800-424-9300 (within the U.S.) or +1 703-527-3887 (outside the U.S.)		
	2. HAZARDS IDENTIFICATION		
<u>Classification</u>			
	according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR hich includes the amended Hazardous Products Act (HPA) and the Hazardous Products (-R-019-SC-2011.		

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2

Label Elements

Signal Word Warning



Hazard Statements Causes skin irritation Causes serious eye irritation

Physical and Health Hazards Not Otherwise Classified Not applicable.

Precautionary Statements

Prevention

- · Wash face, hands and any exposed skin thoroughly after handling.
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

Specific treatment (see supplemental first aid instructions on this label).

Eyes

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

• If eye irritation persists: Get medical advice/attention.

Skin

- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash before reuse.

Other information

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Sodium metasilicate	6834-92-0	<5	-	-
EDTA	60-00-4	<5	-	-
Butoxypropanol	5131-66-8	<5	-	-
2-Butoxyethanol	111-76-2	<5	-	-

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
Inhalation	Move to fresh air.
Ingestion	Clean mouth with water and afterwards drink plenty of water.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Eye irritation/reactions. Skin irritation.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5. FIRE-FIGHTING MEASURES			
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
No information available.			
None in particular.			
t None. None.			
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.			
6. ACCIDENTAL RELEASE MEASURES			
Personal precautions, protective equipment and emergency procedures			
Ensure adequate ventilation.			
Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. See Section 12 for additional Ecological Information.			

Methods and materials for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for Cleaning Up	Dam up. Soak up with inert absorbent material. Clean contaminated surface thoroughly. Prevent product from entering drains. Keep in suitable and closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling			
Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.		
Conditions for safe storage, including any incompatibilities			
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place.		
Incompatible Products	None known based on information supplied.		
8. EXPOSURE CONTROLS / PERSONAL PROTECTION			
Control parameters			

Exposure Guidelines

Chemical Name

ACGIH TLV

OSHA PEL

NIOSH IDLH

2-Butoxyethanol	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	
		(vacated) S*	
		S*	

Legend

S* - Skin Absorber

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Other Exposure Guidelines	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Measures	Showers	
	Eyewash stations	
	Ventilation systems	

Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection	Safety glasses with side-shields. Long sleeved clothing. Protective gloves. No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Odor	Liquid. Perfume.	Appearance Odor Threshold	White, Clear, Cloudy White. No information available.
<u>Property</u>	Values	<u>Remarks/ - M</u>	ethod_
pH	9.5 - 10.0	None known	
Melting Point/Range	No data available	None known	
Boiling Point/Boiling Range	94 °C / 201.2 °F	None known	
Flash Point	> 105 °C / 221 °F	None known	
Evaporation rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limits in Air			
upper flammability limit	No data available		
lower flammability limit	No data available		
Vapor Pressure	No data available	None known	
Vapor Density	No data available	None known	
Relative Density	No data available	None known	
Specific Gravity	No data available	None known	
Water Solubility	No data available	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octano	l/waterNo data available	None known	
Autoignition Temperature	No data available	None known	
Decomposition Temperature	No data available	None known	
Viscosity	No data available	None known	
Flammable Properties	Not flammable		
Explosive Properties	No data available		
Oxidizing Properties	No data available		
Other information			
VOC Content (%)	< 3		

	10. STABILITY AND REACTIVITY
Reactivity	No data available.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	None under normal processing.

<u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

<u>Conditions to avoid</u> Do not freeze.

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Inhalation	Avoid breathing vapors or mists.
Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document: Not applicable.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium metasilicate	= 1153 mg/kg (Rat)	-	-
EDTA	> 2000 mg/kg (Rat)	-	-
2-Butoxyethanol	= 470 mg/kg (Rat)	= 400 mg/kg (Rabbit)	= 486 ppm (Rat) 4 h = 450 ppm (
		= 2270 mg/kg (Rat)	Rat)4h
Butoxypropanol	= 5660 µL/kg (Rat) = 1900 mg/kg	= 3100 mg/kg (Rabbit)	-
	(Rat)		

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Eye irritation/reactions. Skin irritation.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization
Germ Cell MutagenicityNot expected to be a sensitizer.
Does not contain substances that are known or suspected to be mutagens.
The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		

ACGIH: (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to its Carcinogenicity to Humans

Reproductive Toxicity STOT - single exposure

This product does not contain any known or suspected reproductive hazards. None of the ingredients are known to cause specific target organ effects from a single

STOT - repeated exposure

Target Organ Effects Aspiration Hazard None of the ingredients are known to cause specific target organ effects through prolonged or repeated exposure. Respiratory system. Eyes. Skin. None of the ingredients are known to be an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

exposure.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Sodium metasilicate 6834-92-0		LC50 96 h: = 210 mg/L (Brachydanio rerio) LC50 96 h: = 210 mg/L semi-static (Brachydanio rerio)		EC50 96 h: = 216 mg/L (Daphnia magna)
EDTA 60-00-4	EC50 72 h: = 1.01 mg/L (Desmodesmus subspicatus)	LC50 96 h: 34 - 62 mg/L static (Lepomis macrochirus) LC50 96 h: 44.2 - 76.5 mg/L static (Pimephales promelas)		EC50 48 h: = 113 mg/L Static (Daphnia magna)
2-Butoxyethanol 111-76-2		LC50 96 h: = 1490 mg/L static (Lepomis macrochirus) LC50 96 h: = 2950 mg/L (Lepomis macrochirus)		EC50 24 h: 1698 - 1940 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L (Daphnia magna)

Persistence and Degradability No information available.

Bioaccumulation

No information available.

Chemical Name		Log Pow	
2-Butoxyethan	ol	0.81	
Mobility	No information available.		
Other Adverse Effects	No information available.		
	13. DISPOSAL CO	ONSIDERATIONS	
Waste Disposal Methods	Dispose of in accordance with federal, state, and local regulations. Should not be released into the environment.		
Contaminated Packaging	Dispose of in accordance with local regulations.		
California Hazardous Waste Codes 331			
	14. TRANSPORT		

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances	Not applicable
Persistent Organic Pollutants	Not applicable
Hazardous Waste	Not applicable
The Rotterdam Convention (Prior	Not applicable
Informed Consent)	
International Convention for the	Not applicable
Prevention of Pollution from Ships	
(MARPOL)	

International Inventories	
TSCA	Contact supplier for inventory compliance status
DSL/NDSL	Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
2-Butoxyethanol	111-76-2	<5	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
EDTA	5000 lb			Х

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
EDTA	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
EDTA	Х	Х	Х		
2-Butoxyethanol	Х	Х	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA	Health Hazard 2	Flammability 1	Instability 0	Physical and Chemical Hazards N/A
HMIS_	Health Hazard 2	Flammability 1	Physical Hazard 0	Personal Protection B
Prepared By Issuing Date Revision Date Revision Note	23 British Latham, 1 1-800-57 31-Aug-2 31-Aug-2	018		

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet