VetScope ALL IN ONE VETERINARY ENDOSCOPE SYSTEM

Medical management system



Complete specification and function





Gastroscope



Laparoscope



Bronchoscope



LED Light Source L-10

Features

- High brightness LED, good color restoration and long operation life.
- Touch-screen control, friendly interactive interface.
- Brightness with 9 levels adjustment, suitable for a variety of scenes.
- All in one light source + water/air pump.



Specification

Model	Power Voltage	Light	Air Pump Pressure	Diameter	Brightness	Air Pump
L-10	100-240V AC	LED	45Kpa-65Kpa	φ8.5mm	9 levels	3 levels

Features






HD Image



Angle Lock



Wide Angle



Big Forceps Channel


Intelligent Image Processor D-1322




Features

- 21.5 inch touch-screen image processor
- Full HD 1920×1080
- Medical record management system
- Support wire and wirless network

Application



 Upper and lower GI tract work in companion animals (gastroscope and colonoscope) and airways investigations in equine(upper airways scope)



Ideal for numerous large animal applications, including gastroscopy, colonoscopy, esophagoscopy, tracheoscopy, hysteroscopy, rhinoscopy, pharynogoscopy and laryngoscopy.

Specification

Model	Outer Diameter	Working Channel	Working Length	Up/Down	Left/Right	View Angle
GU-160H	6.8mm	2.2mm	1500mm	U210°, D130°	L100°, R100°	120°
GU-180H	8.0mm	2.2mm	1500mm	U210°, D130°	L100°, R100°	120°
GU-190H	9.2mm	2.8mm	1500mm	U210°, D130°	L100°, R100°	120°
GU-190HL	9.2mm	2.8mm	3000mm	U210°, D130°	L100°, R100°	120°

LED Light Source L-10

Features


- High brightness LED, good color restoration and long operation life.
- Touch screen control, friendly interactive interface.
- Brightness with 9 Level adjustment, suitable for a variety of scenes.
- All in one light source +water/air pump.



Specification

Model	Power Voltage	Light	Air Pump Pressure	Diameter	Brightness	Air Pump
L-10	100-240V AC	LED	45Kpa-65Kpa	φ8.5mm	10 Levels	3 Levels

Intelligent Image Processor D-1322



Light Cord

Features

- 21.5 inch touch-screen image processor
- Full HD 1920×1080
- Medical record management system
- Support wire and wirless network

Rigid Scope





Camera Head: CM-U12



Features

- Ergonomic design with lightweight, reduces surgeon fatigue during long procedures
- IP67 Ingress Protection Rating, dust-proof and waterproof
- Two-megapixel camera, full HD 1080P resolution
- Camera head compatible with any rigid scope
- Multi-function buttons, easily capturing and freezing FHD photos

Application

Laparoscopy for dogs, cats, cattle, sheep, horses, pigs, laboratory animals, wild animals and some aquatic animals.



Specification



NO.	Components	Model	Description		
1	Camera Head	CM-U12	Full HD 1080P		
2	Light Cord	LC-10	Compatible with any brand of rigid scope		
3	Rigid Scope	LC-1530	Laparoscope 5.0mm diameter, 290mm working length, 30 degree		
4	Rigid Scope	LC-1500	Laparoscope 5.0mm diameter, 290mm working length, 0 degree		

CMOS+LED Technology

Non-fiber design makes it durable and easy for maintenance.





Features



High Definition
Perfect Image



CMOS+LED No Fiber



Big Channel




Multi-function Buttons


①White Balance ②Brightness ③Freeze

Application

EU-120 & EU140H (Ф2.8-4.8mm)



Companion animals upper and lower respiratory tract.




Large animal upper and lower respiratory tract.

Specification


Model	Insertion Tube	Working Channel	Working Length	Bending	Rotation	View Angle
EU-120	2.8mm	1.2mm	610mm	U210°, D130°	L120°, R120°	120°
EU-130	3.8mm	1.5mm	1000mm	U180°, D130°	L120°, R120°	120°
EU-140H	4.8mm	2.0mm	1000mm	U180°, D130°	L120°, R120°	120°
EU-150H	5.8mm	2.8mm	1500mm	U180°, D130°	L120°, R120°	120°

Disposable Endoscopic Accessories

















sales@ivetmedical.com www.ivetmedical.com

Dubai

+971 50 523 8048

DSO-IFZA, Dubai Silicon Oasis, UAE.

Lebanon

+9611497740

3rd floor, Sukkariah Center, Dekwaneh, Lebanon.

Armenia

+374 93 720991

21, 1 Bagrevand St, Yerevan, Armenia.