

USER MANUAL

CarPlay AIBOX for Bimmer



READ ME FIRST

For the safety of yourself and other road users, and to comply with traffic laws in your respective country, please refrain from watching videos while driving. Please note that due to continuous product updates, some contents in this manual may differ from the product you have purchased.

TIPS! To ensure compatibility with the factory display, the Android system will automatically restart once during the initial car connection.

CONTENT

About Product

What's in the box

Specification

How to connect

User interface

Interfaces

How to report an issue

Overview

This AI box is specifically designed for iDrive system. It seamlessly converts iDrive into a standalone Android. In addition, AIBOX also greatly expands the entertainment capabilities of cars, allowing drivers to enjoy more diverse entertainment methods, such as videos and games.


Note! This product is only suitable for iDrive 6,7,8,9.

What's in the box

- Android AI box * 1
- USB cable (type-C to A) * 1
- User manual * 1



Android AI box




USB cable (type-C to A)

Specification

Operating System	Android 10
Memory	RAM+ROM: 4GB + 64GB eMCP
Networks	Global Version: 2G GSM/EDGE: 850/900/1800/1900 MHz 3G WCDMA: B1/B2/B4/B5/B8 4G LTE-FDD: B1/B2/B3/B4/B5/B7/B12 /B17/B20/B28 (B28A, B28B) 4G LTE-TDD B38/B39/B40/B41
Wi-Fi	Dual-band 802.11 a/b/g/n/ ac 2.4 GHz + 5 GHz
Bluetooth	Dual BT 5.0 For iPhone/Android smartphone hands-free calling & audio streaming, external BT mouse, remote controller, etc.
GNSS	Built-in GPS/GLONASS/Beidou/AGPS
Connectors	Type-C USB, Nano SIM card slot, Micro SD card slot
HDMI Output	HDMI 2.0 output with adaptive display resolution, supporting up to 1080P@
Power Input	USB 5V


Connectors



Tips! Power off before inserting or removing the nano SIM card. Nano SIM card and TF card are not included in the package. For how to insert the cards please refer to this diagram.

Quick Settings


How to connect our product




1. Power on our product



2. Media>SELECT DEVICE
Connect the Bluetooth named 'AiBox-XXXX'.




3. If there is any pop-up, pls agree with it.




4. Connection successful

How to connect the AI box to the network?



(1) Insert Nano SIM card to use cellular data network.



(2) Connect to a Wi-Fi network:

Go to AI box settings>Network&internet>Internet>Wi-Fi join the available Wi-Fi network, such as a router or personal hotspot from your phone.

Scan the QR code to view the digital manual and discover the latest and most detailed product information.

QRコードをスキャンして電子マニュアルを表示し、最新かつ最も詳細な製品情報をご覧ください。

QR 코드를 스캔하여 전자 설명서를 보고 최신 및 가장 자세한 제품 정보를 알아보세요.

Scannen Sie den QR-Code, um das digitale Handbuch anzuzeigen und die neuesten und detailliertesten Produktinformationen zu entdecken.

Scannez le code QR pour consulter le manuel numérique et découvrir les informations produits les plus récentes et les plus détaillées.

Escanee el código QR para ver el manual digital y descubrir la información de productos más reciente y detallada.

Scansiona il codice QR per visualizzare il manuale digitale e scoprire le informazioni sui prodotti più recenti e dettagliate.

Escanee o código QR para visualizar o manual digital e descobrir as informações mais recentes e detalhadas do produto.

Scan de QR-code om de digitale handleiding te bekijken en de nieuwste en meest gedetailleerde productinformatie te ontdekken.






Quick Settings

How to pair your phone with Bluetooth

(1) Open Bluetooth on your phone and stay on the Bluetooth menu;




(2) Open the Bluetooth application on AI box, tap the Search button in the Device list to start the search, click on the phone you want to pair in the completed Bluetooth list, and click on the Connect button;



Quick Settings

How to connect Bluetooth remote control

1. Remote control enters pairing mode;
2. Pair the Bluetooth after connecting the Aibox
3. Follow the prompts to operate in the Bluetooth pop-up window on the mobile phone.



TIPS! The layout of the Bluetooth pairing pop-up may vary depending on the brand of the mobile phone.

How to output HDMI screen

HDMI in port: Plug and Play

Tips! Through this HDMI output screen ratio will maintain the BMW original car screen ratio

How to reset?


Settings > System settings > General settings > Reset

User Interface

How to upgrade your system

Online Upgrade

- (1) Make sure the product is connected to the network, go to Settings > System settings > Version information > Online upgrade
- (2) If there is a new software update, click the update button to start download and install.



Tips! DO NOT power off while updating!

2.TF Card Update

1. Format the TF card to FAT32, put the "upgrade auto" and "Zeus L8M L-DH1 TMI ota-xxx .zip" upgrade files into the root directory of the TF card, and insert the TF card into the device;
2. Power on, insert the prepared TF card into our product, and wait for automatic upgrade;
3. When the upgrade file in the TF card is recognized, the light changes from 'flashing' to 'steady on';
4. After the upgrade is completed, the light changes from 'steady on' to 'flashing', and the upgrade is completed.

Report An Issue

When encountering issues or questions while using the product, you can utilize this feature. Assisting with log submission will help us resolve your concerns more promptly.

1. Online log submission

- (1) Make sure the product is connected to the network, go to Settings > System settings > General settings > Log upload;
- (2) Snap a photo of the successful log upload screen, and send both the picture and a description of the issue to our customer service.