



SPREADER SETTINGS

| SPREADER MODEL | GRASS GENIE™ (6.4 lbs/1,000 sq. ft.) | LAWN LUXE™ (5.6 lbs/1,000 sq. ft.) | FALL FIX™ (5.0 lbs/1,000 sq. ft.) | SOIL SAVER™ (6.0 lbs/1,000 sq. ft.) | GRUBOUT® (3.3 lbs/1,000 sq. ft.) |
|--|---|---------------------------------------|--------------------------------------|--|-------------------------------------|
| Lawnbox 2150 | 18 | 17 1/2 | 17 | 17 1/2 | 14 |
| Lawnbox 2030 | 18 | 17 1/2 | 17 | 17 1/2 | 14 |
| Lawnbox 3400 Hand Spreader | 3 | 3 | 3 | 3 | 3 |
| Agri-Fab Broadcast (1-10) | 7 1/2 | 7 1/4 | 7 | 7 1/4 | 4 |
| Agri-Fab Drop (0-10) | 7 1/2 | 7 1/4 | 7 | 7 1/4 | 4 |
| Brinly 20 Series Push Broadcast (0-30) | 18 | 17 1/2 | 17 | 17 1/2 | 14 |
| Chapin Broadcast (0-30) | 18 | 17 1/2 | 17 | 17 1/2 | 14 |
| Craftsman Broadcast (1-10) | 7 1/2 | 7 1/4 | 7 | 7 1/4 | 4 |
| EarthWay Broadcast (0-30) | 18 | 17 1/2 | 17 | 17 1/2 | 14 |
| EarthWay Drop (0-30) | 18 | 17 1/2 | 17 | 17 1/2 | 14 |
| EarthWay 3400 Hand Spreader (1-3) | 3 | 3 | 3 | 3 | 3 |
| Precision Broadcast (1-10) | 7 | 6 3/4 | 6 1/2 | 6 3/4 | 3 |
| Precision Drop (1-10) | 5 1/2 | 5 1/4 | 5 | 5 1/4 | 2 |
| Scotts Broadcast (2-15) (Includes EdgeGuard, Elite, Standard, Basic, LawnPro & Speedy Green 1000 - 3000) | 7 1/4 | 7 1/4 | 7 | 7 | 4 1/2 |
| Scotts Drop (Accugreen 1000 - 2000 & Classic) | 9 1/2 | 9 1/4 | 9 | 9 1/4 | 6 3/4 |
| Scotts Wizz Hand Broadcast Spreader | 8 | 7 3/4 | 7 1/2 | 7 3/4 | 5 |
| Scotts Hand-Held Broadcast (Handy Green, Easy) | 5 | 4 3/4 | 4 1/2 | 4 3/4 | 3 |
| Spyker Broadcast | 6.4 | 6.2 | 6 | 6.3 | 5.2 |
| The Andersons LCO-1000 | P | O 1/2 | O | O 3/4 | L 1/2 |
| The Andersons Yard Star 2150 | 18 | 17 1/2 | 17 | 17 1/2 | 14 |

If you have any questions, don't hesitate to reach out to our lawn experts. Email us at help@lawnbox.com.

Note: These spreader settings were established using standard equipment available from the spreader manufacturer at swath widths and speeds typically used within the industry. Many variables such as walking speed, terrain, particle size, density, and spreader condition can affect these settings. These suggested settings are estimations based on past experience and testing. They are not intended to replace calibration.