

# **Ammonium PerSulphate**

Registered Quality System ISO 9001 QMI Certificate #004008 Toronto, Ontario, Canada

Part No. 03410

# **Material Safety Data Sheet**

**Revision Date** February 2<sup>nd</sup>, 2005

**Head Office** 

Prepared by David MacKinnon

**Technical Information** 

1-800-201-8822 or support@mgchemicals.com

**Emergency** 

Phone Canutech (613) 996-6666 Collect 24 hrs

For updates please download from www.mqchemicals.com or fax requests to 1-800-708-9888

## Section 1: Product Identification

9347 - 193 Street, Surrey, B.C., V4N 4E7

MSDS Code: 410 **Name: Ammonium Persulphate** 

Related Part Numbers: 410-1KG; 410-25KG

Use: For etching printed circuits.

# Section 2: Hazardous Ingredients

CAS# **Chemical Name** Percentage by weight **ACGIH TWA** Osha Pel Osha Stel

7727-54-0 ammonium persulphate n/e n/e n/e

#### **Section 3: Hazards Identification**

WHMIS Codes: C, E

NFPA Ratings: Health 2 Flammability 0 Reactivity 2 HMIS Ratings: Health 2 Flammability 0 Reactivity 2

Eyes: Causes severe eye irritation Skin: May cause skin irritation.

Inhalation: Cause irritation of respiratory tract

Ingestion: Causes gastrointestinal irritation with nausea, vomiting and

diarrhea.

Chronic: No information found

#### Section 4: First Aid Measure

Eyes: Remove contact lenses. Flush with water or saline for 20 minutes. Get medical aid.

Skin: Wash skin with large quantities of soap and water. Get medical aid if symptoms persist.

Inhalation: Immediately remove from exposure to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen. Get medical aid.

Ingestion: Do not induce vomiting. If conscious, give 1-2 glasses of water. Get medical aid.

## Section 5: Fire Fighting Measures

LEL / UEL: n/a Autoignition Temperature: n/e Flash Point: n/a

**Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or chemical foam.

Oxidizer. Greatly increases the burning rate of combustible materials. This material in General Information: sufficient quantity and reduced particle size is capable of creating a dust explosion.

#### **Section 6: Accidental Release Measures**

Spill Sweep into a plastic container.



#### Procedure:

#### Section 7: Handling and Storage

Handling: Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not ingest or inhale. Do

not expose container to heat or flame. Diluted product must be stored in a vented container as it will gas

off and create pressure in a sealed container.

Keep away from sources of ignition. Store in a cool, dry, well ventilated area, away from incompatible Storage:

substances.

#### **Section 8: Exposure Controls**

Routes of entry: Eyes, ingestion, inhalation, and skin.

Ventilation: Use adequate general or local exhaust ventilation to keep airborne concentrations below exposure

Personal Wear appropriate protective eyeglasses or chemical safety goggles. Wear appropriate protective

clothing to prevent skin contact. Use a NIOSH approved respirator when necessary. Protection:

#### Section 9: Physical and Chemical Properties

**Physical** Solid Odor: odorless Solubility: 80g/100ml Evaporation 1.5

State: Rate: (ether=1)

**Boiling** Specific 1.98 0 Vapor 1.6 **pH:** 7 n/e Vapor **Gravity:** Point: Pressure: Density: (Air=1)

#### Section 10: Stability and Reactivity

Stability: Substance is shock sensitive and thermally unstable. Decomposes when heated.

**Conditions to** Temperatures over 40°C, ignition sources, incompatible materials, contact with water,

avoid: metals, combustible materials, organic materials, and reducing agents.

Can be explosive when mixed with aluminum powder or sodium peroxide. Catalytic

Incompatibilities: decomposition may occur in the presence of metals such as lead, silver, copper, magnesium,

zinc, cadmium, nickel, iron, and cobalt.

**Polymerization:** Will not occur.

**Decomposition:** Nitrogen oxides, oxides of sulfur, ammonia and/or derivatives, nitrogen.

# Section 11: Toxicological Information

Sensitization: (effects of repeated May cause skin sensitization, an allergic reaction, which becomes

exposure) evident upon re-exposure to this material.

Nο

Carcinogenicity: (risk of cancer) No Teratogenicity: (risk of malformation in No

an unborn fetus)

Reproductive Toxicity: (risk of sterility) No

Mutangenicity: (risk of heritable genetic

effects)

**Lethal Exposure** Ingestion(LD50): 689 mg/kg Inhalation n/e Skin n/e

**Concentrations:** (LC50): (LD50): (rat)

# Section 12: Ecological Information

General Avoid runoff into storms and sewers which lead into waterways. Water runoff can cause

Information: environmental damage.

Environmental Impact Data: (percentage by weight)

**CFC:** 0 **HFC:** 0 Cl.Solv.: 0 **VOC:** 0 HCFC: 0 **ODP:** 0

MSDS Code: 410



# **Section 13: Disposal Information**

**General** Dispose of in accordance with all local, provincial, state, and federal regulations. Water runoff

**Information:** can cause environmental damage.

#### **Section 14: Transportation Information**

**Ground:** (all sizes 5kg or less) Limited quantity, ORM-D.

Ground: (sizes over 5kg)

Shipping Name – Ammonium Persulphate, class 5.1, UN# 1444, Packing Group III. Hazard label required – Oxidizer. Shipper must be trained and certified. Refer to CFR 49, TDG regulations (Canada).

#### Air:

Prohibited for transport by air.

#### Sea:

Shipper must be trained and certified. Refer to IMDG regulations.

#### Section 15: Regulatory Information

This product has been classified in accordance in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products Regulations.

SARA (Superfund Amendments and Reauthorization Act of 1986, USA, 40 CFR 372.4)

None of the chemicals in this product have a reportable quantity.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45

This product does not contain any chemicals subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

CAA (Clean Air Act, USA)

This product does not contain any class 1 ozone depletors.

This product does not contain any class 2 ozone depletors.

This product does not contain any chemicals listed as hazardous air pollutants.

California Proposition 65 (Chemicals know to cause cancer or reproductive toxicity, May 1, 1997 revision, USA)

This product does not contain any chemicals listed.

#### **Health Canada**

Labeling and containers used in this product are listed in compliance with Consumer Chemicals and Container regulations.

#### **Environment Canada**

Chemicals in this product are listed on the Domestic Substances List in the Canadian Environmental Protection Act

This product does not contain any ozone depleting substances.

#### **Industry and Science Canada**

Labeling, product identity, net quantity declaration, minimum printing type size heights, and packaging of this product is in compliance with the Consumer Packaging and Labeling Act and Regulations. This product is not slack filled in accordance to chapter 4 prohibitions.


**RoHS** (The restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2004).

This product is RoHS compliant.

#### **Section 16: Other Information**

**Definitions:** n/a = not applicable, n/e = not established

MSDS Code: 410





**Disclaimer:** This material safety data sheet is provided as an information resource only. M.G. Chemicals believes the information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with federal, state, and local regulations.