

Part No. 038332-25

# **Material Safety Data Sheet**

**Revision Date** Prepared by **Technical Information** 

February 7<sup>th</sup>,2005 David MacKinnon 1-800-201-8822 or <a href="mailto:support@mgchemicals.com">support@mgchemicals.com</a> **Head Office Emergency** 

9347 - 193 Street, Surrey, B.C., V4N 4E7 Phone Canutech (613) 996-6666 Collect 24 hrs

For updates please download from www.mgchemicals.com or fax requests to 1-800-708-9888

# Section 1: Product Identification

MSDS Code: 8332 - Part A Name: Fast Setting Epoxy Adhesive

Related Part Numbers: 8332-25ML Use: A fast setting epoxy adhesive.

## Section 2: Hazardous Ingredients

CAS#	Chemical Name	Percentage by weight	ACGIH TWA	Osha Pel	Osha Stel
25086-38-6	reaction product of epichlorohydrin and bisphenol A	70 - 90	n/e	n/e	n/e
6869-97-2	alkyl glycidyl ether	5 - 20	n/e	n/e	n/e

#### **Section 3: Hazards Identification**

WHMIS Codes: D2B

NFPA Ratings: Health 2 Flammability Reactivity 1 HMIS Ratings: Health 2 Flammability 1 Reactivity 1

Eyes: Moderately irritating. Contact at elevated temperatures can cause thermal burns.

Skin: Moderately irritating. Contact at elevated temperatures can cause thermal burns.

Inhalation: At room temperature, exposure to vapors is unlikely due to physical properties. Higher temperatures

may generate vapor levels sufficient to cause irritation.

Ingestion: Single dose oral toxicity is low. Amounts ingested incidental to industrial handling are not likely to

cause injury; however, ingestion of large amounts may cause injury.

Prolonged or repeated skin contact may cause sensitization, with itching, swelling, or rashes on later Chronic:

exposure.

#### Section 4: First Aid Measure

Eyes: Remove contact lenses. Flush with water or saline for 20 minutes. Get medical aid if symptoms

persist.

Skin: Wash skin with large quantities of soap and water. Get medical aid if symptoms persist.

Inhalation: Immediately remove from exposure to fresh air. Get medical aid if symptoms persist.

Ingestion: Do not induce vomiting. If conscious, give 1-2 glasses of water. Get medical aid.

Electronix Express / RSR Electronics • 900 Hart Street, Rahway, NJ 07065 • Tel. 732-381-8777 or 732-381-8020; FAX 732-381-1006 or 732-381-1572





# Section 5: Fire Fighting Measures

**Extinguishing** 

Media: Use dry chemical, carbon dioxide, or chemical foam.

General Material will not burn unless preheated. Do not enter confined space without full bunker gear.

**Information:** Firefighters should wear self-contained breathing apparatus and protective clothing. Cool fire exposed

containers with water.

# **Section 6: Accidental Release Measures**

**Spill** Remove all sources of ignition. Provide adequate ventilation. Wear appropriate personal protection.

Procedure: Sprinkle absorbent compound onto spill, then sweep into a plastic or metal container. Wipe up further

residue with paper towel and place in container. Wash spill area with soap and water.

#### Section 7: Handling and Storage

Handling: Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not ingest or inhale. Do

not expose container to heat or flame.

Storage: Keep away from sources of ignition. Store in a cool, dry, well ventilated area, away from incompatible

substances.

## **Section 8: Exposure Controls**

Routes of entry: Eyes, ingestion, inhalation, and skin.

Ventilation: Use adequate general or local exhaust ventilation to keep airborne concentrations below exposure

limits.

**Personal** Wear appropriate protective eyeglasses or chemical safety goggles. Wear appropriate protective

**Protection:** clothing to prevent skin contact. Use a NIOSH approved respirator when necessary.

#### Section 9: Physical and Chemical Properties

State: Rate:

**Boiling** >260°C **Specific** 1.17 **Vapor** 0.00058psi **Vapor** >1 **pH:** 7

Point: Gravity: Pressure: @77°C Density: (Air=1)

# Section 10: Stability and Reactivity

**Stability:** Stable at normal temperatures and pressures.

**Conditions to** 

avoid:

**Incompatibilities:**Strong Lewis or mineral acids, strong oxidizing agents, strong mineral and organic bases,

especially primary and secondary aliphatic amines.


**Polymerization:** Heat is generated when hardner is mixed with epoxy resins.

**Decomposition:** Carbon dioxide, and carbon monoxide, phenolic compounds.

# Section 11: Toxicological Information

**Sensitization:** (effects of repeated exposure) This product is a skin sensitizer.

Carcinogenicity: (risk of cancer) No





Teratogenicity: (risk of malformation in an unborn No

fetus)

Reproductive Toxicity: (risk of sterility) No

**Mutangenicity:** (risk of heritable genetic effects) No

Lethal ExposureIngestion15.6 g/kgInhalationn/aSkinn/eConcentrations:(LD50):(mouse)(LC50):(LD50):

## Section 12: Ecological Information

General Avoid runoff into storms and sewers which lead into waterways. Water runoff can cause

**Information:** environmental damage.

**Environmental Impact Data:** (percentage by weight)

CFC: 0 HFC: 0 Cl.Solv.: 0 VOC: 0 HCFC: 0 ODP: 0

## **Section 13: Disposal Information**

General Dispose of in accordance with all local, provincial, state, and federal regulations. Water runoff

**Information:** can cause environmental damage.

## **Section 14: Transportation Information**

#### Ground:

Non-regulated

Air:

Non-regulated

Sea:

Non-regulated

# Section 15: Regulatory Information

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products Regulations.

SARA (Superfund Amendments and Reauthorization Act of 1986, USA, 40 CFR 372.4)

None of the chemicals in this product have a reportable quantity.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45

This product does not contain any chemicals subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

CAA (Clean Air Act, USA)

This product does not contain any class 1 ozone depletors.

This product does not contain any class 2 ozone depletors.

This product does not contain any chemicals listed as hazardous air pollutants.

California Proposition 65 (Chemicals know to cause cancer or reproductive toxicity, May 1, 1997 revision, USA)

This product does not contain any chemicals listed.

**PAGE 3 / 4** MSDS Code: 8332 – Part A



# Section 15: Regulatory Information Cont.

#### **Health Canada**

Labeling and containers used in this product are listed in compliance with Consumer Chemicals and Container regulations.

#### **Environment Canada**

Chemicals in this product are listed on the Domestic Substances List in the Canadian Environmental Protection Act

This product does not contain any ozone depleting substances.

#### **Industry and Science Canada**

Labeling, product identity, net quantity declaration, minimum printing type size heights, and packaging of this product is in compliance with the Consumer Packaging and Labeling Act and Regulations. This product is not slack filled in accordance to chapter 4 prohibitions.

**RoHS** (The restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2004).

This product is RoHS compliant.

# **Section 16: Other Information**

**Definitions:** n/a = not applicable, n/e = not established

Disclaimer: This material safety data sheet is provided as an information resource only. M.G. Chemicals believes the

information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to verify its validity. The buyer assumes all responsibility of using and handling the product in

accordance with federal, state, and local regulations.



# Part No.038332-25

# **Material Safety Data Sheet**

**Revision Date** February 7<sup>th</sup>, 2005 **Head Office**  **Prepared by**David MacKinnon

Technical Information

1-800-201-8822 or <a href="mailto:support@mgchemicals.com">support@mgchemicals.com</a>

Emergency

Phone Canutech (613) 996-6666 Collect 24 hrs

For updates please download from www.mgchemicals.com or fax requests to 1-800-708-9888

#### **Section 1: Product Identification**

9347 - 193 Street, Surrey, B.C., V4N 4E7

MSDS Code: 8332 - Part B Name: Fast Setting Epoxy Adhesive

**Related Part Numbers: 8332-25ML**Use: A fast setting epoxy adhesive.

## **Section 2: Hazardous Ingredients**

CAS# Chemical Name Percentage by weight ACGIH TWA Osha Osha Stel

\*proprietary mercaptan amine blend 90 - 100 n/e n/e

proprietary registration # 679485-6533P

## **Section 3: Hazards Identification**

WHMIS Codes: D2B

NFPA Ratings: Health 3 Flammability 1 Reactivity 1
HMIS Ratings: Health 3 Flammability 1 Reactivity 1

Eyes: Causes severe irritation with possible permanent damage and even blindness.

**Skin:** Can cause severe irritation, especially on prolonged contact. Potential sensitizer.

Inhalation: Considered slightly toxic. Can cause irritation of respiratory tract. Over exposure to fumes or vapors

may cause delayed lung and chemical pneumonia.

Ingestion: Slightly toxic. May cause fatigue, muscle weakness, gastrointestinal irritation, nasea, vomiting and

liarrhea.

Chronic: Prolonged or repeated skin contact may cause sensitization, with itching, swelling, or rashes on later

exposure.

## Section 4: First Aid Measure

Eyes: Remove contact lenses. Flush with water or saline for 20 minutes. Get medical aid if symptoms

persist.

**Skin:** Wash skin with large quantities of soap and water. Get medical aid if symptoms persist.

Inhalation: Immediately remove from exposure to fresh air. Get medical aid if symptoms persist.

**Ingestion:** Do not induce vomiting. If conscious, give 1-2 glasses of water. Get medical aid.

#### **Section 5: Fire Fighting Measures**

Autoignition n/e Flash Point: >93°C LEL / UEL: n/e

PAGE 1 / 4 MSDS Code: 8332 – Part B



Temperature:

**Extinguishing** 

Use water, dry chemical, carbon dioxide, or chemical foam. Media:

Firefighters should wear self-contained breathing apparatus and protective clothing. Cool fire exposed General

**Information:** containers with water.

#### **Section 6: Accidental Release Measures**

Spill Remove all sources of ignition. Provide adequate ventilation. Wear appropriate personal protection.

Procedure: Sprinkle absorbent compound onto spill, then sweep into a plastic or metal container. Wipe up further

residue with paper towel and place in container. Wash spill area with soap and water.

## Section 7: Handling and Storage

Handling: Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not ingest or inhale. Do

not expose container to heat or flame.

Storage: Keep away from sources of ignition. Store in a cool, dry, well ventilated area, away from incompatible

# **Section 8: Exposure Controls**

Routes of entry: Eyes, ingestion, inhalation, and skin.

Ventilation: Use adequate general or local exhaust ventilation to keep airborne concentrations below exposure

limits.

Personal Wear appropriate protective eyeglasses or chemical safety goggles. Wear appropriate protective

Protection: clothing to prevent skin contact. Use a NIOSH approved respirator when necessary.

# Section 9: Physical and Chemical Properties

**Physical** Solubility: none liquid Odor: odorless Evaporation n/d

State: Rate:

**Boiling** n/e Specific 1.13 Vapor <<0.02psi Vapor >1 **pH:** 9.5

Pressure: @21°C Point: **Gravity: Density:** (Air=1)

# Section 10: Stability and Reactivity

Stability: Stable at normal temperatures and pressures.

**Conditions to** 

Incompatibilities:

n/a avoid:

Strong Lewis or mineral acids, strong oxidizing agents, strong mineral and organic bases,

especially primary and secondary aliphatic amines.

**Polymerization:** Heat is generated when hardner is mixed with epoxy resins.

**Decomposition:** Carbon dioxide, and carbon monoxide, nitrogen oxides.

# **Section 11: Toxicological Information**

Sensitization: (effects of repeated exposure) This product is a skin sensitizer.

Carcinogenicity: (risk of cancer) No Teratogenicity: (risk of malformation in an unborn No

fetus)



**Reproductive Toxicity:** (risk of sterility) No

Mutangenicity: (risk of heritable genetic effects) No

Lethal Exposure Ingestion 1200 Inhalation >0.5 Skin 1350

Concentrations: (LD50): mg/kg (LC50): mg/L(rat) (LD50): mg/kg(rabbit) (rat)

## Section 12: Ecological Information

**General** Avoid runoff into storms and sewers which lead into waterways. Water runoff can cause

**Information:** environmental damage.

**Environmental Impact Data:** (percentage by weight)

CFC: 0 HFC: 0 Cl.Solv.: 0 VOC: 0 HCFC: 0 ODP: 0

## **Section 13: Disposal Information**

General Dispose of in accordance with all local, provincial, state, and federal regulations. Water runoff

**Information:** can cause environmental damage.

# **Section 14: Transportation Information**

#### **Ground:**

Non-regulated

Air:

Non-regulated

Sea:

Non-regulated

# Section 15: Regulatory Information

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products Regulations.

SARA (Superfund Amendments and Reauthorization Act of 1986, USA, 40 CFR 372.4)

None of the chemicals in this product have a reportable quantity.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45

This product does not contain any chemicals subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

CAA (Clean Air Act, USA)

This product does not contain any class 1 ozone depletors.

This product does not contain any class 2 ozone depletors.

This product does not contain any chemicals listed as hazardous air pollutants.

# Section 15: Regulatory Information Cont.

California Proposition 65 (Chemicals know to cause cancer or reproductive toxicity, May 1, 1997 revision, USA)

This product does not contain any chemicals listed.


#### **Health Canada**

Labeling and containers used in this product are listed in compliance with Consumer Chemicals and Container regulations.

#### **Environment Canada**

Chemicals in this product are listed on the Domestic Substances List in the Canadian Environmental Protection Act

PAGE 3 / 4 MSDS Code: 8332 – Part B





This product does not contain any ozone depleting substances.

#### **Industry and Science Canada**

Labeling, product identity, net quantity declaration, minimum printing type size heights, and packaging of this product is in compliance with the Consumer Packaging and Labeling Act and Regulations. This product is not slack filled in accordance to chapter 4 prohibitions.

**RoHS** (The restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2004).

This product is RoHS compliant.

#### **Section 16: Other Information**

**Definitions:** n/a = not applicable, n/e = not established

**Disclaimer:** This material safety data sheet is provided as an information resource only. M.G. Chemicals believes the

information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to verify its validity. The buyer assumes all responsibility of using and handling the product in

accordance with federal, state, and local regulations.

**PAGE 4 / 4** MSDS Code: 8332 – Part B