

CLAREHILL PLASTICS LTD WARRANTY



PRODUCT REGISTRATION

To register your Harlequin product and receive an extended warranty, please visit us at www.harlequinplastics.co.uk where you can submit this form online.

Alternatively, you can detach this form and return it by post to us at : Warranty Department, Clarehill Plastics Ltd, 21 Clarehill Road, Moira, Co Armagh, BT67 OPB.

- Warranty will only apply to the original purchaser.
- In order to qualify for the extended guarantee, this product must be installed and commissioned by a competent person and the product registration card returned within 30 days of installation.
- Proof of purchase and evidence of annual inspection by a registered competent person will be required in the event of a claim.

TANK OR PRODUCT PURCHASED

Serial Number :

Model :

PURCHASED BY

Name:

Address:

Telephone:

Email:

INSTALLED BY

Tank Installer Name:

OFTEC Number:

Address:

PLACE OF PURCHASE

Purchased From:

Address:

AGREEMENT

I have read and understand the terms and conditions of the warranty provided by Clarehill Plastics Ltd. I acknowledge that if I fail to comply with the terms and conditions, I will void the product warranty.

Signature:

Date:

Print:

WARRANTY – TERMS AND CONDITIONS

Subject to the conditions below, your product is supplied with a warranty against material defects in workmanship or materials from the date of manufacture for the following warranty period:

PRODUCT	WARRANTY PERIOD IF REGISTERED	WARRANTY PERIOD IF NOT REGISTERED
BUNDED HEATING OIL TANKS	10 years	5 years
BUNDED FUEL STATIONS	10 years	5 years
BUNDED ADBLUE FUEL STATIONS & TANKS	10 years	5 years
BUNDED WASTE OIL TANKS	10 years	5 years
BUNDED BIOFUEL STATIONS & TANKS	2 years	1 year
SINGLE SKIN HEATING OIL TANKS	2 years	1 year
ALL ABOVE GROUND WATER TANKS	10 years	2 years
COAL BUNKERS	3 months	3 months
ACCESSORIES	WARRANTY PERIOD	
FUEL STATION SUCTION/DELIVERY HOSES	90 days	
ALL OTHER FUEL STATION ACCESSORIES	1 year	
NIHE INSTALLED APOLLO OIL MONITORS	5 years	
ALL OTHER APOLLO OIL MONITORS	1 year	

The warranty is subject to the following conditions:

To qualify for the extended guarantee this product must be installed by a registered competent person in accordance with prevailing statutory requirements. The period of the warranty will commence from the date of invoice. The warranty is provided to the original purchaser only. Proof of purchase and evidence of annual inspection by a registered competent person will be required in the event of a claim.

To obtain the longer warranty period for your product, you must register the purchase and installation of your product with us within 30 days from date of purchase. To register, please complete and submit our registration form. Registration forms can be obtained and submitted online at www.harlequinplastics.co.uk or by post from/to Clarehill Plastics Ltd, 21 Clarehill Road, Moira, BT67 0PB. Failure to register the purchase and installation of your product (or incomplete registration) within the 30 day period will mean that the shorter warranty period (above) only will apply to your product.

During the warranty period, any component of your product which is proved to contain any material defect in workmanship or materials will be exchanged or repaired, at our sole discretion, by us free of charge for material or labour.

In respect of your product, the warranty does not cover (and we will not accept responsibility for) any consumable items, any component which has not been manufactured by us (please refer to the manufacturer's warranty supplied with the relevant component), fair wear and tear, or any fault:

- in respect of any component not forming part of your product; or
- arising from any cause other than defect in original workmanship or materials; or
- caused by improper installation, maintenance, neglect, misuse or wilful or accidental damage; or
- caused by alteration or repair by you or by a third party who is not one of our authorised repairers; or
- caused by non-observance of either any applicable statutory requirement or any of the instructions contained in the installation and operating instructions appropriate to your product, and in this respect, we would draw particular attention to the fact that your product must not be used in conditions which are either below -17°C or which are above 35°C without protection from exposure to direct sunlight.

Your product has been used only for the purpose for which it is designed, and that any terms and conditions held with your installer have also been adhered to.

To the maximum extent permitted by UK law:

- the warranty is given in lieu of all other warranties, express or implied by statute or common law, including implied warranties or conditions of satisfactory quality and fitness for a particular purpose, provided that this warranty is in addition to your legal rights in relation to goods that are faulty or not as described; and
- we shall not in any circumstances be liable to you or any other party, whether in contract, tort (including for negligence and breach of statutory duty howsoever arising), misrepresentation (whether innocent or negligent), restitution or otherwise, for any special, indirect or consequential loss or damage.

FOR ALL OIL TANKS AND FUEL STATIONS

Risk Assessment

- Prior to installation, a risk assessment should be completed in accordance with OFTEC Technical Instruction Book 3.

Installation Instructions

This tank must be installed by a registered competent person in accordance with prevailing statutory requirements.

- This tank must be supported over its entire base by level, fireproof materials capable of supporting the weight of the tank and its contents.
- Always clamp the feed pipe to the base or plinth.
- For bottom outlet tanks, the outlet should be firmly secured when connecting oil supply line fittings.
- This tank should be inspected annually by an OFTEC qualified (or similarly competent) person in accordance with OFTEC Technical books 2 and 5. This inspection must be recorded.
- When lightly loaded, this tank should be protected from high winds.
- Suitable for the storage of fuel types C1 (Paraffin), C2 (Kerosene), A2 & D (Agri and Derv) to BS 2869; and non-potable water.
- NOT SUITABLE for connection to a diesel delivery system incorporating a trigger nozzle and flexible delivery hose.
- NOT SUITABLE for the storage of potable water.
- NOT SUITABLE for underground installation.

HARLEQUIN PLASTICS from Clarehill Plastics Ltd

T: +44(0)28 9261 1077

F: +44(0)28 9261 2672

E: info@clarehill.com

W: www.harlequinplastics.co.uk

The Harlequin logo features the word "Harlequin" in a bold, blue, sans-serif font. A stylized blue shape, resembling a harlequin's diamond pattern, is positioned below the letter 'H' and extends to the right.