


DexMech Small - Mechanical Joint Closure Features Guide



*20 pair Joint Wraparound
Mechanical Closure system for
use in the distribution network.

DexMech Small Features

- 01** Closure suitable for construction or maintenance
- 02** Bespoke cable retention and sealing system
- 03** Cap ended and in-line versions
- 04** For installation, no tools or material required for sealing
- 05** User friendly install with a low number of steps required
- 06** Compact and suitable for confined install conditions
- 07** Integrated mounting brackets for walls, poles or UG joint box no.2
- 08** Comprehensive range of cable configurations using wedges
- 09** User-friendly touch points include ergonomic clips
- 10** Meets Operational & Acceptance testing in accordance with BT Engineering specification LN 686 Issue 2 18th October 2004



01 Closure suitable for construction or maintenance



02 Bespoke cable retention and sealing system



03 Cap ended and in-line versions



04 For installation, no tools or material required for sealing




05 User friendly install with a low number of steps required



06 Compact and suitable for confined install conditions



07 Integrated mounting brackets for walls, poles or UG joint box no.2



08 Comprehensive range of cable configurations using wedges



09 User-friendly touch points include ergonomic clips



10 Meets Operational & Acceptance testing in accordance with BT Engineering specification LN 686 Issue 2 18th October 2004

QR code to Installation Video:



Contact Information:

DexGreen Ltd, Unit 2 Pinnacle Business Park,
Ballytrasna, Little Island, Cork, T45 FV18. Ireland

Tel: +353 21 4317 955

Email: sales@dexgreen.com