

SDS Service Summary No.: CANEC2302036707 Date: 10 Apr 2023 Page 1 of 1

SGS Job No. CP23-005859 SZ **Product Name Epoxy Resin**

Manufacturer / Supplier SHENZHEN JINHUA ELECTRONIC MATERIALS CO.,LTD

Composition/Ingredient of product

(as per applicant submission)

See section 3 Composition/information on ingredients on the SDS

Job Receiving Date 07 Apr 2023

SDS Preparation Period 07 Apr 2023-10 Apr 2023

Service Requested Preparation of Safety Data Sheet (SDS) for the product with submitted

information, with calculation of the classification and labeling requirement according to the submitted composition and US Hazard Communication

Standard 29 CFR 1910.1200.

Summary As per request, the contents and formats of the SDS are prepared in

accordance with US Hazard Communication Standard 29 CFR 1910.1200.

and is provided per attached.

Disclaimer

This Safety Data Sheet (SDS) is provided to applicant to fulfill US Hazard Communication Standard 29 CFR 1910.1200 and communicate the hazard information of chemicals through the supply chain to ensure safe use. It is not a test report or a certificate ensuring the safety of a product.

SGS has consolidated product information based on documents provided by Applicant (i.e. product name, the supplier details, product composition, available physical data, etc.) without independent verification from SGS. The information is provided without any warranty, express or implied, regarding its correctness.

Zm guan

Project Engineer

Luguan

Version number 1 Reviewed on 04/07/2023 Printing date 04/11/2023

1 Identification

· Product identifier

· Trade name: Epoxy Resin

- · Recommended use of the chemical and restrictions on use:
- · Application of the substance / the preparation: Packaging purpose
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: SHENZHEN JINHUA ELECTRONIC MATERIALS CO.,LTD
- · Full address:

NO.2, 3RD FLOOR, 17TH BUILDING, 2ND INDUSTRIAL AREA, JIANGWEI, JIANGSHI COMMUNITY, GONGMING OFFICE, GUANGMING NEW DISTRICT, SHENZHEN CITY

- **Phone number:** 15989551716
- · Email: jxchenh@163.com
- · Other U.S. contact point: Not available
- · Further information obtainable from: SHENZHEN JINHUA ELECTRONIC MATERIALS CO.,LTD
- · Emergency telephone number:

Poison Center

Tel: +1 800 222 1222

· Reference Number: CANEC2302036707, CP23-005859 SZ

2 Hazard(s) identification

· Classification of the substance or mixture

Classification according to OSHA Hazard Communication Standard (29 CFR 1910.1200).



Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Information concerning particular hazards for human and environment:

The product has to be labeled due to the calculation procedure of OSHA Hazard Communication Standard (29 CFR 1910.1200).

· Classification system:

The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200), and extended by company and literature data.

- · Label elements
- · Labelling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)
- Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 04/11/2023 Version number 1 Reviewed on 04/07/2023

Trade name: Epoxy Resin

(Contd. of page 1)

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P337+P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Hazards not otherwise classified (HNOC) No further relevant information available.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture of the substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to Section 16.

· Composition:		
CAS: 25068-38-6	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317	80-90%
CAS: 100-51-6	Benzyl alcohol • Acute Toxicity - Oral 4, H302; Acute Toxicity - Inhalation 4, H332	9-19%
CAS: 57834-33-0	Ethyl 4-[[(methylphenylamino)methylene]amino]benzoate • Acute Toxicity - Oral 4, H302	1%

4 First-aid measures

- · Description of first aid measures
- General description: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

Printing date 04/11/2023 Version number 1 Reviewed on 04/07/2023

Trade name: Epoxy Resin

(Contd. of page 2)

- · Special hazards arising from the substance or mixture: No further relevant information available.
- · Special protective equipment and precautions for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

7 Handling and storage

· Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

For the general occupational hygienic measures refer to Section 8.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from water.

· Further information about storage conditions: Keep receptacle tightly sealed.

8 Exposure controls/personal protection

· Components with limit values that require monitoring at the workplace:

CAS: 100-51-6 Benzyl alcohol (9-19%)

WEEL (USA) Long-term value: 10 ppm

- · Regulatory information WEEL (USA): Guide to Occupational Exposure Values (AIHA WEELs)
- · Additional information: The lists that were valid during the creation were used as basis.
- · Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.
- · Appropriate engineering controls:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

See Section 7 for information about design of technical facilities.

- · Individual protection measures, such as personal protective equipment
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet 29 CFR 1910,1200

Printing date 04/11/2023 Version number 1 Reviewed on 04/07/2023

Trade name: Epoxy Resin

· Hand protection:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection:



Tightly sealed goggles

Physical and chemical properties	
· General Information	
· Appearance:	** **
Form:	Liquid
Color:	Colourless
· Odor:	Odourless
Odor threshold:	Not available
pH-value:	Not available
Change in condition	
Melting point/Freezing point:	Not available
Initial boiling point and boiling range:	Not available
Flash point:	Not available
Flammability	Not available
Auto-Ignition temperature:	Not available
Decomposition temperature:	Not available
Lower and upper explosion limit	
Lower:	Not available
Upper:	Not available
Vapor pressure:	Not available
Density:	Not available
Relative density:	Not available
Vapor density:	Not available
•	Not available
· Evaporation rate:	Not available

(Contd. on page 5)

Version number 1 Reviewed on 04/07/2023 Printing date 04/11/2023

Trade name: Epoxy Resin

(Contd. of page 4)

	(Cond. of page
· Solubility in / Miscibility with	
Water:	Not available
· Partition coefficient (n-octanol/water):	Not available
· Viscosity:	
Dynamic:	Not available
Kinematic:	Not available
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: No further relevant information available.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

CAS: 100-51-6 Benzyl alcohol

Oral LD50 1,230 mg/kg (rat)

- · Skin corrosion/irritation: Irritant to skin and mucous membranes.
- · Serious eye damage/irritation: Irritating effect.
- · Respiratory or skin sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability: No further relevant information available.
- · Bioaccumulative potential: No further relevant information available.

(Contd. on page 6)

Printing date 04/11/2023 Version number 1 Reviewed on 04/07/2023

Trade name: Epoxy Resin

(Contd. of page 5)

- · Mobility in soil: No further relevant information available.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN3082
UN proper shipping name DOT	Environmentally hazardous substance, liquid, n.o.s. (4, Isopropylidenediphenol, oligomeric reaction products with
IMDG	chloro-2,3-epoxypropane) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reacti products with 1-chloro-2,3-epoxypropane), MARIN
IATA	POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUI N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane)
3/	
	9 Miscellaneous dangerous substances and articles 9
Label Packing group	· ·
Class Label Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant:	9 III Yes Yes (DOT) Symbol (fish and tree)
Label Packing group DOT, IMDG, IATA Environmental hazards:	9 III Yes Yes (DOT)

(Contd. on page 7)

Printing date 04/11/2023 Version number 1 Reviewed on 04/07/2023

Trade name: Epoxy Resin

(Contd. of page 6)

· Transport/Additional information:

 $\cdot DOT$

• Quantity limitations On passenger aircraft/rail: 450 L

On cargo aircraft only: 450 L

• **Remarks:** Special marking with the symbol (fish and tree).

· IMDG

· Limited quantities (LQ) 5L
· Excepted quantities (EQ) Code: 1

· Excepted quantities (EQ) Code: El

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN ''Model Regulation'': UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (4,4'-ISOPROPYLIDENEDIPHENOL, OLIGOMERIC REACTION PRODUCTS WITH 1-CHLORO-

2,3-EPOXYPROPANE), 9, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· New Jersey Right-to-Know List:

None of the ingredients is listed.

· New Jersey Special Hazardous Substance List:

None of the ingredients is listed.

· Pennsylvania Right-to-Know List:

100-51-6 Benzyl alcohol

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 04/11/2023 Version number 1 Reviewed on 04/07/2023

Trade name: Epoxy Resin

(Contd. of page 7)

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

16 Other information

· Relevant hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

The contents and format of this SDS are in accordance with 29 CFR 1910.1200.

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· Date of preparation / last revision 04/11/2023

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

 $CAS:\ Chemical\ Abstracts\ Service\ (division\ of\ the\ American\ Chemical\ Society)$

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Sensitization - Skin 1: Skin sensitisation – Category 1

End of document

USA