GIGA X8c: Specifications

Areas of	use and	recommended	maximum	daily	output
,	acc and			~~,	Catpat

Recommended maximum daily output	200
Areas of use	Own usage Service provider Reseller
Specialities	
Products	Ristretto 2 x Ristretto Espresso 2 x Espresso Coffee 2 x Coffee Cappuccino 2 x Cappuccino Caffè latte 2 x Caffè latte Caffè Barista 2 x Caffè Barista Lungo Barista 2 x Lungo Barista Espresso doppio Macchiato 2 x Macchiato Latte macchiato 1 x Hatte 1 x Flat white 2 x Flat white 2 x Flat white 2 x Portion of milk 2 x Portion of milk 2 x Portion of milk 1 x Portion of milk 2 x Portion of milk 3 x Portion of milk 4 x Portion of milk 5 x Portion of milk 6 x Portion of milk 7 x Portion of milk 8 x Portion of milk 9 x Portion o
Pot of espresso-quality coffee	Yes

about:blank Page 1 of 5

Hot water function	Power hot water system	
Pot of coffee (360 ml / 12 oz.)	1 min. 54 sec.	
2 latte macchiati	1 min. 26 sec.	
2 cappuccini	1 min. 15 sec.	
2 Flat Whites	1 min. 26 sec.	
2 caffè latte (cafés au lait)	1 min. 7 sec.	
2 coffees	58 sec.	
2 espressi	53 sec.	
2 ristretti	35 sec.	
Hot water (200 ml / 7 oz.)	27 sec.	
Specific advantages		
Number of products	32	
One-Touch function	Yes	
Automatic Grinder Adjustment (A.G.A.)	Yes	
Speed function	Yes	
Automatic switchover from milk to milk foam	Yes	
Compatible with J.O.E [®]	Yes	
Rotary Switch	Yes	
Smart Connect supplied as standard	Yes	
Power hot water system (3 temperature levels)	0,5 I / Min.	
Hot water	0,5 I / Min.	
Powder recognition for additional ground coffee variety	Yes	

about:blank Page 2 of 5

A la carte bean selection	Yes
Generating code groups	Yes
Active bean monitoring	Yes
Monitored drip tray	Yes
Aroma preservation cover	Yes
JURA standards	
Pulse Extraction Process (P.E.P.®)	Yes
Variable VC brewing unit	5 - 16 g
Intelligent Pre-Brew Aroma System (I.P.B.A.S. [©])	Yes
Grinder	Electrically adjustable ceramic disc grinder
High-performance pump, 15 bar	2
Thermoblock heating system	2
Fluid systems	2
JURA fine foam technology	Yes
Milk system	HP3
Maintenance status display	Yes
Integrated rinsing, cleaning and descaling program	Yes
Integrated milk system rinsing and cleaning programme	Yes
JURA hygiene: TÜV-certified	Yes
Filter cartridge	JURA water filter system
Energy Save Mode (E.S.M.©)	Yes

about:blank Page 3 of 5

Zero-Energy Switch or power switch	Yes
Settings and programming options	
Programmable and individually adjustable amount of water	Yes
Programmable and individually adjustable coffee strength (Levels)	10
Programmable milk / milk foam temperature (Levels)	10
Intelligent Pre-Brew Aroma System with optional deactivation	Yes
Programmable brewing temperature	3
Programmable amount of milk / milk foam	Yes
Hot water temperature can be programmed in levels	3
Resettable day counter	Yes
Programmable switch-on/switch-off time	Yes
Shows the number of preparations for each individual product	Yes
Design and materials	
Alu Frame Design© 3 mm	Yes
Display	Touchscreen colour display
Amber / white cup illumination	Yes
Powder chute for ground coffee	Yes
Sound design	Yes
In figures	
Height-adjustable dual spout	70 - 159 mm
Height-adjustable hot water spout	69 - 165 mm

about:blank Page 4 of 5

Bean container holding capacity	2 × 650 g
Coffee grounds container (servings)	40
Cable length	1.1 m
Voltage / Power	220 - 240 V ~ / 2700W
Current	10 amp
Permanent water connection	integrated (G 3/4")
Stand-by power	< 0.5 Watt
Weight	19 kg
Width	32 cm
Height	56.5 cm
Depth	49.7 cm
Article Number	14003

about:blank Page 5 of 5