# Gnome-antics by jensifer push



WILMINGTON Prints

Extra Large Throw: 65 1/2" x 74 1/2"

Wilmington Prints: A World of Possibilities

## **Gnome-antics**

Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

#### 1. Cut the following:

**Fabric A** - PLEASE NOTE: Panels do not always print the size intended. For this pattern, the panel has a coping border added then trimmed so the panel will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of *two* panels to approximately 42" x 47-1/2"

**Fabric B** - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 9-3/8" x 79" and (2) 9-3/8" x 71" multi-stripe borders

Fabric C - Cut (8) 2-1/2" strips (binding)
Cut (6) 1-1/2" strips, sewn together end to end
and cut into (2) 1-1/2" x 57-1/2" and
(2) 1-1/2" x 48-1/2" flat piping strips

Fabric D - Cut (3) 3-1/2" strips, sewn together end to end and cut into (2) 3-1/2" x 48-1/2" borders and (1) 2-1/2" x 24" strip

Cut (2) 2-1/2" strips, sewn together end to end with the (1) 2-1/2" x 24" strip and cut into (2) 2-1/2" x 51-1/2" borders

Fabric E - Cut (3) 3" strips, sewn together end to end and cut into (2) 3" x 46" borders and (1) 2-1/4" x 16" strip
Cut (2) 2-1/4" strips, sewn together end to end with the (1) 2-1/4" x 16" strip and cut into (2) 2-1/4" x 48" borders

### 2. Piecing Order:

- 1. Refer to Quilt Layout (Page 2) for arrangement and placement of panel, strips, and borders.
- 2. Stitch **Fabric E** 2-1/4" x 48" strips to sides of the **Fabric A** panel. Trim strip ends even. Add 3" x 46" **Fabric E** strips to top and bottom of panel. *Trim bordered panel to 44-1/2" x 51-1/2"* (unfinished).
- 3. Sew **Fabric D** 2-1/2" x 51-1/2" borders to right and left sides of quilt center. Add **Fabric D** 3-1/2" x 48-1/2" borders to top and bottom of quilt center.

- 4. Fold and press **Fabric C**  $1-1/2" \times 57-1/2"$  and  $1-1/2" \times 48-1/2"$  strips in half lengthwise, right side out, forming 3/4" wide flat piping strips.
- 5. Baste 3/4" x 57-1/2" **Fabric C** flat piping strips on top of sides of quilt, with raw edges even with raw edges of **Fabric D** border. Baste 3/4" x 48-1/2" **Fabric C** flat piping on top of top and bottom of quilt, with raw edges even with raw edges of **Fabric D** border.
- 6. Center **Fabric B** 8-3/8" x 79" borders on right and left sides of quilt center and **Fabric B** 8-3/8" x 71" borders on top and bottom of quilt center with the cat stripe next to quilt center.

1/4"

detail

8

 $\rightarrow$ 

Quilt


Center

Stitch borders to sides starting and stopping 1/4" from corners of quilt center. Do not trim. Press borders out so **Fabric C** flat piping lays flat on **Fabric D** border.

Letters in italics indicate wrong side of fabric.

Arrows indicate orientation of directional prints.

7. Working with 1 corner at a time, fold the quilt right sides together so the outside edges of the borders line up. Using a 45-degree ruler, mark from the end of border seams to outer edges of borders. Stitch along marked line. Trim seam allowance to 1/4". Press corner seam open. Repeat on remaining corners.



(Fabric F) approximately 8" larger than the top.


Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (Fabric C) and enjoy!!

## **Gnome-antics**

### **QUILT LAYOUT**

Border measurements are the cut size.

Arrows indicate orientation of directional prints.



# Gnome-antics by jennifer push



Fabric A 1828-82620-193 1 1/3 yards (2 Panels)



Fabric B 1828-82621-137 2 1/2 yards



Fabric C 1828-82626-371 1 1/8 yards (Includes Binding)



Fabric D 1828-82627-119 5/8 yard



Fabric E 1828-82628-991 1/2 yard



Fabric F 1828-82625-930 4 1/4 yards (Suggested Backing)

#### **Customer's Choice**

OR Fabric F 108" Backing 2 1/4 yards



