RADIANT STARS

Designed by Ariga Wilson for RK www.robertkaufman.com Featuring




C

R

R

S




Finished quilt measures: 60" x 72"

Difficulty Rating: **Beginner**

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed



Fabric amounts based on yardage that is 42" wide.

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

two 5-1/4" x WOF strips. Subcut: fifteen 5-1/4" squares for the flying geese four 8-1/2" x WOF strips. Subcut: sixty 2-1/2" x 8-1/2" rectangles

Thirteen 4-1/2" x WOF strips. Subcut:

sixty 2-1/2" x 4-1/2" rectangles

seventy-five 4-1/2" squares

Assemble the Flying Geese

Step 1: Pin two 2-7/8" Fabric C squares in opposing corners of a 5-1/4" Fabric A square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.

Step 2: Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.

Step 3: Press the fabric toward smaller triangles. Repeat with the second unit.

Step 4: Place one 2-7/8" Fabric C square at the corner of sewn block unit. Draw diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set seam (press). Cut along diagonal line, creating two identical units.

Step 5: Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 2-1/2" x 4-1/2" if necessary. Repeat to make four flying geese blocks.

Step 6: Repeat to make a total of sixty A/C flying geese units.

Step 7: Sew a Fabric B rectangle to the top edge of each flying geese unit. Press.

From Fabric B, cut:

two 4-1/2" x WOF strips. Subcut: fifteen 4-1/2" squares four 4-1/2" x WOF strips. Subcut: sixty 2-1/2" x 4-1/2" rectangles

From Fabric C, cut:


five 2-7/8" x WOF strips. Subcut: sixty 2-7/8" squares for the flying geese

From each of Fabrics D and E, cut:

four 2-1/2" x WOF strips. Subcut: sixty 2-1/2" squares

From the Binding Fabric, cut:


seven 2-1/2" x WOF strips








page 3







Step 8: Gather: five 4-1/2" Fabric A squares four completed Step 7 units

Arrange the units into three rows of three. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 9: Sew the squares together to form the rows. Press the seams away from the Fabric A squares.

Step 10: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

The resulting A Block should measure 12-1/2" square. Make fifteen A Blocks.

Assemble the B Blocks

Step 11: Gather:


one 2-1/2" x 4-1/2" Fabric A rectangle two Fabric D squares

Sew a Fabric D square to each end of the rectangle. Press toward the squares. Make thirty units like this.

Step 12: Gather: one 2-1/2" x 8-1/2" Fabric A rectangle two Fabric E squares

Sew a Fabric E square to each end of the rectangle. Press toward the squares. Make thirty units like this.






Step 13: Gather: one Fabric B square two completed Step 11 units two completed Step 12 units two 2-1/2" x 4-1/2 Fabric A rectangles two 2-1/2" x 8-1/2 Fabric A rectangles

Arrange the units as shown. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 14: Sew the 2-1/2" x 4-1/2" Fabric A rectangle to the left and right edges of the Fabric B square. Press toward the square. Sew a completed Step 11 unit to the top and bottom edge and press.

Step 15: Sew the 2-1/2" x 8-1/2" Fabric A rectangle to the left and right edges of the block. Press toward the block center. Sew a completed Step 12 unit to the top and bottom edge and press.

The resulting B Block should measure 12-1/2" square. Make fifteen B Blocks.



Assemble the Quilt

Step 16: Arrange the blocks into six rows of five blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 17: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 18: Sew the rows together to form the quilt center. Press the row seams open.

Your quilt top is finished! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2021. All rights reserved.