



**POWERPLUS**

**2024**



*Waterfall*



**KREATOR**

**PRO-PUMPS**



**PREMION**






# *Waterfall*

Waterfall pumps are designed specifically for creating and maintaining waterfalls in ponds, water features, and other outdoor landscapes. These pumps play a crucial role in circulating water through the water feature systems, creating a visually appealing and dynamic water display as well as water circulation in ponds. We specialise in the supply of small water feature pumps, koi pond pumps and accessories.

**Our Waterfall product line includes:**


- Pond Pumps
- Koi Pumps
- Air Pumps
- Bio Filters
- Water Feature Kits,
- Other Pond & Pump Accessories.



## Choosing the Correct Pump


### Water Circulation

1. Measure Water Volume in the pond  
Pond: **Length** x **Width** x **Depth** x 1000



2. Check your minimum flow rate on the box

Always go for the pump that is bigger




### Water Feature

1. Measure the Height  
Measure the height from the surface of the water to the highest point in the feature. **(A)**




2. Measure Water Volume in the pond  
Pond: **Length** x **Width** x **Depth** x 1000  
**(B)**




3. Check your minimum flow rate on the box

Always go for the pump that is bigger



### Pot Water Feature

1. Measure the Height  
Measure the height from the surface of the water to the highest point in the feature. **(A)**




2. Measure the Circumference  
Measure around the widest point of the pot **(B)**

3. Find your Flow Rate  
**(B)** in cm ÷ 100 x 4800 = Minimum recommended flow rate **(C)**

Pot Circumference in CMs (B)	Flow Rate - Litres per Hour (C)
300	14400
240	11520
180	8640
140	6720
100	4800


4. Find your pump size  
Take your **Height** across the graph and find your **Flow Rate**



### Flow Pumps


Fountain, Koi and Pond - Inline or Submersible

- Wear-resistant shaft ensures long life
- Fully sealed motor ensures safety, reliability and durability
- With flow adjuster
- Choices of fountain kits
- Optional in-line use
- Suitable for both fresh and marine water
- Suitable for aquarium, water garden fountain and waterfall display



Standard					10m Cable				
Barcode	Product	Power	H Max		Barcode	Product	Power	H Max	
6920042803251	WF400STD	5W	0.9m				5W		
6920042803268	WF700STD	10W	1.2m		6920042898080	WF700G-10M	10W	1.2m	
6920042803084	WF1000STD	17W	1.8m		6920042828056	WF1000G-10M	17W	1.8m	
6920042828062	WF1500STD	20W	2.0m		6920042828063	WF1500G-10M	20W	2.0m	
6933163300875	WF2400STD	35W	2.3m		6920042803107	WF2400G-10M	35W	2.3m	
6920042803114	WF4000STD	70W	2.8m		6920042860759	WF4000G-10M	70W	2.8m	
					6920042803121	WF4800G-10M	90W	4.0m	
					6920042803138	WF6000G-10M	130W	3.6m	
					6920042803145	WF8500G-10M	230W	5.0m	






# RED RHINO<sup>TM</sup> PRODUCTS

## PG Koi Pumps

Koi and Pond - Low Power Consumption

- Vortex impeller rotating in one direction for energy efficiency
- Corrosion and wear resistant ceramic shaft
- Unique design for multi-way installation and free positioning
- Inbuilt with thermal overload switch and fully sealed motor for working reliably and safely
- Submersible/in-line operation
- Strong water flow and pumping capacity.
- Ideal for large waterfalls and big filtration systems




Barcode	Product	Power	H Max	Q Max
6933163303883	WPG-8000	200W	7m	8000L/h
6933163301964	WPG-10000	250W	9m	10000L/h
6933163301971	WPG-12000	160W	4.5m	12000L/h
6933163301988	WPG-15000	200W	5m	15000L/h
6933163301803	WPG-18000	250W	6m	18000L/h



## Dragon Pumps


Inverter Technology - Low Power Consumption

- Automatic inverter motor with extremely high power efficiency, saves 50% energy comparing with traditional pumps
- Quiet, compact, lightweight, for indoor and outdoor use
- Patented design of the front housing for water inlet to efficiently prevent clogging



Barcode	Product	Power	H Max	Q Max
6933163313271	WD4000	38W	3.0m	4000L/h
6933163313288	WD5000	50W	3.4m	5000L/h
6933163313295	WD6000	55W	3.5m	6000L/h
6933163313301	WD8000	77W	3.8m	8000L/h
6933163313660	WD10000	100W	4.1m	10000L/h
6933163313677	WD12000	120W	4.5m	12000L/h






# RED RHINO<sup>TM</sup> PRODUCTS

## SP Pumps

- Compact and with flow adjuster
- Fully sealed motor for safety
- Low noise
- For indoor and outdoor use
- Perfect for desktop water features and for water circulation



Barcode	Product	Power	H Max	Q Max
6920042886094	WSP600STD	5W	0.5m	260L/h
6933163303968	WSP650STD	4W	0.8m	300L/h



## Fountain 2-in-1 Kit

WFKIT 1

6933163304200

- Includes:
  - 2 Nozzle, Regulator, Outlet adaptors
  - Pump sizes: 400L/hr - 1500L/hr



## Fountain 4-in-1 Kit

WFKIT 2

6933163304224

- Includes:
  - 4 Nozzle, Regulator, Outlet adaptors
  - Pump sizes: 2400L/hr - 6000L/hr



## Foam Nozzle

WK-Foam Nozzle

6009801316840



Bubbler Height	Pump Flow Rate	Pump Head	Model Pump Used
34cm	4000L/hr	2.8m	WF4000
40cm	4800L/hr	4m	WF4800
70cm	6000L/hr	3.8m	WF6000
135cm	8500L/hr	5m	WF8500
180cm	10000L/hr	9m	WPG-10000

## Pre Filter

WFB-200

6933163306112

- Bio Ball compatible
- Filters up to 2000L/hr
- 'Daisy Chain' design
- Washable filter media




## LP Air Pumps

- Impact-resistant rubber diaphragm air valve
- Unique structure with good heat dissipation and low noise
- High air output
- Plastic air dividers included
- Used in fish farms, ponds & aquariums




Air pressure: Mpa



## LP Air Pumps - Aluminium Housing

Barcode	Model	Power	Q Max	M Depth	Outlet
6933163304958	WLP-20	17W	22L/min	2.2m	6
6933163302619	WLP-40	35W	50L/min	2.8m	12
6933163302640	WLP-60	50W	70L/min	3.5m	14
6933163305146	WLP-100	100W	140L/min	4.0m	33
6933163313783	WLP-200	200W	250L/min	4.0m	33



## LP Air Pumps - Plastic Housing

Barcode	Model	Power	Q Max	M Depth	Outlet
6009710491812	WPLP-40	30W	60L/min	1m	12
6009710491829	WPLP-60	40W	75L/min	1m	14
6009710491836	WPLP-100	70W	150L/min	1m	33


The background is a collage of three images. At the top, a tall metal windmill with a weather vane stands against a clear blue sky. Below it, a large cylindrical metal water tank is visible, partially obscured by a semi-transparent white box containing text. At the bottom, a swimming pool with blue mosaic tiles and a black pool cover is shown, with a metal handrail and a yellow filter basket visible in the foreground.

# **PRO-PUMPS**

**Pro-Pumps specialises in booster pumps, drainage pumps as well as borehole pumps. We have been supplying pumps since 1980 and have grown our range with new products being introduced every year. We have introduced a range of solar borehole motors and control boxes to stay relevant in our current economic climate. We specialise in the supply of fluid pumps to trade.**

**Our product lines include:**

- **Centrifugal Pumps**
- **Peripheral Pumps**
- **Jet Pumps**
- **Self-priming Pumps**
- **Inverter Booster Pumps**
- **Borehole Pumps and Cable Kits**
- **Solar Borehole Pumps**
- **Pool Pumps**
- **Pump Controllers**
- **Various accessories**




# RED RHINO<sup>TM</sup> PRODUCTS

## Peripheral Pumps

- Suited where a high head and limited delivery is necessary
- Cast Iron body
- Brass impeller
- Stainless steel shaft
- Mechanical Seal



Barcode	Product	Power	H Max	Q Max
6009801316826	GPM-60	0.37kW	40m	35L/min
6009710490396	GPM-60+GFLOWC	0.37kW	40m	35L/min
6009710491089	GPM-70	0.55kW	55m	50L/min




## Centrifugal Pumps

- Quiet and efficient
- Cast Iron body
- Brass impeller
- Stainless steel shaft
- Mechanical Seal



Barcode	Product	Power	H Max	Q Max
6009710490037	GCP-130	0.37kW	22m	80L/min
6009801316567	GCP-146	0.55kW	25m	90L/min
6009710490402	GCP-146+GFLOWC	0.55kW	25m	90L/min
6009801316574	GCP-158	0.75kW	36m	90L/min
6009801316352	GCP-158+GFLOWC	0.75kW	36m	90L/min
6009801316581	GCP-180	1.1kW	36m	140L/min
6009710490419	GCP-180+GFLOWC	1.1kW	36m	140L/min
6009801316598	GCP-200	1.5kW	40m	140L/min
6009710490426	GCP-200+GFLOWCB	1.5kW	40m	140L/min





## Self-priming Pumps

- Combines the functional advantages of centrifugal pumps and practical advantages of self-priming pumps
- Cast Iron body
- Stainless steel shaft
- Mechanical Seal



Barcode	Product	Power	H Max	Q Max
6009801316697	GAUTOJET-100-PO	0.75kW	40m	50L/min
6009710490433	GAUTOJET-100-PO+GFLOWC	0.75kW	40m	50L/min
6001198013357	GJS100-PO	0.75kW	45m	70L/min
6009710490440	GJS100+GFLOWC	0.75kW	45m	70L/min





# RED RHINO<sup>TM</sup> PRODUCTS

## Inverter Booster Pump


- Energy Efficient
- Silent
- Constant Pressure
- Brushless Motor
- Application:
  - Domestic Water Supply
  - Cooling Systems
  - Air Conditioning Systems
  - Commercial Water Supply
  - Pressure Boosting



Barcode	Product	Rated Voltage	Max Pressure	Max Head	Max Flow
6009710491843	GHYDROBOX-7000	220V	8 Bar	45m	4.8m <sup>3</sup> /h

## Swimming Pool Pumps

- Stainless Steel Shaft
- Removable Filter Basket
- Transparent Lid
- Mechanical Seal
- Anti-flood protection
- Unions Included



Barcode	Product	Power	H Max	Q Max
6009801316734	GFCP 550S	0.55kW	15m	263L/min
6009801316543	GFCP-750S	0.75kW	17m	320L/min
6009801316550	GFCP-1100S	1.1kW	19m	360L/min

## Swimming Pool Pump Selector

Pool Pump Selector Guide			Pool Size												
Model:	Pipe Size	Filter Size:	15000	20000	25000	30000	35000	40000	45000	50000	60000	70000	80000	90000	100000
GFCP-550	50mm	2 bag	3	4	5	6	7.5	8.5	9.5	10.5	13	n/a	n/a	n/a	n/a
GFCP-750	50mm	3 bag	2.5	3	4	5	5.5	6.5	7	8	10	11	13	n/a	n/a
GFCP-1100	50mm	4 bag	2	3	3.5	4	5	5.5	6	7	8	9.5	11	12.5	14


Estimated hours per day you need to run your pump, this may be reduced by 50% in the winter months.

Optimal	Acceptable
---------	------------

Note: As every pool installation is unique, please be aware the above table is only a guide, and in no way can it replace professional advice from a pool maintenance specialist or installer.

We recommend GFCP-1500 is used only in installations with 63mm pipe.






# RED RHINO<sup>TM</sup> PRODUCTS

## Drainage Pumps

- Mechanical Seal
- Max 40°C
- Rewindable Motor
- Float switch
- Applications include:
  - Sewage treatment plants
  - Industrial draining
  - Agriculture irrigation



Barcode	Product	Power	H Max	Q Max
6009801316833	GWQD3-5-0.25	0.25kW	8m	150L/min
6009710490334	GWQD7-8-0.55	0.55kW	10m	250L/min
6009801316628	GWQD13-9-0.75	0.75kW	12m	300L/min
6009710490341	GWQD15-10-1.5	1.5kW	18m	417L/min
6009801316635	GWQD1300	1.3kW	12m	300L/min



### 10A Flow Control Switch

- GFLOWC  
6009801316611
- 10Amp
  - 10Bar
  - 100L/min



### 10A Flow Control Switch - Adjustable

- GFLOWC - PRO  
6009710491607
- Pressure: 0-10bar (adjustable)
  - 10A, up to 2.2KW motor
  - Max Pressure: 15bar
  - Energy Saving
  - Waterproof PC Board



### 16A Flow Control Switch

- GFLOWC-B  
6009710490549
- 16Amp
  - 10Bar
  - Max. 2.2kW



### 10m Float Switch

- GFS-10M  
6009801316710
- 10m Cable
  - Counterweight included



### Tank Pipe Connection Kit

- GPIPEKIT-A  
6009801316888
- Kit includes:
    - 40mm - 25mm Reducer Coupling
    - 25mm Barrel Nipple
    - 25mm Ball Valve
    - 25mm Camlock Set
    - 25mm Suction Hose
    - 25mm Swage Nipple



## Pressurizing

Booster sets should always be selected by taking into account a possible load loss of about 15% on the total calculated head. If the total height, from the point of suction to the point of distribution, is higher than 5 metres and if the minimum desired tap pressure is 1.5 bar, it is necessary to take into account a load loss of about 3.7m. Always consider the suction height.

The figure below shows an example of how to calculate the total head.


Suction height (HA)	5m +
Maximum height (HM)	5m +
Minimum pressure	15m +
Load losses	3.7m =
<b>Total head</b>	<b>28.7m</b>


### Advice for the Selection and Installation of the Pump

General water consumption per application:

Washbasin	6L/min	Washing machine	10L/min
Bath tub	15L/min	Dishwasher	8L/min
Shower	10L/min	Toilet	4L/min

This is a guide only. E&EO permitted.






# RED RHINO<sup>TM</sup> PRODUCTS

## PRO-PUMPS

### Borehole Pumps

- Applications
  - For water supply from wells or reservoirs
  - For domestic use
  - For garden use and irrigation
- Operating conditions
  - Maximum fluid temperature up to +35°C
  - Maximum sand content: 0.25%
  - Minimum well diameter: 4"
- Motor and Pump
  - Rewindable motor
  - Single-phase: 220-240V/50Hz
  - Equip with start control box
- Includes:
  - Borehole pump and Motor



Barcode	Product	Description
6009710490860	RRP-4SD 2/9	0.37kW 0.5Hp
6009710490877	RRP-4SD 2/12	0.55kW 0.75Hp
6009710490884	RRP-4SD 2/15	0.75kW 1Hp

### Borehole Pump Combos

- Includes:
  - Borehole pump
  - Motor
  - Control box
  - Cable Kit

#### Cable kit includes:

- 40m cable, 1.5mm (4-core)
- 40m Rope
- Base plate
- Compression Fitting




Barcode	Product	Description
6009710491720	RRP-4SD2/9-COMBO	0.37kW 0.5Hp
6009710491737	RRP-4SD2/12-COMBO	0.55kW 0.75Hp
6009710491744	RRP-4SD2/15-COMBO	0.75kW 1.0Hp

### Borehole Pump Motors

220V		380V	
Product	Description	Product	Description
RRP-4SD370S	0.37kW Motor (4")		
RRP-4SD550S	0.55kW Motor (4")	RRP-4SD550S	0.55kW Motor (4")
RRP-4SD750S	0.75kW Motor (4")	RRP-4SD750S	0.75kW Motor (4")
RRP-4SD1100S-MOTOR	1.1kW Motor	RRP-4SD1100S-MOTOR	1.1kW Motor
RRP-4SD1500S-MOTOR	1.5kW Motor	RRP-4SD1500S-MOTOR	1.5kW Motor
RRP-4SD2200S-MOTOR	2.2kW Motor	RRP-4SD2200S-MOTOR	2.2kW Motor
		RRP-4SD3000S-MOTOR	3.0kW Motor
		RRP-4SD4000S-MOTOR	4.0kW Motor
		RRP-4SD5500S-MOTOR	5.0kW Motor





## Borehole Pump Controllers

Product	Description
RRP-0.37KW-CB-220V	0.37kW Control box (220V)
RRP-0.55KW-CB-220V	0.55kW Control box (220V)
RRP-0.75KW-CB-220V	0.75kW Control Box (220V)
RRP-0.37KW-CBINT-220V	Intelligent Control Box for 0.37kW Borehole Pump (220V)
RRP-0.55KW-CBINT-220V	Intelligent Control Box for 0.55kW Borehole Pump (220V)
RRP-0.75KW-CBINT-220V	Intelligent Control Box for 0.75kW Borehole Pump (220V)
RRP-0.37KW-CBINT-380V	Intelligent Control Box for 0.37kW Borehole Pump (380V)
RRP-0.55KW-CBINT-380V	Intelligent Control Box for 0.55kW Borehole Pump (380V)
RRP-0.75KW-CBINT-380V	Intelligent Control Box for 0.75kW Borehole Pump (380V)



## Solar Photovoltaic Borehole Pump Controller

- Max input DC voltage: 410V DC
- Recommended DC input voltage range: 220 - 370V DC
- Recommended input working voltage: 305V DC
- The number of input port: 1
- Rated output voltage: 3AC 220V
- Output frequency range: 0~600Hz
- Cooling method: Air Cooling



Product	Rated Output Power	Rated Input Current	Rated Output Current	Motor Power P1
G-DY220SL 0.75KW	0.75kW	5.0A	4.5A	0.75kW
G-DY220SL 1.5KW	1.5kW	7.7A	7.0A	1.5kW

## Solar Borehole Pump Motors



Product	Description
RRP-4SD750T-SOLAR	0.75kW Motor
RRP-4SD1100T-SOLAR	1.1kW Motor
RRP-4SD1500T-SOLAR	1.5kW Motor

## Borehole Cable Selection

Only cable designed for underwater use may be used in the borehole.

The tables indicate the maximum length of cable that can be utilised from the power source (transformer or main DB Board) to the electric motor.

The depth of the borehole must be added to the surface cable length to get the total cable length.

### Maximum Lengths for Single Phase Motor (Copper Cable)

Motor Rating	Cable Size (Square millimetres)										
	KW	1,5	2,5	4	6	10	16	25	35	50	70
Volts 230 50Hz	0,25	170	280	450	670	1130	1750	2640	3590	4940	6560
	0,37	120	200	320	480	810	1260	1900	2590	3580	4770
	0,56	80	130	220	320	550	850	1290	1760	2430	3230
	0,75	60	100	170	250	430	670	1010	1380	1910	2550
	1,1		70	120	180	300	470	710	980	1360	1850
	1,5		60	90	130	230	360	550	760	1060	1440
	2,2			60	90	150	230	350	490	680	920

### Maximum Lengths for Three Phase Motor (Copper Cable)

Motor Rating	Cable Size (Square millimetres)										
	KW	1,5	2,5	4	6	10	16	25	35	50	70
Volts 230 50Hz	0,37	810	1350	2160	3240	5500	8530				
	0,56	550	920	1480	2230	3780	5860	8890			
	0,75	410	680	1090	1640	2780	4330	6570	9010		
	1,1	300	500	810	1210	2060	3200	4850	6640	9220	
	1,5	220	370	590	880	1500	2340	3560	4890	6830	
	2,2	150	250	400	600	1030	1600	2440	3350	4680	7990
	3	110	190	310	460	790	1230	1880	2590	3630	6230
	3,7		150	240	370	630	980	1490	2050	2870	4920
	4		140	230	340	590	920	1390	1910	2670	4520
	5,5		110	170	260	440	690	1060	1450	2030	3460
	7,5			130	200	340	530	810	1110	1560	2680
	11				130	230	360	550	750	1060	1820
	15					100	170	270	410	570	800
	18,5						140	210	330	450	630
	22						120	180	280	380	540
	30							130	210	280	400
	37								170	230	320
45									180	270	




**REDRHINO™**  
FILTRATION

**We specialise in the supply of water filtration products to suit all your domestic needs. We supply undercounter and above counter systems that are made with high quality materials. Red Rhino Filtration prides itself on high quality, cost effective products to suit the needs of our customers.**

**Our Red Rhino Filtration product line includes:**

- **Filtration Systems**
- **Tap Filters**
- **Filter Cartridges**
- **Filter Housings**
- **UV Filtration Systems**
- **Filtration Accessories**



# RED RHINO<sup>TM</sup> PRODUCTS

## Water Filtration Jug HJUG

- 2.6L
- Removes:
  - chlorine
  - odour
  - colour



## Water Filtration Jug Replacement Filter HJUG-FIL-001



## 14L Mineral Pot

HMWF-1402  
6009710490273

Included:

- Multi-stage filter
- Mineral stone
- Magnetic water tap
- Ceramic filter



## Tap Water Filter

HTF-04  
6009710491409

- Water Feed: Municipal tap water
- Operation Temperature: 4 - 45°C
- Flow Rate: 1.5 - 2.5L/min



## Ultra Filtration tap water Filter

HTF-05  
6009801316000

- Water Feed: Municipal tap water
- Operation Temperature: 5 - 45°C
- Flow Rate: 1.5 - 2.5L/min
- Filtration Precision: 0.01 mic



## Single Counter Filter HSST-1

6009710490556

- Standard 10" replacement cartridges
- Counter Top unit
- half and half filter (P/P & GAC)



10"

## 55W UV Sterilizer

HUV-55-W  
6009710491218

- 2720L/hr
- Size (mm):
  - Diameter: 63mm
  - Length: 950mm
  - Quartz Sleeve (Length): 940mm
  - Lamp (Length): 925mm



## 20" Double Big Blue

HWF-20B2  
6009801316055

- Use with:
  1. HPP-20B-5MIC
  2. HCTO-20B-5MIC



20"

## 20" Triple Big Blue

HWF-20B3  
6009801316062

- Use with:
  1. HPP-20B-5MIC
  2. HCTO-20B-5MIC
  3. HPP-20B-5MIC



20"

## 5 Stage Ultra Filtration System

HUF-UC  
6009710491539

- Water Purification System
- Under-counter Filtration
- 5 Stage Filtration
- Incl Filters



10"

## 5 Stage RO System

- Manual flush / Pump flush
- Quick fitting
- Single "O" ring housing

### Without Pump

HE01-50G  
6009801316048

### With Pump

HE01-50GP  
6009710490266



10"

## Plastic Port Clear

H122-10N-S  
6009801316345

- 10" single "o" ring
- Clear housing
- 3/4" brass port
- Blue cap with pressure relief



10" Slimline

## Plastic Port Blue

H122-10N-L  
6009801316390

- 10" single "o" ring
- Blue housing
- 3/4" brass or plastic port
- Black cap with pressure relief



10" Slimline

## 1" Big Blue

H124-10  
6009801316161

- 10" single "o" ring
- Blue housing
- 1" brass port
- Back cap with pressure relief



10" Big

## 1" Slimline

H122-20  
6009801316413

- 20" single "o" ring
- Blue housing
- 1" brass or plastic port
- Black cap with pressure relief



20" Slimline


## 1" Big Blue

H124-20  
6009801316420

- 20" single "o" ring
- Blue housing
- 1" brass or plastic port
- Black cap with pressure relief



20" Big



# RED RHINO<sup>TM</sup> PRODUCTS



**Poly Prop Cartridge**  
HPP-10-5MIC  
6009801316086

10"



Available: 1Mic, 20Mic

**Granular Carbon Cartridge**  
HGAC-10  
6009801316178

10"



**Carbon Block Cartridge**  
HCTO-10-5MIC  
6009801316185

10"



**Woven Cartridge**  
HPS-10-5MIC  
6009801316260

10"



Available: 1Mic, 10Mic, 20Mic

**Poly Prop Grooved Cartridge**  
HCPP-10  
6009801316215

10"



**Half Spun Fibre / Half GAC Cartridge**  
HPUDF-10  
6009801316239

10"



**Net Filter Cartridge**  
HSFC-10  
6009801316079

10"



**Siliphos Cartridge**  
HSP-10  
6009801316152

10"



**Poly Prop Spun Fibre Cartridge**  
HPP-10B  
6009710491140

10" Big Blue



**Granular Carbon Cartridge**  
HGAC-10B  
6009710490730

10" Big Blue



**Carbon Block Cartridge**  
HCTO-10B-5MIC  
6009710490778

10" Big Blue



**1kg Siliphos Balls**  
HSILIPHOSBALLS



**Poly Prop Spun Fibre Cartridge**  
HPP-20-5MIC  
6009710490921

20" slimline



Available: 1Mic, 10Mic, 20Mic

**Granular Carbon Cartridge**  
HGAC-20  
6009801316338

20" slimline



**Carbon Block Cartridge**  
HCTO-20  
6009801316369

20" slimline



**Woven Cartridge**  
HPS-20-5MIC  
6009801316376

20" slimline



**Poly Prop Spun Fibre Cartridge**  
HPP-20B-5MIC  
6009801316307

20" Big Blue standard



Available: 1Mic

**Granular Carbon Cartridge**  
HGAC-20B  
6009801316321

20" Big Blue standard



**Carbon Block Cartridge**  
HCTO-20B-5MIC  
6009801316147

20" Big Blue standard



**Woven Cartridge**  
HPS-20B-5MIC  
6009801316383

20" Big Blue standard



**Single Bracket (Plastic)**  
HHGP-018  
6009801316444



**Bracket for Big Blue 124**  
HBIG BLUE 124 BRACK  
6009801316437



**RO Spares**

**50G RO Membrane**  
H50G  
6009801316208




**Activated Coconut Carbon**  
HT-33  
6009801316192



**Mineral Pot Spares**

Barcode	Product	Description
6009710490297	HCE-S	Ceramic Filter
6009710490280	HMS-5	Multi-Stage Filter
6009710490273	HMS-1	Mineral Stone
n/a	HMWF-1402-T	Tap for Mineral Pot



# RED RHINO™ PRODUCTS

## Big Blue System



**Flow rate of a 20" Big Blue System: 20-25L/min**  
Filter combination dependent

### RO Membrane H50G

4



- Reverse osmosis system
- Eliminates odours and improves taste
- Removes or reduces:
  - Contaminates (0.01mic)
  - Heavy metals
  - Bacteria

## RO System



### Activated Coconut Carbon HT-33

5



- Last stage of Reverse Osmosis system
- Eliminates odours and improves taste
- Removes or reduces:
  - Bacteria

### Poly Prop Cartridge HPP-10-5MIC

1



- Ideal for pre-filtration
- Different Sizes and weights
- Removes or reduces:
  - Dust Impurities
  - Rust

### Granular Carbon Cartridge HGAC-10

2



- For use during main filtration
- Odour removal
- Removes or reduces:
  - Chlorine and chemicals
  - Organic matter
  - Pesticides

### Carbon Block Cartridge HCTO-10-5MIC

3



- For use during pre-filtration or pre-treatment
- Removes or reduces:
  - Taste of chlorine
  - Heavy metals i.e. lead, copper

**ORIGINAL  
GARDEN**



GF Garden produces a range of watering equipment and accessories that is sure to meet your needs. There are 3 distinct ranges that fall within the GF brand, these include: RECO, GF Watering and Unconventional Gardening. From RECO, the recycled range to the unconventional garden range, there is something for everyone.

Our GF product line includes:


- Hoses
- Hose Reels
- Hose Accessories
- Solar Showers
- Other Garden Accessories



**UNCON  
VENTI  
ONAL  
GARDEN**







**RED RHINO**<sup>TM</sup>  
PRODUCTS

**RECO**<sup>®</sup>  
REUSE REDUCE RECYCLE



**RECO Medium Spray Nozzle**

- GF80605400  
8004779035838
- Jet adjustment
  - Max flow: 14L/min



**RECO Medium Spray Nozzle Kit**

- GF80606917  
8004779038419
- Spray nozzle
  - 1x tap connector
  - 2x hose connectors



**RECO 3 Jet Watering Gun**

- GF80605537  
8004779035869
- 3 Jet selector
  - Max. flow: 18L/min



**RECO 8 Jet Watering Gun**

- GF80606912  
8004779035876
- 8 Jet rotary selector
  - Max flow: 18L/min



**RECO 8 Jet Watering Gun Kit**

- GF80606918  
8004779038426
- 8 Jet watering gun
  - 1x tap connector
  - 2x hose connectors



**RECO 3 Jet Watering Gun**

- GF80606903  
8004779037825
- Front lever with lock
  - 3 Jet selector
  - Max flow: 20L/min



**RECO 8 Jet Watering Gun**

- GF80606905  
8004779037801
- Front lever with lock
  - 8 circular jet selector
  - Max flow: 20L/min



**RECO 8 Jet Watering Gun Kit**

- GF80606921  
8004779038808
- 8 jet watering gun
  - 1x tap connector
  - 2x hose connectors



**RECO Cone Sprinkler**

- GF80605619  
8004779035937
- 5.5m radius
  - Max flow: 23L/min



**RECO Rotax Sprinkler**

- GF80605633  
8004779035920
- 7m radius
  - Adjustable nozzles
  - Max flow: 19L/min



**RECO Rotax Sprinkler**

- GF80605632  
8004779035890
- 7m radius
  - Adjustable nozzles
  - Max flow: 19L/min



**RECO Driver Sprinkler**

- GF80605617  
8004779035913
- 8 watering areas
  - Max flow: 18L/min



**RECO Super Rotax Rotating Sprinkler**

- GF80605615  
8004779035944
- Adjustable nozzles and arms
  - 7m radius
  - Max flow: 15L/min



**RECO Astral Oscillating 4 Sprinkler**

- GF80605669  
8004779037771
- 16-jet swinging arm
  - Max flow: 15L/min
  - 20 - 100° spraying arc



**RECO Threaded Tap Connector**

- GF80605414  
8004779035692
- Gripping surface
  - Male coupling
  - Fits: Ø 3/4", Ø 1/2" and Ø 1"



**RECO Dual Outlet Tap Connector**

- GF80605073  
8004779035807
- Ø3/4"
  - Water flow adjustment
  - Flow rate regulator



**RECO "Open" Hose Connector**

- GF80605808  
8004779035715
- Click-fit
  - Ø 1/2" - Ø 5/8"



**RECO "Aquastop" Hose Connector**

- GF80605809  
8004779035722
- Click-fit
  - Ø 1/2" - Ø 5/8"



**RECO "Open" Hose Connector**

- GF80605817  
8004779038921
- Ø 3/4"



**RECO "Aquastop" Hose Connector**

- GF80605818  
8004479038945
- Ø 3/4"



**RECO Repair Connector**

- GF80605816  
8004779038433
- Repairing or joining
  - Ø 1/2" - Ø 5/8"



**RECO Repair Connector**

- GF80605819  
8004779038969
- Repairing or joining
  - Ø 3/4"



**RECO Two-way Connector**

- GF80605450  
8004779035814
- Connecting two hose lines with snap-fit hose connectors.



**RECO Three-way Connector**

- GF80605451  
8004779035821
- Connecting three hose lines with snap-fit hose connectors.



**RECO Threaded Adaptor Connector**

- GF80605429  
8004779035708
- Male junction
  - Click connectors to be linked



**RECO Baby Portable Hose Reel**

- GF80605704  
8004779035166
- Capacity: 20m of 1/2" hose



**RECO Wall-mounting Hose Holder**

- GF80607040  
8004779035173
- Fixing to a wall



**RECO Hoses**

- 75% recycled hose
- 25m
- Ø1/2"

Sage  
GF80607301  
8004779040689



Lime  
GF80287301  
8004779040443



Fuchsia  
GF80277301  
8004779040597



**RECO Aquaflora Holiday**

- GF80606343  
8004779037788
- Irrigation for pot plants
  - Measured release of water



**RECO Sack Trolley**

- GF80605770  
8004779037764
- Lightweight
  - Collect grass and foliage
  - 100L bags




**RECO Solar Shower**

- GF80606919  
8004779038334
- Hot/cold mixer
  - Safe base / tank
  - Height: 2m
  - Adjustable head: ø12.5cm



**The first range of irrigation accessories composed of more than 70% recycled plastic.**



**RED RHINO**<sup>TM</sup>  
PRODUCTS



**UNCONVENTIONAL GARDEN**

**MODO - Wall Plant**

- Geometric and clean shape
- Clear plastic housing
- Removable container



GF86010001 (Light Grey)  
8004779037030

GF86010002 (Grey)  
8004779037030



GF86010003 (Dark Grey)  
8004779037030



**AQUABAG STYLE - Mini Hose Reel**

- 10m hose, 1,5m leader hose
- 2 soft touch quick-click connectors
- 8 jet ergonomic nozzle
- 3/4" adaptor

GF80265628 (Turquoise)  
8004779038761

GF80275628 (Pink)  
8004779038754

GF80285628 (Lime Green)  
8004779038341



**AQUABALCONY - Hose Hanger Kit With 10M Hose**

- 10m of flexible hose
- 2 quick connectors & 3/4 tap connector
- 8 jet ergonomic nozzle

GF80265852 (Turquoise)  
8004779030673

GF80275852 (Pink)  
8004779030680

GF80285852 (Lime Green)  
8004779030697

GF80295852 (Brown)  
8004779030710



**AQUAPOP - 15m Self-Extendable Hose Kit**

- Self-extendable hose 15m
- Ergonomic lance
- Quick connectors & 3/4" tap connector

GF80267600 (Turquoise)  
8004779025891

GF80277600 (Pink)  
8004779025907

GF80287600 (Lime Green)  
8004779025914

GF80297600 (Grey)  
8004779025921



**AQUAPOP - Grey Easy 15m**

GF80297673  
8004779040115

- Self-extendable 15m
- Mini-lance
- Click-fit hose connectors
- 3/4" tap connector



**AQUALIGHT Light Hose Kit**

GF80007151  
8004779036156

- 15m 5/8" hose
- Click-fit hose connectors
- 3/4" tap connector
- Recyclable Hose



**AQUALIGHT Light Hose Kit**

GF80007153

- 15m 3/4" hose
- Click-fit hose connectors
- 3/4" tap connector
- Recyclable Hose



**AQUALIGHT Light Hose Kit**

GF80007152  
8004779036163

- 30m 5/8" hose
- Click-fit hose connectors
- 3/4" tap connector
- Recyclable Hose



**AQUALIGHT 15 Kit**

GF80287156

- 15m 5/8" hose
- Click-fit hose connectors
- 3/4" tap connector
- 8 jet watering spray gun



**AQUAGO Easy Self-  
extending Hose Kit**

GF80297646  
8004779037030

- Self-extendable hose 15m
- Ergonomic mini lance
- Snap-on hose connections
- 3/4" tap connector
- Max 14L/min



**AQUAGO Easy Self-  
extending Hose Kit**

GF80297647

- Self-extendable hose 30m
- 8-jet ergonomic lance
- Snap-on hose connections
- 3/4" tap connector
- Max 18L/min at 4bar



**Seals and O-rings Kit**

GF80005699  
8004779056994

- 6 x O-Rings for standard shanks
- 3 x flat Seals of 3/4"(ø 20-27 mm)
- 1 x flat Seal of 1"(ø 26-34 mm)



**4 Pieces Kit In Brass And Rubber**

GF80002422  
8004779024221

- Adjustable jet nozzle
- 3/4" tap connection
- Open hose connector
- Acquastop hose connector (1/2"-5/8" hoses)



**Car Wash Brush**

GF80005218  
8004779052187

- Constructed from soft shock-resistant materials



**Idro-Garden CFS 3" Filter Kit**

GF80000109  
8004779001093

- Washable cartridge and filter unit in mesh
- Applications: filtering of sand, flakes, mud, and fine material




**Aquatime Due.5 Electronic Programmer**

GF80006025  
8004779036675

- Manual start button
- 1-8 hour delayed start button
- Drip irrigation
- Works with 9 Volt alkaline battery (not included)
- 3/4" tap connection





# RED RHINO™ PRODUCTS

## Click-on Watering Head

- GF80005430  
8004779054303
- Gentle jet for flowers
  - Micro-holed disc
  - Maximum flow 30L/min at 4 bar



## Watering Wand

- GF80005447  
8004779003714
- Ideal for watering hard-to-reach places
  - Micro-holed disc
  - Tap for micro-adjustment of flow
  - Maximum flow 30 L/min at 4 bar



## Electronic Programmer GF48

- GF80006015  
8004779022937
- Manual start Button
  - 8 hour delayed start button
  - Works with 9 Volt alkaline battery (not included)
  - 3/4" tap connection
  - Max pressure 8 Bar



## Electronic Programmer GF16

- GF80006016  
8004779022944
- Manual start button
  - Works with 9 Volt alkaline battery (not included)
  - 3/4" tap connection
  - Max pressure 8 Bar



## SPIT Metal Pulsating Sprinkler

- GF80002621  
8004779026218
- Large surfaces
  - Jet breaking device to uniform distribution of water
  - 15° irrigation angle



## SPIT 1 Pulsating Sprinkler

- GF80005624  
8004779023132
- Jet interruption device for uniform distribution of water
  - Watering angle from 15° to 360°
  - Maximum flow 15 L/min



## Spare SPIT Metal Pulsating Sprinkler

- GF80007206
- Jet interruption device for uniform distribution of water
  - Watering angle from 15° to 360°
  - Maximum flow 16 L/min



## Spare SPIT 1 Pulsating Sprinkler

- GF80007205
- Jet interruption device for uniform distribution of water
  - Watering angle from 15° to 360°
  - Maximum flow 15 L/min



## Astral Oscillating 4 Sprinkler

- GF80005669  
8004779023071
- 16-jet plastic swinging arm
  - Pin for cleaning the holes
  - Max flow rate 15L/min at 4bar
  - 20 - 100° spraying arc



## Micro-Pierced Tubing

- GF80007031  
8004779070310
- Tubing sprinkler with three channels for fine spray watering
  - 7.5m hose



## Micro-Pierced Tubing

- GF80007032  
8004779070327
- Tubing sprinkler with three channels for fine spray watering
  - 15m hose



## BETAKIT Roll Kit

- GF80007088  
8004779010484
- 25m of 1/2" Beta hose
  - Adjustable spray lance
  - 3/4" tap connector
  - 1/2 "-5/8" "open" and "aquastop" hose fittings




## RAPID Hose Trolley

- GF80005725  
8004779003578
- Max. 50m Hose at 1/2"
  - Max. 40m Hose at 5/8"



## IDEA Premium Metal Trolley

- GF80005787  
8004779018886
- Retractable telescopic handle
  - Soft touch non-slip handle
  - 2 soft touch click hose connectors
  - Max capacity: 60m of ø1/2" hose



## IDEA Trolley

- GF80005788  
8004779018893
- Retractable telescopic handle
  - Wheels
  - Soft touch non-slip handle
  - Max capacity: 60 m of ø1/2" hose



## Concept Ready Metal Hose Reel

- GF80005818  
8004779026911
- 35m of 5/8" hosepipe
  - 3x open hose connectors
  - 1x Aquastop hose connector
  - 1x tap connector
  - Retractable handle



## Reely Plus Portable Kit

- GF80005817  
8004779026171
- 20 m of 1/2" braided hose
  - 3/4" tap connector
  - 4 x 1/2 "-5/8" hose connectors
  - Adjustable lance



## Mini Concept Portable Hose Reel

- GF80005838  
8004779030079
- Capacity 20 m of 1/2" hose
  - Complete with click connectors
  - Hose not included



## Mini Concept Plus Portable Kit Hose Reel


- GF80005846  
8004779030086
- Adjustable spray lance
  - Aquastop click-fit connector
  - 15m of 1/2" hose



## Mini Concept Plus Portable Kit Hose Reel

- GF80007200  
8004779072000
- 1,5m of wired 1/2" hosepipe
  - 2 click-fit 1/2" hose connectors
  - 3/4" tap connector





# RED RHINO™ PRODUCTS

## Spiral Hose Set - 15m

KRTGR6703  
5400338077166

- Hose length: 15m, Ø3/8"
- 6 pattern spray gun
- Quick connectors



## Pruning Shears - Bypass

KRTGR1001  
5400338069741

- Young wood
- Carbon steel
- Anti-stick
- Max: 19mm



## Pruning Shears - Anvil

KRTGR1002  
5400338069758

- Dry wood
- Carbon steel
- Anti-stick
- Max: 19mm



## Pruning Shears - Straight

KRTGR1003  
5400338069765

- Flowers
- Carbon steel
- Anti-stick
- Max: 19mm



## Ratchet Shears - Bypass

KRTGR1004  
5400338069772

- Young wood
- Carbon steel
- Anti-stick
- Max: 23mm



## Pruning Shears - Bypass

KRTGR1021  
5400338069826

- Young wood
- Titanium coating
- Max: 19mm



## Pruning Shears - Anvil

KRTGR1022  
5400338069833

- Young wood
- Titanium coating
- Max: 23mm



## Pruning Shears - Straight

KRTGR1023  
5400338069840

- Flowers
- Titanium coating
- Max: 23mm



## Hedge Shears

KRTGR3012  
5400338069949

- Anti-stick
- Carbon steel
- Extendable
- Blade: 200mm



## Lopping Shears - Bypass

KRTGR4023  
5400338070037

- Young Wood
- Titanium coating
- Extendable
- Max: 45mm



## Lopping Shears - Anvil

KRTGR4024  
5400338070044

- Dry Wood
- Titanium coating
- Extendable
- Max: 45mm



## Pruning Saw - Foldable

KRTGR5002  
5400338069888

- 180mm



## Pruning Saw

KRTGR5003  
5400338069895

- 300mm



## Bow Saw - 530mm

KRT807101  
5400338062209

- Soft Grip
- Easy replacement blades



## Bulb Planter

KRTGR7011  
5400338070105

- Carbon steel
- Wear resistant
- Width: 80mm



## Hand Trowel - Small 60mm

KRTGR7002  
5400338070068

- Carbon steel
- Soft grip



## Hand Trowel - Large 80mm

KRTGR7001  
5400338070051

- Carbon steel
- Soft grip



## Hand Cultivator

KRTGR7003  
5400338070075

- Carbon steel
- Soft grip
- Wear resistant
- Width: 80mm



## Flower Rake

KRTGR7004  
5400338070082


- Carbon steel
- Soft grip
- Wear resistant
- Width: 80mm



## Weeding Hoe

KRT807005  
5400338070099

- Carbon steel
- Wear resistant
- Soft grip
- Width: 190mm



## Garden Bag - 85L

POWXGSG2  
5400338051104

- Water repellent
- UV resistant



## Garden Bag - 270L

POWXGSG4  
5400338069505

- Strong handles
- Water repellent



## Scattering Cart - 12L

KRTGR9001  
5400338077258

- 450mm
- 12L



## Scattering Cart - 15L

KRTGR9003  
5400338077265

- Rotating
- Spreading width: 1.4-2.5m
- 450mm
- 15L



## Spreader - 23L

KRTGR9005  
5400338077272

- Spreading width: 3-3.7m
- Continuous dosing lever
- Rain cover
- 23L



## Face Mask

KRTS50001  
5400338064913




## Steel Trestle

KRT671001  
5400338069048

- Carry handle
- Working height: 780mm
- Max load: 125kg/pc






**REDRHINO**<sup>TM</sup>  
PRODUCTS

Red Rhino specialises in the supply of lawncare and domestic/industrial garden tools to trade. There is a wide range of both domestic and industrial products available to service a variety of industries.

Our Red Rhino product line includes:

- **Sprayers**
- **Hoses and Garden Accessories**
- **Tool Sets and Accessories**
- **Spares**
- **Brush Cutters**
- **Chainsaws and Pruners**
- **Blowers**
- **Chippers and Shredders**
- **Lawnmowers**
- **Tillers**
- **Compressors**
- **Petrol/diesel Water Pumps**
- **Petrol/Diesel Engines**



# RED RHINO™ PRODUCTS

**Trigger Sprayer  
- 500ml**  
SHS500ML  
6009710490198



**Trigger Sprayer  
- 1L**  
SHS1L  
6009710490518



**Pressure Sprayer  
- 2L**  
SHS2L  
6009801316772



**Pressure Sprayer  
- 5L**  
SHS5L  
6009801316789



**Pressure Sprayer  
- 16L**  
SHS16L  
6009801316819



**Pruning Shears  
RPS**  
6009801316475



**Hedge Shears  
RPHS**  
6009801316482



**Lopping Shears  
RPLS**  
6009801316499



**Pruning Shears  
Kit  
RPS-KIT**  
6009710491799



**Pruning Saw Kit  
RPSAW-KIT**  
6009710491805



**Splitting Axe - 3Kg  
RAXE-SPLITTING**  
6009710491874



**Hose Reel -  
20m**  
RRHR-20M  
6009710491546  
• 2m leader  
• Automatic Recoil  
• 20m 1/2" hose



**Lawn Roller  
RRLR-5315**  
6009710491591  
• 500mm width  
• Steel drum  
• Ø315mm  
• Filled with sand/water



**Moisture Meter  
RM-1MS**  
6009710491225  
• Moisture



**2 Way Moisture  
Meter  
RM-21MS**  
6009710490822  
• Moisture  
• Light



**3 Way Moisture  
Meter  
RM-31MSL**  
6009710490815  
• Moisture  
• PH  
• Light



**Weed Fleece -  
Landscaping  
Fabric  
RWF-1520**  
6009710490792  
• 1.5m x 20m  
• 150g/m<sup>2</sup>



**Work Gloves  
Pigskin Yellow  
(Construction  
Basic)**  
• Sizes: XL & XXL  
KRTW005M  
5400338055850  
KRTW005XXL  
5400338055867




**Garden Gloves  
Latex Coat Red  
(Comfort Grip)**  
• Sizes: M & XL  
KRTG002M  
5400338056017  
KRTG002XL  
5400338056024



**Garden Gloves  
Multi Colour  
(Light Comfort)**  
• Sizes: S & M  
KRTG003S  
5400338056031  
KRTG003M  
5400338056048





# RED RHINO™ PRODUCTS

## Garden Gloves Pigskin Green (Heavy Duty)

- Sizes: M/L & XL

KRTG004ML  
5400338056055

KRTG004XL  
5400338056062



## Garden Gloves Synthetic Green (Extra Comfort)

- Sizes: M & XL

KRTG005M  
5400338056086

KRTG005XL  
5400338056093



## Garden Gloves Canvas White (Soft Touch)

- Sizes: XL

KRTG006XL  
5400338056109



## Harness MTD HARNESS B 6009801316520



## Helmet with Ear Muffs STH3CB Y 6009801316703



## Tool Set - 100pcs RHTS-100PCS 6009710490495

- 100pcs
- Carbon steel



## Tool Set - 39pcs RHTS-39PCS 6009710490747

- 39pcs
- Carbon steel



## Tool Set - 17pcs RHTS-17PCS 6009710491430

- 17pcs
- Carbon steel



## Screwdriver Set - 44pcs RHSC-44PCS-17 6009710490013

- 17pcs screwdrivers
- 16pcs hex keys
- 10pcs screwdriver bits
- 1pcs bit holder



## Ratchet Screwdriver Set - 38pcs RHRS-HT40-18 6009710490068

- 37pcs screwdriver bits
- Ratchet screwdriver



## Ratchet Socket Set - 12pcs RHSS-12PCS 6009710490501

- 10pcs 1/4" sockets
- 1/4" extension bar
- 1/4" 72T reversible ratchet wrench



## Speed Square - 7" RSQ-7 6009710491331

- Aluminium
- 178 x 180mm



## Multifunction Wire Stripper RHT-WS 6009710491355

- Strip cable
- Cut cable
- Crimp cable



## Band Clamp KRT552301 5400338066481

- 4m
- Reinforced nylon belt
- Triangular handle



## Scissors Heavy Duty KRT621001 5400338059414

- 200mm length
- Soft grip handles



## Cable Scissors KRT621002 5400338059421

- 175mm Length
- Cuts: Ø10mm Cable



## Wire Stripper 2-in-1 Crimping Tool KRT615111 5400338075728

- Strip Cable
- Cut Cable
- Crimp Cable



## Crimping Tool KRT615112 5400338075735


- 230mm length
- Adjust pressure



## Cross Line Laser with Tripod KRT706300T 5400338082597

- 12m Reach
- Self Leveling
- 50-152cm Length





# RED RHINO™ PRODUCTS

### Plastic Nylon Head

BCNHC Y 74  
6009801316512



### Quick Load Trimmer Head

BCNHC Y 74-QL  
6009710490853



### Alu Trimmer Head

BCALUHEAD Y  
6009801316505



### Heavy Duty Blade - Tristar

BCTSBLADE Y  
6009710491188



### Tungsten Tip Blade

BCTTBLADE Y  
6009710490181



### Wire Brush

BCWR-8  
6009710491379



### Spark Plug

BCCG520BD Y 53  
6009801316475



### Gearbox

BCGCASSY Y2  
26mm

BCGCASSY Y1  
28mm



### Clutch Housing

BCCCOMP Y 2  
26mm

BCCCOMP Y1  
28mm



### Carburetor Kit

BCCG430BD Y 53  
6009801316475



### Chainsaw File Kit - 4.8mm

CSS-FILEKIT-325  
6009710491867



### Chainsaw File Kit - 5.5mm

CSS-FILEKIT-3/8  
6009710491850



### Chainsaw Sharpening Kit

CSS 523K  
6009801316536



### Chainsaw Chain Breaker

CHAIN-BREAKER



### Chain Sharpener

POWXG1066  
5400338092237

- 180W
- 100mm disc



### Chain Sharpener Disc

POWACG7010  
5400338073304



### Nylon Line 2kg

BCCGNL-2kg  
(2/2.4/3/3.5mm)



### Pre-Cut Nylon Line

BCCGNLC100  
6009801316451



### Chainsaw Chain (100ft roll)

**Chain Pitch 325" .58"**  
SGL5200-CH-21BP-ROLL

**Chain Pitch 325" .50"**  
SGL5200-CH-20BP-ROLL

**Chain 3/8" .050.1.3mm (STD profile)**  
SGL5200-CH-3/8-1.3-ROLL

**Chain 3/8" .050.1.3mm (Low profile)**  
OM GSH40-CHAIN-ROLL

**Chain 3/8" .058.1.5mm (GS650)**  
OM GS650-CH-3/8-ROLL



### Chainsaw Guide Bars

**GL 5200 (325x0.58, 18")**  
SGL5200-GB  
6009710490617

**GSH 40 (3/8x0.50, 16")**  
OM GSH 40-GB  
6009710490624

**GSH 510 (325x0.50, 18")**  
RGB-325X058-18  
6009710490631

**GSH 560 (325x0.58, 20")**  
RGB-208PXBK095  
6009710490648

**GS 650 (3/8x0.58, 20")**  
RGB-208SLHD024  
6009710490655



### Oil

**2 Stroke Oil - 200ml**  
OIL 200ml - 2ST  
6009710491348

**2 Stroke Oil - 500ml**  
OIL 500ml - 2ST  
6009801316901

**2 Stroke Oil - 5L**  
OIL 5L-2ST  
6009710491058

**4 Stroke Oil - 500ml**  
OIL 500ML-4ST  
6009801316918

**Chain Oil - 500ml**  
OIL 500ML-CHAIN  
6009801316925



### Nylon Line (10m)

**1.4mm**  
BCCGNLINE-1.4  
6009710490662

**1.6mm**  
BCCGNLINE-1.6  
6009710490228


**2.0mm**  
BCCGNLINE-2.0  
6009710490235

**2.4mm**  
BCCGNLINE-2.4  
6009801316895

**3.0mm**  
BCCGNLINE-3.0  
6009710490389







**RED RHINO**<sup>TM</sup>  
PRODUCTS

**Split Shaft Brush Cutter**  
Entry Level

- 2-stroke engine
- Easy pull-start
- Includes:
  - Bump-feed head
  - Harness
  - Basic tool kit




Model	SBCG330BF	SBCG430BF	SBCG520BF
Barcode	6009710491447	6009710490945	6009710490952
Engine Capacity (cc)	33	43	52
Power (kW/r/min)	0.9/6500	1.25/6500	1.4/6500
Shaft Style	Split Shaft	Split Shaft	Split Shaft
Fuel Tank (L)	0.95	1.2	1.2

**Brush Cutters**  
DIY

- 2-stroke engine
- Easy pull-start
- Includes:
  - Blade
  - Nylon tap n' spin head
  - Harness
  - Basic tool kit



Brush Cutters		
Model	SBCG430	SBCG520
Barcode	6009801316659	6009801316666
Engine Capacity (cc)	43	52
Power (kW)	1.1	1.5
Shaft Style	Straight Shaft	Straight Shaft
Fuel Tank (L)	1.2	1.2



# RED RHINO™ PRODUCTS

## Brush Cutter Semi-Industrial

- Easy pull-start
- Includes:
  - Aluminium head
  - Harness
  - Basic tool kit

Model	RRBC-43	RRBC-52
Barcode	6009710491362	6009710491393
Engine Capacity (cc)	43	52
Engine Type	2-stroke	2-stroke
Power (kW)	1.47	2.0
Shaft Style	Straight Shaft	Straight Shaft
Fuel Tank (L)	0.94	1.2
Type	DIY	Industrial

Model	RRBC-520-4ST
Barcode	6009710491782
Engine Capacity (cc)	52
Engine Type	4-stroke
Power (kW)	1.3
Shaft Style	Straight Shaft
Type	Industrial



**INDUSTRIAL**

## Chainsaws


- 2-stroke engine
- Easy pull-start
- Includes:
  - Chain
  - Basic tool kit



Chainsaws		
Model	SGL5200	RRCS-75
Barcode	6009801316468	6009801316865
Engine Capacity (cc)	52	74
Power (kW)	2.0	3.2
Bar Length (")	18"	22"
Chain (pitch x gauge)	0.325" x 0.58"	3/8" x 0.508"
Type	DIY	Industrial



**INDUSTRIAL**



**RED RHINO**<sup>TM</sup>  
PRODUCTS

## Pole Pruner and Hedge Trimmer

- 2-stroke engine
- Easy pull-start
- Includes:
  - Chain
  - Basic tool kit



Pole Pruner	
Model	RRPPX-4100
Barcode	6009710491690
Engine Capacity (cc)	26
Power (kW/r/min)	0.9/6500
Shaft Style	Extendable 4m
Fuel Tank (L)	0.95
Type	DIY

Hedge Trimmer	
Model	RHT-2600
Barcode	5400338055690
Engine Capacity (cc)	26
Power (kW)	0.9
Bar Length (mm)	600
Blade Pitch (mm)	28
Type	DIY

## Leaf Blowers

DIY

- 2-stroke engine
- Easy pull-start




Model	REB260A
Barcode	6009710490150
Engine Capacity (cc)	26
Power (kW)	0.75
Air Speed (m/s)	≥ 70
Air Volume (m³/s)	≥ 0.2
Noise (dB)	≤ 108
Type	Hand Held

Model	REB430	REB900
Barcode	6009710490587	6009710491034
Engine Capacity (cc)	43	79
Power (kW)	1.25	2.7
Air Speed (m/s)	≥ 60	≥ 85
Air Volume (m³/s)	≥ 0.2	≥ 0.37
Type	Backpack	Backpack



**INDUSTRIAL**



# RED RHINO™ PRODUCTS

## Backpack Mistblower

DIY

- 2-stroke engine
- Easy pull-start
- Petrol
- Trigger grip handle
- Chemical safe tank
- Double shoulder straps
- Includes:
  - Basic tool kit
  - Plastic mixing bottle

Model	MD 3 WF-3A Y
Barcode	6009710490563
Engine Capacity (cc)	43
Tank Capacity (L)	16
Fan Speed (r/min)	8000
Power (kW/r/min)	2.13/7500
Range (m)	≥12
Dry weight (kg)	11.5



## Power Sprayers

DIY

- 2-stroke engine
- Easy pull-start

Model	SPS-768
Barcode	6009710490488
Engine Capacity (cc)	43
Tank Capacity (rpm)	25L
Rated Flow Rate (L/min)	8
Working Pressure (Mpa)	1.5 – 2.5
Weight (kg)	9.8
Type	Knapsack



Model	PS3WH-36 LY
Barcode	6009801316758
Engine Capacity (hp)	6.5
Pressure (psi)	290 - 652
Range (m)	12 - 15
Max Flow (L/min)	18 - 22
Fuel Tank Capacity (L)	3.6
Type	Bakkie Set



### Accessories

**Spray Lance**  
PS3WZ-36L-L



**Spray Gun**  
PS3WH-36L-L-PRO




**50m Hose**  
PS3WH-36L-300H-50M



**Piston Pump**  
PS3WZ-HL-15-22Y





**RED RHINO**<sup>TM</sup>  
PRODUCTS

## Pressure Washers DIY

- 4-stroke engine
- Set of 5 nozzles
- Heavy duty frame
- 10" pneumatic wheels

Model	RGPW3000	RGPW3600
Engine	7hp	14hp
Max. PSI	3000	3600
Max. Bar	206	248
Max. Flow	15L/min	15L/min
Fuel Type	Petrol	Petrol
Fuel Tank	3.6L	6L

Model	RDPW3000
Engine	10hp
Max. PSI	3000
Max. Bar	206
Max. Flow	15L/min
Fuel Type	Diesel
Fuel Tank	5.4L




## Compressors DIY

- Fuel Type: Petrol
- Pressure: 8bar / 115psi

Model	RRC-2024	RRC-2050
Barcode	6009710491508	6009710491515
Power	1.5kW/2HP	1.5kW/2HP
Capacity	178L/min	178L/min
Tank Capacity	24L	50L
Pressure	8 bar	8 bar
Pressure	115 psi	115 psi
Type	Direct Air	Direct Air

Model	RRC-2100
Barcode	6009710491522
Power	2.2kW/3HP
Capacity	250L/min
Tank Capacity	100L
Pressure	8 bar
Pressure	115 psi
Type	Belt Style





# RED RHINO™ PRODUCTS

## Lawnmowers

Push and Self Propelled

- 4-stroke engine
- Easy pull-start



Model	RLM-460
Barcode	6009710491553
Engine Capacity (cc)	150
Engine Speed (rpm)	2800
Cutting Width (mm)	460
Cutting Height (mm)	25-75
Grass Bag Capacity (L)	55
Drive Type	Hand Push

Model	RLM-510-SP	RLM-530-SP
Barcode	6009710491560	6009710491577
Engine Capacity (cc)	173	200
Engine Speed (rpm)	2800	2800
Cutting Width (mm)	510	530
Cutting Height (mm)	25-75	25-75
Grass Bag Capacity (L)	65	65
Drive Type	Self Propelled	Self Propelled


## Lawnmowers

Ride - On

- 4-stroke engine
- Electric/Manual Start
- Fuel Type: Petrol



Model	RLM-XCH62AE	RLM-TTM86-H
Barcode	6009710491669	6009710491652
Engine Capacity (cc)	224	452
Engine Speed (rpm)	3000	2800
Engine Output (kW)	4.2	8.3
Cutting Width (mm)	61.6	86
Cutting Height (mm)	25-75	30-90
Fuel Type	Petrol	Petrol
Fuel Tank Capacity (L)	1.4	7.5
Drive Type	Ride-On	Ride-On



**RED RHINO**<sup>TM</sup>  
PRODUCTS

## Rammer and Tillers

DIY

Model	ZRM80-RRHINO
Power (kW)	3.3
Impact Force (kN)	13
Max Jumping Stroke (cm)	8.5
Weight (kg)	77
Fuel Tank Capacity (L)	2.8



Model	RTM-750	RT001
Barcode	6009710491232	6009710491713
Rated Power	212cc	7.2kW/10Hp
Engine Speed	2800	3600 rpm
Starting Type	510	Electric
Fuel Type	Petrol	Diesel
Tilling Width	65	1050mm
Includes	1x Tiller 1x Blade 1x Plough	1x Trailer 1x Plough 1x Double Ditcher 1x 4-4 Blade



## Shredder and Chippers

- Tool Kit
- Wheel Kit,


Model	SS1002
Barcode	6009801316017
Engine Capacity (cc)	196
Max Output (Hp)	6.5
Engine Speed (rpm)	3600
M Chipping Dia (mm)	76
Starting System	Recoil
Type	Shredder



Model	RCHIP-7HP	RCHIP-10HP
Barcode	6009710491676	6009710491683
Engine Capacity (kW)	4	5.6
Engine Speed (rpm)	2400	2000
M Chipping Dia (mm)	100	120
Chipping Efficiency (m <sup>3</sup> h)	3-5	5-6
Transmission	Belt Drives	Belt Drives
Type	Chipper	Chipper



**INDUSTRIAL**



**RED RHINO**<sup>TM</sup>  
PRODUCTS

## Water Pumps


### Petrol Water Pump

Model	RGP25-2	RGP25-4	RGP50B	RGP80
Barcode			6009801316680	6009801316673
Max Flow (L/h)	7800	7800	30000	60000
Max Head (m)	30	30	28	28
Max Suction (m)	6	6	7	7
Fuel tank Capacity (L)	0.6	0.6	3.6	3.6
Inlet/Outlet Dia. (mm)	25	25	50	80
Engine	2-Stroke	4-Stroke	2-Stroke	2-Stroke




### Diesel Water Pump

Model	RDP50	RDP80
Max Flow (L/h)	20000	60000
Max Head (m)	26	28
Max Suction (m)	5	5
Fuel tank Capacity (L)	2.4	3.3
Inlet/Outlet Dia. (mm)	50	80
Engine	2-Stroke	2-Stroke




### High Pressure Petrol Water Pump

Model	RGHP40-2
Max Flow (L/h)	135000
Max Head (m)	77
Max Suction (m)	7
Fuel tank Capacity (L)	3.6
Inlet/Outlet Dia. (mm)	40
Engine	2-Stroke







**RED RHINO**<sup>TM</sup>  
PRODUCTS

## Petrol and Diesel Engines

### Vertical Engines - Petrol

#### Petrol Engine - 173cc

RS-RRV173F

- Displacement: 173cc
- Max power(kW/rpm): 3/2800



#### Petrol Engine - 175cc

RS-RRV175F

- Displacement: 175cc
- Max power(kW/rpm): 2.9/3600



#### Petrol Engine - 200cc

RS-RRV200F

- Displacement: 200cc
- Max power(kW/rpm): 3.2/2800



### Horizontal Engines - Petrol

#### Petrol Engine - 7hp

RS-H4225

- Power: 7hp
- Displacement: 212cc
- Bore x Stroke: 70 x 55mm
- Max power(kW/rpm): 4/3600
- Recoil Start
- Keyway



#### Petrol Engine - 16hp

RS-H460-KW

- Power: 16hp
- Displacement: 460cc
- Bore x Stroke: 92 x 69mm
- Max power(kW/rpm): 9.5/3600
- Recoil Start
- Keyway



#### Petrol Engine - 16hp

RS-H460-KW-E

- Power: 16hp
- Displacement: 460cc
- Bore x Stroke: 92 x 69mm
- Max power(kW/rpm): 9.5/3600
- Electric Start
- Keyway



### V-Twin Petrol Engine - 13hp

RGH690D-KW

- Power: 13hp
- Displacement: 690cc
- Bore x Stroke: 78 x 71mm
- Max power(kW/rpm): 13/3600
- 4-stroke
- Twin Cylinder
- Electric Start
- Keyway



### Diesel Engine - 10hp

RS-UD188F

- Power: 10hp
- Displacement: 456cc
- Bore x Stroke: 88 x 75mm
- Rated Power(kW/rpm): 6.5/7.2
- Max Power(kW/rpm): 7.2/7.9
- 4-stroke
- Single Cylinder
- Electric Start
- Keyway



### Diesel Engine - 22hp

RS-UD-22HP

- Power: 22hp
- Bore x stroke: 90 x 75mm
- Rated Power(kW/HP): 17/23.1
- 4-stroke
- Twin Cylinder
- Electric Start
- Keyway






With over 110 years of experience, Briggs & Stratton is trusted by millions of people around the globe and backed by the largest service network in the industry. Briggs and Stratton is the world's largest small engine producer. We have a wide range of engines and spares within the Vanguard, XR Range, Horizontal, Diesel and Vertical lawnmower engines available.

Our Briggs product line includes:

- Vertical Engines
- Horizontal Engines
- Vanguard Engines
- Spares



**VANGUARD**



# RED RHINO<sup>TM</sup> PRODUCTS

**750 I/C DOV  
Commercial -  
Vertical**  
1008020149H5YY7001

- 5.5Hp
- 161cc
- Vertical Shaft



**850E I/C - Vertical**  
123P020014H5YY0001

- 6.5Hp
- 190cc
- Vertical Shaft



**Series 3 Intek -  
Vertical**  
21R7020096B1CC0001

- 10.5Hp
- 344cc
- Recoil Start



**Series 3 Intek -  
Vertical**  
21R8770014B5CC0001

- 13Hp
- 344cc
- Electric Start



**Series 3 Intek -  
Vertical**  
21R8770015B5CC0001

- 13Hp
- 344cc
- Recoil Start and  
Electric Start



**Series 4 Intek -  
Vertical**  
31R7770010B5CC001

- 17.5Hp
- 500cc
- Electric Start



**Series 5 Intek -  
Vertical**  
33R8770015B5CC001

- 21Hp
- 540cc
- Electric Start



**Series 5 Intek -  
Vertical**  
44N677000PB5AF001

- 24Hp
- 724cc
- Electric Start



**XR 550 Series -  
Horizontal  
(Cylinder Mower, Pumps)**  
0831320249H5BF7001

- 4Hp
- 127cc
- 3/4  
Keyway



**XR 750 Series -  
Horizontal (Cylinder  
Mower, Pump, Drive Unit)**  
1062320129H5YY7001

- 5Hp
- 163cc
- 3/4  
Keyway



**XR 950 -  
Horizontal**  
130G320014H5CC7001

- 6.5Hp
- 208cc
- 3/4  
Keyway



**XR 950 Series -  
Horizontal  
2:1 Reduction**  
130G620153H5CW7001

- 6.5Hp
- 208cc
- 3/4  
Keyway



**XR 2100 Series -  
Horizontal  
(Manual)**  
25T2320120H5BR7001

- 13.5Hp
- 420cc
- Taper



**XR 2100 Series -  
Horizontal  
(Plate Compactor, Kudu)**  
25T2320108F1BR7001

- 13.5Hp
- 420cc
- 1" Keyway



**XR 2100 Series -  
Horizontal  
(Generator)**  
25T2370145H5BR7001

- 13.5Hp
- 420cc
- Taper



**XR 2100 Series -  
Horizontal  
(Electric Start)**  
25T2370109F1BR7001

- 13.5Hp
- 420cc
- 1" Keyway



**Vanguard Cyclone  
Filter**  
12V3320003F1DV7001

- 6.5Hp
- 203cc
- 3/4 Keyway



**Vanguard Cyclone  
Filter**  
19L2370319F1AX7001

- 10Hp
- 306cc
- 1" Keyway



**Vanguard V-Twin  
(Generator)**  
3564470647F1K001

- 18Hp
- 570cc
- Keyway



**Vanguard V-Twin  
(Generator)**  
38564470698F1K0001

- 21Hp
- 627cc
- Taper



**Vanguard V-Twin**  
3864470451B5CE001

- 23Hp
- 627cc
- 1" Keyway



**Vanguard V-Twin**  
5434770018J1AD0001

- 31Hp
- 563cc
- Keyway



**Vanguard V-Twin**  
5434770019J1EB0001

- 31Hp
- 896cc
- Taper



**Vanguard V-Twin**  
6134774189J1AD1001

- 35Hp
- 993cc
- Keyway





Oleo-Mac is Italy's leading garden machinery brand. With a range of products designed to give you years of trouble free garden maintenance, whether you are a keen gardening guru or a professional looking for hard working equipment that gets the job done efficiently.

Our Oleo-Mac product line includes:

- Chainsaws and Pruners
- Brush Cutters
- Blowers


Lavor wash is one of the leading players in cleaning industry since 1975 and offers a wide range of cleaning machinery suitable for both indoor and outdoor relying on a forty-year experience.

Our Lavor product line includes:

- Pressure Washers

**LAVOR**





# RED RHINO<sup>TM</sup> PRODUCTS

## Chainsaw - 1.7kW

8026619065850  
OM GSH 40

- Power/Disp: 2.3HP - 1.7kW/38.9cm<sup>3</sup>
- Bar Length(nose): 14-16"
- Chain (pitch x Gauge): 3/8"x .050"
- Oil/fuel tank capacity: 0.22L/0.32L



## Chainsaw - 2.2kW

8026619058050  
OM GSH 510

- Power/Disp: 3.0HP - 2.2kW/50.9cm<sup>3</sup>
- Bar Length(nose): 46-51cm, 18-20"
- Chain (pitch x Gauge): .325"x .050"
- Oil/fuel tank capacity: 0.27L/0.5L



## Chainsaw - 2.6kW

8026619058227  
OM GSH 560

- Power/Disp: 3.5HP - 2.6kW/54.5cm<sup>3</sup>
- Bar Length(nose): 20"
- Chain (pitch x Gauge): .325"x .058"
- Oil/fuel tank capacity: 0.27L/0.5L



## Chainsaw - 3.5kW

8026619030094  
OM GS 650

- Power/Disp: 4.7HP - 3.5kW/63.4cm<sup>3</sup>
- Bar Length(nose): 46-51cm,(replaceable sprocket), 51-61-71cm, (stellite)
- Chain (pitch x Gauge): 3/8"x .058"



## Brush Cutter - 1.5kW

8025519074807  
OM BCH 40T

- Power/Disp: 2.0HP - 1.5kW/40.2cm<sup>3</sup>
- Cutting components: 130mm dia.
- Tap&Go Evo Line head with 2.4mm line



## Brush Cutter - 2.1kW

8026619079352  
OM BCH 50T

- Power/Disp: 2.8HP - 2.1kW/52.5cm<sup>3</sup>
- Cutting components: 130mm dia.
- Tap&Go Evo Line head with 2.4mm line



## Brush Cutter - 2.1kW

8026619003395  
OM 755 Master

- Power/Disp: 2:8HP - 2.1kW/52.5cm<sup>3</sup>
- Cutting components: 160mm dia.
- Tap&Go head with 3.5mm line, 305mm dia. disc with 3 blades



## Pole Pruner - 0.9kW

8026619055868  
OM PPH 250

- Power/Disp: 1.2HP - 0.9kW/25.4cm<sup>3</sup>
- Bar Length(nose): 25cm, 10" Sprocket
- Chain (pitch x Gauge): 3/8"x .050"



## Leaf Blower - 0.9kW

8026619071721  
OM BV 250

- Power: 1.2HP -0.9kW
- Cylinder volume: 25.4cm<sup>3</sup>
- Max air volume: 720m<sup>3</sup>/s
- Max air speed: 70m/s
- Fuel tank: 0.6L



## Split Shaft Accessories

### Hedge Trimmer

BCH D-HCH

- Blade length: 400mm
- Blade pitch: 30mm
- Adjustable length



### Brush Cutter

BCH D-BCH

- 110mm dia. Tap&Go Evo head
- 2.4mm line



### Pruner

BCH D-PPH

- Chain(pitch x gauge): 3/8" x .050"
- 0.13L oil tank
- Bar length: 25cm



### Pruner head only

BCH-PH30-10



### Extension

BCH D-HL

- Length: 1000mm



# LAVOR

## 1700W Pressure Washer

LW NINJA 120  
8013298200870

- 120 bar
- 1700W
- 360L/H
- Standard Accessories



## 1900W Pressure Washer

LW NINJA EX 145  
8013298207183

- 145 bar
- 1900W
- 420L/H
- Turbo Lance
- Rotary Brush



## 2500W Pressure Washer

LW STM 160 WPS  
8013298213825

- 160 bar
- 2500W
- 510L/H
- Turbo Lance
- Rotary Brush
- Washing System Program






The battery platform DUAL POWER consists of 20V and 40V batteries, that combine with a whole range of cordless tools. A great number of cordless tools – power tools as well as garden tools – work with this innovative battery platform and provide maximum power and freedom.

Dual Power has a simple yet innovative concept: the 20V batteries are compatible with 20V tools, while the 40V batteries can power all Dual Power tools.

Our Dual Power product line includes:

- 20V and 40V DIY Tools
- 20V and 40V Garden Tools
- Batteries and Chargers
- Other Accessories





# RED RHINO™ PRODUCTS

## 20V Drill/Screwdriver

- POWDP15100  
5400338092510
- 24+1 Settings
  - Max torque: 50nm
  - 13mm Keyless Chuck
  - 2 Speed
  - Work Light



Battery not included

## 20V Impact Drill

- POWDP15200  
5400338092442
- Impact rate: max 28800 strks/min
  - 13mm Keyless Chuck
  - 2 Speed
  - Work Light



Battery not included

## 20V Impact Drill/Screwdriver Set

- POWDP15211  
5400338117497
- Includes
    - 20V Battery & Charger
  - 23 Torque Settings
  - 2 Speed



## 20V Impact Drill

- POWDP15220  
5400338092459
- Impact rate: 32000 strks/min
  - Keyless chuck
  - Brushless Motor
  - 26+1 Setting



Battery not included

## 20V Impact Screwdriver

- POWDP20100  
5400338092473
- Impact rate: max 3300 strks/min
  - Max torque: 150nm
  - 3 LED Lights



Battery not included

## 20V Impact Wrench

- POWDP20150  
5400338092480
- Impact rate: max 3300 strks/min
  - Max torque: 220nm
  - Connection type: 1/2"
  - 3 LED Lights



Battery not included

## 20V Battery Combo

- POWDP9062  
5400338090905
- Includes
    - 20V Battery 2.0A
    - New Fast Charger



## 20V Hammer Drill

- POWDP15600  
5400338092534
- LED Light
  - Impact rate: max 5000 strks/min
  - SDS Plus Chuck
  - 3 Functions



Battery not included

## 20V Reciprocating Saw

- POWDP25100  
5400338092930
- Lock-on Button
  - Flexible Pivot Shoe
  - 22mm Stroke
  - Quick Release Blade



Battery not included

## 20V Plunge Saw

- POWDP25400  
5400338095870
- 3150min<sup>-1</sup> Rotation Speed
  - Cutting Capacity 90°:
    - Wood: 28mm
    - Aluminium: 3mm
    - Tile: 8mm



Battery not included

## 20V Jigsaw

- POWDP25300  
5400338092541
- T-shaped Blades
  - Cut depth:
    - Wood: 80mm
    - Steel: 10mm
  - Laser & Guide
  - Adjustable Base



Battery not included

## 20V Circular Saw

- POWDP25200  
5400338093364
- 4000min<sup>-1</sup> Rotation Speed
  - Adjustable Base
  - Cutting Capacity:
    - 90°: 55mm
    - 45°: 36mm



Battery not included

## 20V Mitre Saw

- POWDP2550  
5400338092374
- 3300min<sup>-1</sup> Rotation Speed
  - Aluminium Base
  - Cutting Depth: 55mm
  - Dust collection Bag



Battery not included

## 20V Telescopic Mitre Saw

- POWDP2560  
5400338092381
- 3300min<sup>-1</sup> Rotation Speed
  - Cutting Depth: 60mm
  - Dust collection Bag
  - Aluminium Base
  - Laser



Battery not included

## 20V Angle Grinder

- POWDP35100  
5400338092718
- Rotation speed: 7000min<sup>-1</sup>
  - Disc dia.: 115mm
  - Soft Start
  - Spindle Lock



Battery not included

## 20V Oscillating Multitool

- POWDP4060  
5400338079535
- Dust Extractor
  - Electronic Speed Control
  - Quick Release Head
  - LED Light



Battery not included

## 20V Rotary Multitool

- POWDP75300  
5400338098321
- 3300min<sup>-1</sup> Rotation Speed
  - Compact
  - 40 Accessories



Battery not included

## 20V Polisher

- POWDP4040  
5400338080654
- Speed Control
  - Disc dia.: 240mm
  - Soft Start



Battery not included

## 20V Planer

- POWDP4050  
5400338093746
- 82mm Planing Width
  - 0-2mm Planing Depth
  - Brushless Motor
  - Dust Collector Bag
  - Soft Start




Battery not included

## 20V Stapler/Nailer

- POWDP7010  
5400338095986
- Staples/Nails level indicator
  - Adjustable firing depth
  - Work light
  - Includes
    - staples
    - nails



Battery not included



# RED RHINO™ PRODUCTS

## 20V Palm Sander

- POWDP50200  
5400338094255
- 1mm Oscillation
  - Surface: 140 x 80mm
  - Dust Bag



Battery not included

## 20V Finishing Sander

- POWDP50300  
5400338094262
- Oscillation Speed: 24000min<sup>-1</sup>
  - Surface: 187 x 90mm
  - Dust Bag



Battery not included

## 20V Eccentric Sander

- POWDP50400  
5400338095856
- Oscillation Speed: 24000min<sup>-1</sup>
  - Surface: Ø125mm
  - Dust Bag



Battery not included

## 20V Soldering Iron

- POWDP7060  
5400338095979
- 200-480°C
  - Heating indicator
  - Temperature adjustment



Battery not included

## 20V Biscuit Joiner

- POWDP77100  
5400338095894
- 6500min<sup>-1</sup> Rotation Speed
  - Auxiliary D-handle
  - Depth adjustment
  - Angle adjustment



Battery not included

## 20V Hand Held Vacuum Cleaner

- POWDP6030  
5400338094491
- Air Power: 93W
  - Suction Power: 8KPA
  - Tank Capacity: 600ml
  - 27mm Nozzle



Battery not included

## 20V Vacuum Cleaner Wet/Dry

- POWDP6050  
5400338081767
- Suction Power: 13KPA
  - Tank Capacity: 30L
  - Suck/Blow Function
  - Brushless Motor
  - 3m Hose



Battery not included

## 20V Air Pressure Pump

- POWDP7020  
5400338079573
- Digital Gauge
  - Capacity: 30L/min
  - Max pressure: 8bar
  - Auto Stop



Battery not included

## 20V Inflator/Deflator

- POWDP7030  
5400338079689
- Digital Gauge
  - Capacity: 30L/min
  - Max pressure: 11bar
  - USB Port



Battery not included

## 20V Cordless Fan

- POWDP8015  
5400338083235
- Soft Start
  - Diameter: 28cm
  - Rotation speed: 2600min<sup>-1</sup>
  - 2 Speed
  - Adjustable



Battery not included

## 20V LED Flood Light

- POWDP8031  
5400338092183
- Lumen: 2700LM
  - Bulb Lifespan: 50000h
  - 3 Light Intensities



Battery not included

## 20V Ash Cleaner

- POWDP6020  
5400338081248
- Tank dia.: 295mm
  - Suction Power: 6KPA
  - Tank Capacity: 20L
  - 34mm Nozzle
  - 2m Hose



Battery not included



## 20V Leaf Blower

- POWDPG7521  
5400338091964
- Detachable Tube
  - Air Volume: 9.5m<sup>3</sup>/min
  - Air Speed: 145km/h



Battery not included

## 20V Grass Trimmer

- POWDPG7541  
5400338083280
- Rotation Speed: 8000min<sup>-1</sup>
  - Cutting Width: 250mm
  - Thread Length: 5m - Ø1.6mm
  - Telescopic Handle
  - Guide Wheel



Battery not included

## 20V Hedge Trimmer

- POWDPG7531  
5400338083310
- Rotation Speed: 2400min<sup>-1</sup>
  - Max Cutting Length: 510mm
  - Blade Length: 580mm
  - Rotatable Handle
  - 18mm Cutting Diameter



Battery not included

## 20V Pruner Saw

- POWDPG7572  
5400338097881
- Rotation Speed: 6.7m/s
  - Bar Size: 100mm
  - Max cutting length: 120mm
  - Low Kickback
  - Safety Guard



Battery not included

## 20V Chainsaw

- POWDPG7570  
5400338090875
- Chain Rotation Speed: 5.6m/s
  - Bar Size: 300mm
  - Oil Tank capacity: 220ml
  - Low Kickback
  - Safety Guard



Battery not included

## 20V High Pressure Cleaner

- POWDPG80620  
5400338094477
- Detergent Tank
  - Max Pressure: 25bar
  - Capacity: 170L/h
  - 5-in-1 Nozzle



Battery not included

## 20V Lawnmower

- POWDPG75561  
5400338096846
- Cutting Width: 340mm
  - Cutting Height: 25 - 65mm
  - Collection Bag: 30L
  - Brushless Motor
  - Mulch Function
  - Foldable Handle



Battery not included


## 20V Backpack Pressure Sprayer

- POWDPG80460  
5400338093784
- 4 Nozzles included
  - Max Flow Rate: 1500ml/min
  - Tank: 16L
  - 6bar



Battery not included





# RED RHINO™ PRODUCTS



## 40V Hammer Drill

POWDP1570  
5400338077135

- LED Light
- Impact rate: max 5100 strks/min
- SDS Plus Chuck
- 4 Functions



Battery not included

## 40V Hammer Drill

POWDP15680  
5400338094279

- 20mm SDS Chuck
- 3 Drills and 2 Chisel
- Brushless Motor
- LED Work Light



Battery not included

## 40V Circular Saw

POWDP25230  
5400338094286

- 4000min<sup>-1</sup> Rotation Speed
- Adjustable Base
- Cutting Capacity:
  - 90°: 62mm
  - 45°: 42mm



Battery not included

## 40V Angle Grinder

POWDP35170  
5400338092732

- Auxiliary Handle
- Disc dia.: 125mm
- Brushless Motor
- Soft Start
- Spindle Lock



Battery not included

## 40V Coffee Machine

POWDP60810  
5400338093791

- Brew time: 6min
- Water Tank: 240ml
- Use with ground coffee or pads



Battery not included

## 40V Leaf Blower

POWDPG7525  
5400338075803

- Brushless Motor
- Air Volume: 12.75m<sup>3</sup>/min
- Air Speed: 185km/h



Battery not included

## 40V Battery Combo

POWDP9064  
5400338090912

- Includes
  - 40V Battery 2.5A
  - New Fast Charger



## 40V Leaf Blower/Vacuum

POWDPG7527  
5400338079870

- Brushless Motor
- Air Volume: 12.75m<sup>3</sup>/min
- Air Speed: 280km/h
- Collection bag: 45L



Battery not included

## 40V Brush Cutter

POWDPG7551  
5400338090752

- Cutting Width:
  - Blade: 255mm
  - Line: 320mm
- Spool Length: 2x5m
- Brushless Motor



Battery not included

## 40V Grass Trimmer

POWDPG7546  
5400338083297

- Rotation Speed: 8000min<sup>-1</sup>
- Cutting Width: 300mm
- Thread Length: 10m - Ø1.6mm
- Extendable Shaft
- Guide Wheels
- Rotatable Head



Battery not included

## 40V Hedge Trimmer

POWDPG7536  
5400338083303

- Rotation Speed: 8000min<sup>-1</sup>
- Max Cutting Length: 600mm
- Blade Length: 670mm
- Rotatable Handle
- 22mm Cutting Diameter



Battery not included

## 40V Ext Pole Hedge Trimmer

POWDPG75380  
5400338093371

- Blade Length: 600mm
- Cutting width: 510mm
- Max Cutting Diameter: 20mm
- Adjustable Head
- Extendable Shaft



Battery not included

## 40V Telescopic Chainsaw

POWDPG75385  
5400338092893

- Rotation Speed: 4.5m/s
- Blade Length: 250mm
- Oil Tank capacity: 100ml
- Adjustable Head
- 175-240cm Ext Handle



Battery not included

## 40V Chainsaw

POWDPG7576  
5400338090783

- Chain Rotation Speed: 11.2m/s
- Bar Size: 350mm
- Oil Tank capacity: 170ml
- Brushless Motor
- Low Kickback



Battery not included

## 40V Lawnmower

POWDPG7561  
5400338090677

- Cutting Width: 370mm
- Cutting Height: 25 - 75mm
- Collection Bag: 35L
- Mulch Function
- Brushless Motor
- Soft Grip



Battery not included

## Spool for POWDP7541

POWDPG7001  
5400338089008

- Ø1,6mm
- length of 5m
- 2 pcs



## Spool for POWDP7546

POWDPG7006  
5400338089015

- Ø1,6mm
- length of 2x 2.5m
- 1 pcs



## Spool for POWDP7550

POWDPG7015  
5400338074769

- Ø2,0mm
- length of 2x 4m
- 1 pcs



## 20V/40V Battery Charger

POWDP9051  
5400338083273

- New Fast Charger




## 20V/40V Multi Battery Charger

POWDP9055  
5400338079597

- USB3 Port: 5V/2A
- Multiple Fast Battery Charger





# RED RHINO<sup>TM</sup> PRODUCTS



**20V Battery**  
POWDP9011  
5400338083341  
• 2.0AH



**20V Samsung Battery**  
POWDP9021  
5400338083242  
• 2.0AH

**SAMSUNG**



**40V Samsung Battery**  
POWDP9037  
5400338083259  
• 2.5AH

**SAMSUNG**



**40V LG Battery**  
POWDP9038  
5400338090936  
• 2.5AH



**40V Samsung Battery (4.0ah)**  
POWDP9040  
5400338083266  
• 4.0AH

**SAMSUNG**




## BATTERY TECHNOLOGY

The higher the capacity, the longer a battery will run. The 20V battery has a capacity of 2000mAh. The 2x20V battery has a capacity of 2500 or 4000mAh when used on a 40V tool, but delivers an impressive 5000 or 8000mAh when combined with a 20V tool.


How is this possible? The 2x20V battery lends itself to both a series or parallel connection of its Li-ion cells. In a series connection (2x20V battery on 40V tool), each cell adds its voltage potential to obtain the double voltage of 2x20V. By connecting the Li-ion cells in parallel (2x20V battery on 20V tool), the result is an output with a double capacity: it will boost the capacity from 4000mAh to 8000mAh.

## 20V BATTERY FOR 20V TOOLS




## 40V BATTERY

DOUBLE 20V BATTERY PACK INSIDE



# 100+ TOOLS



## ONE PLATFORM, TWO RANGES, ENDLESS POSSIBILITIES

INTENSIVE USE | FLEXIBLE | BATTERY PLATFORM | ECO-FRIENDLY




# POWERPLUS

In our extensive assortment of do-it-yourself & garden tools, you are sure to find the right tool for the job. For every handyman and for every budget, Powerplus offers the fitting solution. The C-Line and E-Line offers an attractive mix of DIY tools at very competitive prices, without having to compromise on basic quality standards.

Our Power Plus product lines include:

- C-Line DIY Power Tools
- E-Line DIY Power Tools
- DIY Garden Tools





# RED RHINO™ PRODUCTS

## DIY Range

### Impact Drill 500W

POWC10100

5400338082788

- 500W
- 2 Functions
- Key Chuck: Ø13mm
- Capacity:
  - Concrete: 10mm
  - Steel: 6mm
  - Wood: 13mm



### Impact Drill 600W

POWC10200

5400338082818

- 600W
- 2 Functions
- Key Chuck: Ø13mm
- Capacity:
  - Concrete: 10mm
  - Steel: 6mm
  - Wood: 20mm



### Drill/Screwdriver 12V

POWC1051

5400338082702

- 12V
- 2 Functions
- 18 + 1 Torque
- Capacity:
  - Steel: 6mm
  - Wood: 20mm
- 3-5H Charging Time



### Jigsaw 350W

POWC20100

5400338082801

- 350W
- Adjustable Base
- Soft Grip
- Capacity:
  - Steel: 6mm
  - Wood: 45mm
  - Plastic: 10mm



### Circular Saw 1200W

POWC2030

5400338075360

- 1200W
- Blade Size: Ø185x20x2.4mm - 24T
- Max Cutting Capacity:
  - 90°: 62mm
  - 45°: 42mm
- Adjustable Angle



### Finishing Sander 150W

POWC40100

5400338082795

- 150W
- Sanding Surface: 185x90mm
- Sand Paper: 240x90mm
- Soft Grip
- Vacuum Adaptor



### Impact Drill 600W

POWE10025

5400338072550

- 13mm Key Chuck
- Auxiliary Handle
- Drilling/Impact Drilling
- Forward/Reverse



### Impact Drill 720W

POWE10030

5400338072567

- 13mm Key Chuck
- Auxiliary Handle
- Drilling/Impact Drilling
- Forward/Reverse



### Impact Drill 950W

POWE10035

5400338073144

- 13mm Key Chuck
- Auxiliary Handle
- Drilling/Impact Drilling
- Forward/Reverse



### Hammer Drill 900W

POWE10060

5400338073151

- 13mm SDS Plus Chuck + Adaptor
- Drilling, Hammering, Chiseling
- Includes:
  - 2 Chisels
  - 3 Drill Bits



### Hammer Drill 1600W

POWE10081

5400338076374

- 13mm SDS Plus Chuck + Adaptor
- Drilling, Hammering, Chiseling, Chisel Rotation
- Includes:
  - 2 Chisels
  - 3 Drill Bits



### Drill/Screwdriver Li-ion 18V/ 500mAh

POWX0069LI

5400338081149

- Keyless Chuck
- 18 Torque Settings
- Battery Indicator
- Included:
  - Battery
  - Charger



### Drill/Screwdriver Set Li-ion 18V/ 500mAh

POWES1

5400338076442

- Keyless Chuck
- 20 Torque Settings
- 153pcs Accessories



### Heat Gun 2000W

POWE80042

5400338095498

- 3 Nozzles
- 2 Heat Settings
- Soft Grip



### Jigsaw 450W

POWE30010

5400338073052

- Vacuum Outlet
- 55mm Wood cutting capacity
- Adjustable Base



### Jigsaw 710W

POWE30015

5400338072659

- Vacuum Outlet
- 65mm Wood cutting capacity
- Adjustable Base
- Variable Speed
- 4 Positions (Pendulum)



### Angle Grinder 650W

Ø115mm

POWE20010

5400338072581

- 12000rpm
- 2 Position Auxiliary Handle
- Spindle Lock
- M14 Thread



### Angle grinder 800W


Ø115mm

POWE20011

5400338097980

- 11000rpm
- 3 Position Auxiliary Handle
- M14 Thread +Spindle Lock
- Safety Button





# RED RHINO<sup>TM</sup> PRODUCTS

## Angle Grinder 900W Ø125mm

- POWE20020  
5400338072598
- 12000rpm
  - 2 Position Auxiliary Handle
  - M14 Thread +Spindle Lock
  - Safety Button



## Angle Grinder 2200W Ø230mm

- POWE20030  
5400338072604
- 6000min<sup>-1</sup>
  - Quick Change Brushes
  - 3 Position Auxiliary Handle
  - M14 Thread +Spindle Lock



## Circular Saw 1200W Ø185mm

- POWE30050  
5400338072543
- Adjustable Base
  - Vacuum Connector
  - 5500rpm
  - Guide Bar



## Mitre Saw 1500W

- POWX075700  
5400338091582
- Dust Connector
  - Aluminium Base Plate
  - ø210mm Base
  - Laser
  - Scale



## Table Saw 1700W

- POWX07590  
5400338080074
- 4800rpm
  - Ø210x30x2.6mm - 24T
  - Blade height setting
  - Extendable table
  - Tilt protection



## Table Saw 2000W

- POWX07598  
5400338090738
- 5000rpm
  - Ø250x30mm - 24T
  - Blade height setting
  - Extendable table
  - Tilt protection



## Finishing Sander 180W

- POWE40010  
5400338072673
- 24000rpm
  - Hook and Loop System
  - 187x90mm Surface
  - Dust Extraction



## Palm Sander 140W

- POWE40020  
5400338072680
- 26000rpm
  - Hook and Loop System
  - 140x140x80mm Surface
  - Dust Extraction
  - 1mm Oscillation



## Belt Sander 1010W

- POWE40040  
5400338073069
- Variable Speed
  - 533x73mm Belt
  - Adjustment Knob on Belt
  - Lock-on Button
  - Dust Bag



## Planer 900W

- POWE80030  
5400338073175
- 82mm Plane Width
  - 0-3mm Plane Depth
  - 17000rpm
  - Guide
  - Dust Bag



## Router 1200W

- POWE80020  
5400338095108
- 30000rpm
  - 55mm depth
  - Aluminium gearbox
  - Dust proof sleeves
  - Precision depth adjustment



## Rotary Multitool 135W

- POWE80060  
5400338073083
- 40pcs accessories
  - Spindle Lock
  - Speed Control



## Rotary Multitool Accessories 102pcs

- POWE90600  
5400338073199



## Concrete-Paint Mixer 1200W

- POWE80070  
5400338072666
- Variable Speed Switch
  - M14 Connection
  - Includes Mixing Paddle (ø120mm x 590mm)
  - Soft Grip



## Bench Grinder 150W

- POWE80080  
5400338074394
- Disc dimensions: Ø150x16x12.7mm
  - Work support
  - Rubber feet
  - Guard screens
  - Dustproof switch



## Power Station 4-in-1

- POWE80090  
5400338073229
- Can start Petrol/Diesel engines to 1600cc
  - Jumpstart
  - 12V DC Power Supply
  - Worklight
  - Compressor



## Ash Cleaner 1200W


- POWX301  
5400338090943
- 20L Tank Capacity
  - ø36mm x 1200mm Hose
  - 285mm tank Diameter
  - Blow Function
  - 17KPA



## Vacuum Cleaner Wet/Dry 1000W

- POWX322  
5400338091865
- 15L Stainless Steel Drum
  - 1.5m x ø32mm Hose
  - 3.5m Cable
  - 5L bag





# RED RHINO<sup>TM</sup> PRODUCTS

## POWERPLUS

### Leaf Bower 3300W

- POWEG9013  
5400338091650
- 45L Collection bag
  - Mulch 10:1
  - Support Wheels
  - Max air vol: 10m<sup>3</sup>/min
  - Max air speed: 270km/h



### Hedge Trimmer 550W

- POWEG40100  
5400338092220
- 650mm Blade
  - 510mm Cutting Length
  - Laser cut blade
  - 16mm Cutting Diameter



### Chainsaw 2000W

- POWEG10100  
5400338082238
- 2000W
  - 350mm Bar
  - Quick Stop
  - Automatic Chain Oiler
  - 0.28L Oil Tank



### Grass Trimmer 550W

- POWEG6020  
5400338094989
- Telescopic Handle
  - 6m Thread Length
  - 1.6mm Line
  - Rotating Head
  - Guide Wheel



POWACG1213  
Spool (2pcs)

### Lawnmower 1000W

- POWEG63703  
5400338077494
- 3 height positions
  - 30L collection box
  - 320mm cutting width
  - Foldable Handle



### Lawnmower + Trimmer combo

- POWXG6212T  
5400338093227
- Includes:
    - 1300W, 320mm Lawnmower
    - 250W Grass trimmer



### Weed Sweeper 400W

- POWXG6650  
5400338093463
- Telescopic Shaft
  - Steel and Nylon Sweeping Disc Brush
  - ø110mm Disc Brush
  - Safety Gaurd



### Shredder 2400W

- POWEG5011  
5400338082276
- 50L collection bag
  - 40mm max cutting dia.
  - Safety Contact
  - Overload Protection



### Pruning Chainsaw 25,4cc

- POWEG2005  
5400338097331
- 25,4cc
  - Chain Length: 250mm
  - 390mL Fuel Tank
  - 220mL Oil



### Chainsaw 45cc

- POWEG2020  
5400338095054
- 45cc
  - Chain Length: 450mm
  - 1.8kW
  - 0.55L Fuel Tank
  - 0.26L Oil



### Chainsaw 45cc - Pro Series

- POWPG20130  
5400338079931
- 45cc
  - Chain Length: 450mm
  - 520mL Fuel Tank
  - 250mL Oil
  - Oregon Chain and Bar



### Hedge Trimmer 24.5cc

- POWXQG3050  
5400338055690
- 24.5cc
  - 0.85kW
  - Laser Sharpened Knife
  - 610mm Blade Length
  - 330ml Fuel Tank
  - Safety Button



### Brush Cutter 42.7cc

- POWEG8012  
5400338088599
- Thread: 2.5mx2.4mm
  - Tap and Go
  - Cutting width:
    - Blade: 255mm
    - Line: 450mm
  - Includes Accessories



### Brush Cutter 52cc

- POWEG8020  
5400338096020
- Thread: 2.5mx2.4mm
  - Tap and Go
  - Cutting width:
    - Blade: 255mm
    - Line: 450mm
  - Includes Accessories



### Brush Cutter Spool

- POWACG1051
- Nylon double thread
  - 3m



### Soil Auger 52cc

- POWXG50551  
5400338099700
- 52cc/1.4kW Power
  - Max drill bit dia.: 200mm
  - Fuel tank capacity: 1.2L
  - 3 Attachments Included



### Pressure Washer 1800W

- POWXG90410  
5400338076688
- Adjustable Lance
  - Hose Length: 8m
  - 1800W
  - 420L/h
  - 140bar



### Pressure Washer 2500W

- POWXG90425  
5400338076725
- Adjustable Lance
  - Hose Length: 8m
  - 2500W
  - 468L/h
  - 195bar



### Pressure Washer Accessories

#### Pipe Cleaning Set POWXG90950



#### Adaptor PP Gun/Karcher Lance POWXG90940



#### Adaptor + PP Lance/Karcher Gun POWXG90941




A person wearing black gloves is using a grey power sander on a wooden surface. The sander has a red trigger and a clear dust extraction system. The background shows a workshop setting with wooden workpieces and a metal toolbox.

# KREATOR

The tool accessories from Kreator are known for their excellent price/quality ratio. The tool accessories from Kreator fit most popular brands perfectly. From drill bits to saw blades and mixing paddles, there is something for every DIY enthusiast.

Our Kreator product line includes:

- Drill Bits and Accessories
- Mixing Paddles
- Saw Blades
- Grinding Discs
- Sanding Belts and Paper



# RED RHINO™ PRODUCTS

**Mixing Paddle (Helical)**  
Ø136 x 600mm  
KRT050006  
5400338057250  
Mix:  
• Powders  
• Plaster  
• Cement



**Mixing Paddle (Helical)**  
Ø160 x 600mm  
KRT050007  
5400338057267  
Mix:  
• Powders  
• Plaster  
• Cement



**Mixing Paddle**  
Ø114 x 600mm  
KRT050008  
5400338057274  
Mix:  
• Paint  
• Powders  
• Lacquer  
• Plaster



**Mixing Paddle (Beater)**  
Ø105 x 600mm  
KRT050009  
5400338057281  
Mix:  
• Mortar  
• Cement  
• Bitumen



**Mixing Paddle (Bitumen)**  
Ø160 x 600mm  
KRT050010  
5400338057298  
Mix:  
• Tarmac  
• Roofing  
• Bitumen



**Mixing Paddle (SDS Plus)**  
Ø80 x 400mm  
KRT050012  
5400338068584  
Mix:  
• Paint  
• Powders  
• Lacquer  
• Plaster



**HSS Drill Set - 6pcs**  
KRT012001  
5400338045936  
• 2-3-4-5-6-8mm



**HSS Drill Set - 10pcs**  
KRT012002  
5400338045943  
• 1-10mm



**Masonry Drill Set - 5pcs**  
KRT012201  
5400338045981  
• 4-5-6-8mm



**Masonry Drill Set - 8pcs**  
KRT012202  
5400338045998  
• 3-10mm



**Wood Drill Set - 5pcs**  
KRT012301  
5400338046001  
• 4-5-6-8-10mm



**Concrete Drill Set - 5pcs**  
KRT012401  
5400338046025  
• 4-5-6-8-10mm



**Concrete/Stone Drill Set - 4pcs**  
KRT012601  
5400338046063  
• 5-6-8-10mm



**Mixed Drill Set - 9pcs**  
KRT012501  
5400338046049  
• HSS, stone and wood



**Staples D-Type 16mm - 1000pcs**  
KRT304016  
5400338054785  
• 16 x 6mm  
• 1.1 x 1.2 mm wire size  
• Zinc



**Staples D-Type 19mm - 1000pcs**  
KRT304019  
5400338054792  
• 19 x 6mm  
• 1.1 x 1.2 mm wire size  
• Zinc



**Staples D-Type 22mm - 1000pcs**  
KRT304022  
5400338054808  
• 22 x 6mm  
• 1.1 x 1.2 mm wire size  
• Zinc



**Staples D-Type 25mm - 1000pcs**  
KRT304025  
5400338054815  
• 25 x 6mm  
• 1.1 x 1.2 mm wire size  
• Zinc



**Staples D-Type 30mm - 1000pcs**  
KRT304030  
5400338054822  
• 30 x 6mm  
• 1.1 x 1.2 mm wire size  
• Zinc



**Staples D-Type 30mm - 1000pcs**  
KRT304130  
5400338054853  
• 30 x 6mm  
• 1.1 x 1.2 mm wire size  
• Stainless Steel



### Keys and Chucks



Barcode	Product	Description
5400338048975	KRT051002	Key-13MM
5400338048920	KRT014001	Key Chuck-1.5 - 13MM
5400338048944	KRT014003	Keyless Chuck with lock-13MM

**Reciprocating Saw Blade - Eco/Wood 225-3**  
KRT031001  
5400338046087



**Reciprocating Saw Blade - High Grade Wood**  
KRT031003  
5400338046100



**Reciprocating Saw Blade - Eco/Metal 150-24**  
KRT032001  
5400338046117



**Reciprocating Saw Blade - Flex/Metal 225-18**  
KRT032003  
5400338046131




**Reciprocating Saw Blade - Flex/Met-Wood 255-14/10**  
KRT033001  
5400338046148



**Reciprocating Saw Blade - Flex/Plaster 150-6**  
KRT034001  
5400338046155



**Jigsaw Saw Blade - Eco/Wood 100/8**  
2B  
KRT041001  
5400338046162



**Jigsaw Saw Blade - High Gr. Wood 100/6**  
2B  
KRT041004  
5400338046193




**Jigsaw Saw Blade - High Gr. Wood 100/10**  
2BD - Fine Cut  
KRT045003  
5400338046229



**Jigsaw Saw Blade - Hard Wood 100/6**  
2B  
KRT041010  
5400338046209




**Jigsaw Saw Blade - Hard Wood 100/10**  
2B - Fine Cut  
KRT041011  
5400338046216



**Jigsaw Saw Blade - Hard Wood 152/6**  
2B - Extra Long  
KRT041015  
5400338046401




**Jigsaw Saw Blade - Laminate 100/10**  
2B  
KRT041020  
5400338046223



**Jigsaw Saw Blade - HSS Metal 75/12**  
2B  
KRT041030  
5400338046230







# RED RHINO PRODUCTS

### Jigsaw Saw Blade - HSS Aluminium 100/8


**2B -**  
KRT041040  
5400338046247



**2BD -**  
KRT045040  
5400338046353

### Jigsaw Saw Blade - Ceramic 75/30

**2B**  
KRT041050  
5400338046254



**2BD**  
KRT045050  
5400338046360

### Jigsaw Saw Blade - Assorted

**2B**  
KRT041090  
5400338046261



**2BD**  
KRT045090  
5400338046377



### Wrench for Angle Grinder

KRT990001  
5400338051746



### Diamond Disc: Universal

KRT080100  
5400338070495  
• Ø115 Eco  
• 3pcs



### Diamond Disc: Universal

KRT080101  
5400338070501  
• Ø125 Eco  
• 3pcs



### Diamond Disc: Ceramics

KRT080200  
5400338070525  
• Ø115 Eco Wet  
• 3pcs



### Diamond Disc: Ceramics

KRT080201  
5400338070532  
• Ø125 Eco Wet  
• 3pcs



### Cutting Disc: Metal

KRT070110  
5400338047763  
• Ø115 3mm  
• 4 + 2pcs



### Cutting Disc: Metal

KRT070120  
5400338047770  
• Ø125 3mm  
• 4 + 2pcs



### Cutting Disc: Metal

KRT070160  
5400338047794  
• Ø230 3mm  
• 4 + 2pcs



### Cutting Disc: Stone

KRT070210  
5400338047800  
• Ø115 3mm  
• 4 + 2pcs



### Cutting Disc: Stone

KRT070220  
5400338047817  
• Ø125 3mm  
• 4 + 2pcs



### Cutting Disc: Stone

KRT070260  
5400338047831  
• Ø230 3mm  
• 4 + 2pcs



### Cutting Disc: Inox/Metal

KRT070420  
5400338047893  
• Ø125 1mm  
• 4 + 2pcs



### Cutting Disc: Grinding

KRT070310  
5400338047848  
• Ø115 6mm  
• 2 + 1pcs



### Cutting Disc: Grinding

KRT070320  
5400338047855  
• Ø125 6mm  
• 2 + 1pcs



### Abrasive Flap Discs (1pcs)



Barcode	Product	Description
5400338050633	KRT255004	Abrasive Flap Ø115MM G60
5400338050671	KRT255504	Abrasive Flap Ø125MM G60
5400338050657	KRT255007	Abrasive Flap Ø115MM G120
5400338050695	KRT255507	Abrasive Flap Ø125MM G120

### Sanding Belts: Wood Sanding (3pcs)



Barcode	Product	Description
5400338050855	KRT242003	Sanding Belt 75X533MM G40
5400338050862	KRT242004	Sanding Belt 75X533MM G60
5400338050879	KRT242005	Sanding Belt 75X533MM G80
5400338050886	KRT242007	Sanding Belt 75X533MM G120
5400338050893	KRT242008	Sanding Belt 75X533MM G180
5400338050978	KRT243005	Sanding Belt 100X610MM G80

### Palm Sander Sandpapers: Wood Sanding (5pcs)



Barcode	Product	Description
5400338049477	KRT220003	Sandpaper 140X140X80MM G40
5400338049491	KRT220005	Sandpaper 140X140X80MM G80
5400338049507	KRT220007	Sandpaper 140X140X80MM G120
5400338049514	KRT220008	Sandpaper 140X140X80MM G180

### Palm Sander Sandpapers: Paint Removal (5pcs)



Barcode	Product	Description
5400338049538	KRT220053	Sandpaper 140x140x80MM G40
5400338049545	KRT220054	Sandpaper 140x140x80MM G60
5400338049552	KRT220055	Sandpaper 140x140x80MM G80
5400338049576	KRT220058	Sandpaper 140x140x80MM G180
5400338049583	KRT220059	Sandpaper 140x140x80MM G240

### Saw Blades

Barcode	Product	Description
<b>Wood Saw Blade</b>		
5400338071119	KRT020411	Saw Blade Wood 165MM48T
5400338071140	KRT020414	Saw Blade Wood 185MM24T
5400338071157	KRT020415	Saw Blade Wood 185MM60T
5400338071201	KRT020420	Saw Blade Wood 210MM24T
5400338071218	KRT020421	Saw Blade Wood 210MM48T
5400338071225	KRT020422	Saw Blade Wood 210MM60T
<b>Multi-use Saw Blade</b>		
5400338071379	KRT020502	Saw Blade Multi-use 160MM40T
5400338071386	KRT020503	Saw Blade Multi-use 185MM48T
5400338071393	KRT020504	Saw Blade Multi-use 210MM60T






# PREMION

Premion is introducing a whole new concept using a fresh and innovative approach, suitable for any retail space to increase impulse sales.

This can be done through the use of full concept stands, cross selling grids, checkout trolleys or dump bins.

This unique offering gives you the opportunity to sell products up until the last minute a customer is in your store.



# RED RHINO<sup>TM</sup>

## PRODUCTS

### Reading Glasses Model 1:

Colour: Black

- +1,00 (PREG00001)
- +1,50 (PREG00002)
- +2,00 (PREG00003)
- +2,50 (PREG00004)
- +3,00 (PREG00005)
- +3,50 (PREG00006)



Colour: Grey

- +1,00 (PREG00007)
- +1,50 (PREG00008)
- +2,00 (PREG00009)
- +2,50 (PREG00010)
- +3,00 (PREG00011)
- +3,50 (PREG00012)



Colour: Blue

- +1,00 (PREG00013)
- +1,50 (PREG00014)
- +2,00 (PREG00015)
- +2,50 (PREG00016)
- +3,00 (PREG00017)
- +3,50 (PREG00018)



### Reading Glasses Model 2:

Colour: Brown/Grey

- +1,00 (PREG00019)
- +1,50 (PREG00020)
- +2,00 (PREG00021)
- +2,50 (PREG00022)
- +3,00 (PREG00023)
- +3,50 (PREG00024)



Colour: Black/Grey

- +1,00 (PREG00025)
- +1,50 (PREG00026)
- +2,00 (PREG00027)
- +2,50 (PREG00028)
- +3,00 (PREG00029)
- +3,50 (PREG00030)



Colour: Black

- +1,00 (PREG00031)
- +1,50 (PREG00032)
- +2,00 (PREG00033)
- +2,50 (PREG00034)
- +3,00 (PREG00035)
- +3,50 (PREG00036)



### Reading Glasses Model 3:

Colour: Blue/Black

- +1,00 (PREG00037)
- +1,50 (PREG00038)
- +2,00 (PREG00039)
- +2,50 (PREG00040)
- +3,00 (PREG00041)
- +3,50 (PREG00042)



Colour: Red/Black

- +1,00 (PREG00043)
- +1,50 (PREG00044)
- +2,00 (PREG00045)



Colour: Brown/Black

- +1,00 (PREG00049)
- +1,50 (PREG00050)
- +2,00 (PREG00051)
- +2,50 (PREG00052)
- +3,00 (PREG00053)
- +3,50 (PREG00054)



### Reading Glasses Model 4:

Colour: Black/Grey

- +1,00 (PREG00055)
- +1,50 (PREG00056)
- +2,00 (PREG00057)
- +2,50 (PREG00058)
- +3,00 (PREG00059)
- +3,50 (PREG00060)



Colour: Black/Blue

- +1,00 (PREG00061)



Colour: Black/Red

- +1,00 (PREG00067)
- +1,50 (PREG00068)
- +2,00 (PREG00069)
- +2,50 (PREG00070)
- +3,50 (PREG00072)



### Phone Repair Tool Set

PRE900045  
5400338087646  
• 17pcs



### Precision Screwdriver Bit Set

PRE900046  
5400338087653  
• 18pcs



### Hobby Knife Set

PRE-THEMAT002  
5400338096051  
• 14pcs



### Bit Set

PRE900007  
5400338087349  
• 16pcs



### Hss Twist Drill Bit Set

PRER00024  
5400338090141  
• 32pcs



### Stone Drill Bit Set

PRER00029  
5400338090158  
• 32pcs



### Quick Release Screwdriver Bit Set

PRE900042  
5400338087615  
• 15pcs



### Screwdriver Set

PRE900009  
5400338087271  
• 11pcs



### Screwdriver Set

PRE900006  
5400338087257  
• 21pcs  
• T-handle



### Screwdriver Set

PRER00022  
5400338088360  
• 18pcs



### Electrician Screwdriver Set

PRER00043  
5400338090318  
• 5pcs



### Scissor Set

PRE900026  
5400338087455  
• 2pcs



### Pocket Knife 9-in-1

PRE900123  
5400338090592  
• 9-in-1



### Cutter Knife Set

PRE900008  
5400338087264  
• 3pcs



### Cutter Knife Set

PRE900032  
5400338087516  
• 4pcs



### PE Rope

PRE900149  
5400338090066  
• 4mm x 30m



### Twine

PRE900152  
5400338090097  
• 15m



### White Twine

PRE900153  
5400338090103  
• 40m



### Measuring tape

PRER00023  
5400338088377  
• 19mm



### Tie Downs

PRER00021  
5400338088353  
• 2,5m  
• 2pcs



### Ratchet Tie Down

PRE900122  
5400338090585  
• 1pcs  
• 25mm x 5m GS



### Spring Clamps

PRE900141  
5400338089985  
• 3pcs  
• Plastic  
• 4"



### Luggage Strap


PRE900106  
5400338090424  
• 8 hooks  
• 60cm



### Hose Clip Assorted

PRE900056  
5400338087752  
• 26pcs





# RED RHINO<sup>TM</sup> PRODUCTS

**O-Ring Seal Set**  
PRE900057  
5400338087769  
• 125pcs



**Photo Frame Hook Set**  
PRE900037  
5400338087561  
• 12pcs



**Magnifying Glass**  
PRE900033  
5400338087523  
• Ø75mm



**Wire Brush**  
PRE900065  
5400338087844  
• 24cm



**Plastic Funnel Set**  
PRE900034  
5400338087530  
• 4pcs



**Microfiber Cleaning Cloths**  
PRER00033  
5400338090219  
• 6pcs



**Sponge**  
PRE900168  
5400338091766  
• 3pcs



**Sponge**  
PRE900169  
5400338091773  
• 4pcs



**Warning Tape**  
PRE900038  
5400338087578  
• 25mx48mm



**Masking Tape**  
PRE900087  
5400338088063  
• White  
• 40mmx40m



**Disposable Vinyl Gloves**  
PRER00012  
5400338088261  
• 20pcs



**Semi-professional Caulking Gun**  
PRER00032  
5400338090202  
• 9"



**Mini Scrapers**  
PRER00009  
5400338088230  
• 2pcs



**Silicone Scraper Set**  
PRER00015  
5400338088392  
• 3pcs



**Silicone Scraper Set**  
PRE900049  
5400338087684  
• 6pcs



**Brush/Lint Roller**  
PREK00010  
5400338091810



**Lint Roller**  
PREK00011  
5400338091827  
• 3pcs



**Bicycle Hand Pump**  
PRE900211  
5400338093715  
• Mini



**Bicycle Hand Pump**  
PRE900214  
5400338093722  
• Aluminum Alloy



**Glue Gun**  
PRE900188  
5400338093067  
• 10W



**Furniture Protection Set**  
PRE900010  
5400338087288  
• 96pcs



**Furniture Protection Set**  
PRE900011  
5400338087295  
• 92pcs



**Furniture Protection Set**  
PRE900024  
5400338087431  
• 116pcs



**Wall Hook Set**  
PRE900037  
5400338087561  
• 12 Pcs



**Siphon Pump**  
PRE900191  
5400338093289  
• Manual



**Garden Tool Set**  
PRE900159  
5400338091391  
• 3pcs



**Garden Tool Set**  
PRE900163  
5400338091438  
• 4pcs



**Spray Gun Set**  
PRE900161  
5400338091414  
• 5pcs  
• 7 Function



**Wooden Thermometer**  
PRE900160  
5400338091407



**Paint Roller Set - Acrylic**  
PRER00041  
5400338090295  
• 100mm  
• 5pcs



**Paint Roller Set - Foam**  
PRER00042  
5400338090301  
• 100mm  
• 5pcs



**Paint Brush Set**  
PRER00001  
5400338088155  
• 3pcs



**Paint Brush Set**  
PRER00005  
5400338088193  
• 6pcs



**Paint Brush Set**  
PRER00002  
5400338088162  
• 9pcs



**Paint Tool Set**  
PRER00003  
5400338088179  
• 4pcs




**Paint Roller Set**  
PRER00004  
5400338088186  
• 4pcs



**Paint Roller**  
PRER00006  
5400338088193  
• 233mm  
• Telescopic






**REDRHINO**<sup>TM</sup>  
PRODUCTS

Red Rhino has expanded their generator offerings and has ensured that all aspects of the consumer market can benefit from the generators on offer. We have introduced the dual fuel generator which allows a customer to use either Petrol or LP Gas in the generator. There has also been an increase in the number of Inverter generator models available.

**Our Red Rhino product line includes:**

- **Petrol Generators**
- **Dual Fuel Generators**
- **Diesel Generators**
- **Petrol Inverters**
- **Dual Fuel Inverters**



# RED RHINO™ PRODUCTS

## 2.8kW Petrol Generator

RGH3000  
6009710491010

2.8kw

- kW Rating(Max/Cont.): 2.8kW/2.5kW
- KVA Rating(Max/Cont.): 3.5KVA/3.1KVA
- Engine: 196cc
- Manual Start
- Volt Meter
- AVR



## 2.8kW Petrol Generator

RGH3000E  
6009710491027

2.8kw

- kW Rating(Max/Cont.): 2.8kW/2.5kW
- KVA Rating(Max/Cont.): 3.5KVA/3.1KVA
- Engine: 196cc
- Electric Start
- Volt Meter
- AVR



## 5.5kW Petrol Generator

RGH6000E  
6009710490976

5.5kw

- kW Rating(Max/Cont.): 5.5kW/5kW
- KVA Rating(Max/Cont.): 6.8KVA/6.25KVA
- Electric Start
- Wheel Kit
- 32Amp socket
- Digital Meter
- AVR



## 6.5kW Petrol Generator

RGH7000E  
6009710490983

6.5kw

- kW Rating(Max/Cont.): 6.5kW/6kW
- KVA Rating(Max/Cont.): 8KVA/7.5KVA
- Electric Start
- Wheel Kit
- 32Amp socket
- Volt Meter
- AVR



## 7.7kW Petrol Generator

RGH9000H  
6009710491003

7.7kw

- kW Rating(Max/Cont.): 7.7kW/7.2kW
- KVA Rating(Max/Cont.): 9.6KVA/9KVA
- Electric Start
- Wheel Kit
- Volt meter
- 32Amp socket
- AVR



## 8.5kW Petrol Generator

RGH10000D-H  
6009710490990

8.5kw

- kW Rating(Max/Cont.): 8.5kW/8kW
- KVA Rating(Max/Cont.): 10.6KVA/10KVA
- Electric Start
- Wheel Kit
- 32Amp socket
- Volt Meter
- AVR



## 12kW Petrol Generator

RGH15000D  
6009710491492

12kw

- Electric Start
- kW Rating(Max/Cont.): 12kW/11kW
- KVA Rating(Max/Cont.): 15KVA/13.7KVA
- Interchangeable from Single to Three-phase
- 713cc
- Wheel Kit
- AVR



## 5.5kW Diesel Generator

RDG7500SE  
6009710491638

5.5kw

- Electric Start
- kW Rating(Max/Cont.): 5.5kW/5kW
- KVA Rating(Max/Cont.): 6.8KVA/6.2KVA
- Diesel
- 465cc
- Wheel Kit




## 7.0kW Diesel Generator

RDG9500SE  
6009710491645

7.0kw

- Electric Start
- kW Rating(Max/Cont.): 7.0kW/6.5kW
- KVA Rating(Max/Cont.): 8.7KVA/8.0KVA
- Diesel
- 532cc
- Wheel Kit





# RED RHINO™ PRODUCTS

## 2.8kW Dual Fuel Generator

RGL3150D  
6009710491294

2.8kw

- Fuel Type: LP Gas / Petrol
- Max kW: 3.0(P) / 2.7(LPG)
- Cont. kW: 2.8(P) / 2.5(LPG)
- Max KVA: 3.7(P)/3.4(LPG)
- Cont. KVA: 3.5(P)/3.0(LPG)
- Electric Start
- AVR
- Volt Meter



## 6.5kW Dual Fuel Generator

RGL7500D  
6009710491706

6.5kw

- Fuel Type: LP Gas/Petrol
- Max kW: 6.5(P) / 6.0(LPG)
- Cont. kW: 6.0(P) / 5.5(LPG)
- Max KVA: 9.6(P)/9.0(LPG)
- Cont. KVA: 12(P)/11.2(LPG)
- Electric Start
- 32Amp socket
- AVR



## 7.7kW Dual Fuel Generator

RGL9000D  
6009710491300

7.2kw

- Fuel Type: LP Gas/Petrol
- Max kW: 7.7(P) / 7.2(LPG)
- Cont. kW: 7.2(P) / 6.5(LPG)
- Max KVA: 9.6(P)/9.0(LPG)
- Cont. KVA: 12(P)/11.2(LPG)
- Electric Start
- 32Amp socket
- AVR



## 8.5kW Dual Fuel Generator

RGL10000D  
6009710491317

8.0kw

- Fuel Type: LP Gas/Petrol
- Max kW: 8.5(P) / 8.0(LPG)
- Cont. kW: 8.0(P) / 7.2(LPG)
- Max KVA: 10.6(P)/10(LPG)
- Cont. KVA: 10(P)/9.0(LPG)
- Electric Start
- 32Amp socket
- AVR



## 4.0kW Dual Fuel Inverter Generator

RGLIV4500  
6009710491324

4.0kw

- Fuel Type: LP Gas \ Petrol
- 4.0kW (Petrol) / 3.5kW (LP Gas)
- 3.5kW (Petrol) / 3.2kW (LP Gas)
- Recoil Start
- USB Port
- Pure Sine Wave
- Wheels incl.



## 5.5kW Dual Fuel Inverter Generator

RGLIV6250  
6009710491478

5.5kw

- Fuel Type: LP Gas \ Petrol
- 5.5kW (Petrol) / 5.0kW (LP Gas)
- 5.0kW (Petrol) / 4.5kW (LP Gas)
- Electric Start
- USB Port
- Pure Sine Wave
- Wheels incl.



## 2.3kW Inverter Generator (Case Type)

RGIV2750  
6009710491072

2.3kw

- kW Rating(Max/Cont.): 2.3kW/2.2kW
- KVA Rating(Max/Cont.): 2.8KVA/2.7KVA
- 220V / 50Hz
- Recoil Start
- Compact Design
- Digital hour meter
- 2x usb charging ports
- Pure Sine Wave



## 3.8kW Inverter Generator

RGIV4500  
6009710491249

3.8kw

- kW Rating(Max/Cont.): 3.8kW/3.5kW
- KVA Rating(Max/Cont.): 4.7KVA/4.3KVA
- 230V / 50Hz
- Recoil Start
- Compact Design
- Ultra Fuel Efficient
- Pure Sine Wave




## 7.5kW Inverter Generator

RGIV9000E  
6009710491485

7.5kw

- kW Rating(Max/Cont.): 7.5kW/7.2kW
- KVA Rating(Max/Cont.): 9.3KVA/9KVA
- 230V / 50Hz
- Electric Start
- Compact Design
- Ultra Fuel Efficient
- Pure Sine Wave
- Wheels incl.





# REDRHINO™ PRODUCTS

## Generator Selection

To insure adequate motor starting torque, generators should be sized to deliver at least 65% of rated voltage to the motor circuit during starting conditions.

The following table lists recommended generator ratings, based on typical 80°C rise in continuous duty generators, with a 35% maximum voltage dip during starting the specific 3-wire, single and three-phase motors.



Submersible Motor Single / Three Phase		Minimum rating of Generator	
0.5 HP	0.37 kW	1.5 kW	1.9 KVA
0.75 HP	0.55 kW	2 kW	2.5 KVA
1 HP	0.75 kW	3kW	3.8 KVA
1.5 HP	1.1 kW	4 kW	5 KVA
2 HP	1.5 kW	5 kW	6.2 KVA
3 HP	2.2 kW	7.5 kW	9.4 KVA
4 HP	3 kW	10 kW	12.5 KVA
5.5 HP	4 kW	15 kW	18.5 KVA
7.5 HP	5.5 kW	20 kW	25 KVA
10 HP	7.5 kW	30 kW	37 KVA
15 HP	11 kW	40 kW	50 KVA
20 HP	15 kW	60 kW	75 KVA
25 HP	18.5 kW	75 kW	94 KVA
30 HP	22 kW	100 kW	125 KVA



2KVA(1.6kW)



5KVA(4kW)



7KVA  
(5.6kW)



**PLEASE NOTE:** This is a guide only. Each application is unique and appliances differ. If you are unsure, please consult a qualified electrician.

Information in this guide is not guaranteed to be accurate. E&EO permitted.