


CLEENOL
For every job

SAFETY DATA SHEET WASHING UP LIQUID

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	WASHING UP LIQUID
Internal identification	02082X, 020822X5
Container size	12x1L, 2x5L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Detergent. For dishwashing.
-----------------	-----------------------------

1.3. Details of the supplier of the safety data sheet

Supplier	Cleenol Group Ltd Neville House Beaumont Road Banbury Oxon OX16 1RB UK Tel: +44 (0)1295 251721 sales@cleenol.co.uk
----------	---

1.4. Emergency telephone number

Emergency telephone	In case of a medical emergency following exposure to a chemical, call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).
---------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318
Environmental hazards	Not Classified

2.2. Label elements

Hazard pictograms



Signal word	Danger
Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage.

WASHING UP LIQUID

Precautionary statements	<p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P332+P313 If skin irritation occurs: Get medical advice/ attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p>
Contains	SODIUM DODECYL BENZENE SULPHONATE, ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, ETHOXYLATED ALCOHOLS, C12-C13
Detergent labelling	Contains BRONOPOL (INN)
Supplementary precautionary statements	<p>P310 Immediately call a POISON CENTER/ doctor.</p> <p>P321 Specific treatment (see medical advice on this label).</p>

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM DODECYL BENZENE SULPHONATE	5-10%
CAS number: 68411-30-3 EC number: 270-115-0	REACH registration number: 01-2119489428-22-XXXX
Classification	
Acute Tox. 4 - H302	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
ALCOHOLS, C12-14, ETHOXYLATED, SULFATES	1-5%
CAS number: 68891-38-3 EC number: 500-234-8	
Classification	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
Aquatic Chronic 3 - H412	
ETHOXYLATED ALCOHOLS, C12-C13	1-5%
CAS number: 160901-19-9 EC number: 500-457-0	
Classification	
Acute Tox. 4 - H302	
Eye Dam. 1 - H318	
Aquatic Chronic 3 - H412	

WASHING UP LIQUID

BRONOPOL (INN)		<1%
CAS number: 52-51-7	EC number: 200-143-0	REACH registration number: 01-2119980938-15-XXXX
M factor (Acute) = 10		
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H312		
Acute Tox. 3 - H331		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Unlikely route of exposure as the product does not contain volatile substances.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Keep affected person under observation. Get medical attention if a large quantity has been ingested.
Skin contact	Wash with plenty of water.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 10 minutes. Get medical attention if irritation persists after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.
Ingestion	May be harmful if swallowed.
Skin contact	May cause skin irritation.
Eye contact	May cause serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations.
Specific treatments	Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	None known.

5.2. Special hazards arising from the substance or mixture

Specific hazards	None known.
-------------------------	-------------

WASHING UP LIQUID

Hazardous combustion products Acrid smoke or fumes. Carbon dioxide (CO₂). Carbon monoxide (CO). Carbon.

5.3. Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours.

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes and prolonged skin contact. Take care as floors and other surfaces may become slippery. Do not touch or walk into spilled material.

6.2. Environmental precautions

Environmental precautions Avoid contamination of ponds or watercourses with washing down water.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Clear up spills immediately and dispose of waste safely. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Take care as floors and other surfaces may become slippery. Avoid contamination of ponds or watercourses with washing down water. Discharge of small quantities to the sewer with plenty of water may be permitted.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions For professional users only. Avoid contact with eyes and prolonged skin contact.

Advice on general occupational hygiene Wash contaminated skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container. Keep container tightly sealed when not in use.

Storage class Unspecified storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2. Refer to Product Use Guide (PUG) for further information.

WASHING UP LIQUID

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Ingredient comments No exposure limits known for ingredient(s).

8.2. Exposure controls

Protective equipment



Appropriate engineering controls No specific ventilation requirements.

Eye/face protection No specific eye protection required during normal use. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection Wear protective gloves made of the following material: Nitrile rubber. Rubber (natural, latex).
Wear protective gauntlets made of the following material: Polyvinyl chloride (PVC). To protect hands from chemicals, gloves should comply with European Standard EN374.

Hygiene measures Wash hands thoroughly after handling.

Respiratory protection Respiratory protection not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Green.

Odour Almost odourless.

pH Neutral.

Flash point This product does not sustain combustion.

Relative density ~ 1.02 @ 20°C

Solubility(ies) Soluble in water.

Auto-ignition temperature Not applicable.

Viscosity 300 - 700 cP @ 20°C Slightly viscous.

Explosive properties Not applicable.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Refractive index 13 - 15

Volatile organic compound This product contains a maximum VOC content of <1 %.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

WASHING UP LIQUID

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Medical considerations Pre-existing eye problems.

SECTION 12: Ecological information

Ecotoxicity The product contains a substance which is harmful to aquatic organisms.

12.1. Toxicity

Toxicity The product is not believed to present a hazard due to its physical nature.

12.2. Persistence and degradability

Persistence and degradability Moderately biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

WASHING UP LIQUID

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor.

Disposal methods Following dilution, discharge to the sewer with plenty of water may be permitted. The product is designed and intended for disposal to public sewer after use.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).

WASHING UP LIQUID

Guidance EH40/2005 Workplace exposure limits
Containing the list of workplace exposure limits for use with the Control of Substances
Hazardous to Health Regulations 2002 (as amended)
Health and Safety Executive

15.2. Chemical safety assessment

A chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by	Regulatory Chemist
Revision date	03/03/2021
Revision	14
Supersedes date	19/03/2020
SDS number	10906
Hazard statements in full	H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H331 Toxic if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.