

# CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

**250MG ARTIC RELIEF (TOPICAL) // PRODUCED: MAR 23, 2022**

CLIENT: CADUCEUS SCIENCE // BATCH: PASSED



**BATCH NO.:** 250AR114  
**MATRIX:** TOPICAL  
**SAMPLE ID:** NAL-220321-023  
**COLLECTED ON:** MAR 21, 2022  
**RECEIVED ON:** MAR 21, 2022  
**SAMPLE SIZE:** 60 G  
**SAMPLED BY:** MARK PICOZZA  
**RECEIVED BY:** KAYLIN KEITH  
**SERVING SIZE:** 60 G

## CANNABINOID OVERVIEW

<b>CBD:</b>	<b>124 mg/srv</b>
<b>CBG:</b>	<b>114 mg/srv</b>
<b>TOTAL CANNABINOIDS:</b>	<b>238 mg/srv</b>

**BATCH RESULT: PASSED**

**POTENCY** PASS

## CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: MAR 22, 2022 // ANALYSIS: MAR 22, 2022

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC		ND	ND	0.00123/0.00614	N/A
CBCA		ND	ND	0.00123/0.00614	N/A
CBD	0.207 %	2.07 mg/g	2.07 mg/g	0.00123/0.00614	N/A
CBDA		ND	ND	0.00123/0.00614	N/A
CBDV		ND	ND	0.00123/0.00614	N/A
CBDVA		ND	ND	0.00123/0.00614	N/A
CBG	0.190 %	1.90 mg/g	1.90 mg/g	0.00123/0.00614	N/A
CBGA		ND	ND	0.00123/0.00614	N/A
CBL		ND	ND	0.00123/0.00614	N/A
CBLA		ND	ND	0.00123/0.00614	N/A
CBN		ND	ND	0.00123/0.00614	N/A
CBNA		ND	ND	0.00123/0.00614	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
Δ <sup>8</sup> -THC		ND	ND	0.00123/0.00614	N/A
Δ <sup>9</sup> -THC		ND	ND	0.00123/0.00614	N/A
Δ <sup>10</sup> -THC		ND	ND	0.00123/0.00614	N/A
EXO-THC		ND	ND	0.00123/0.00614	N/A
THCA		ND	ND	0.00123/0.00614	N/A
THCV		ND	ND	0.00123/0.00614	N/A
THCVA		ND	ND	0.00123/0.00614	N/A
TOTAL THC **		ND	ND		N/A
TOTAL CBD **		0.207 %	2.07 mg/g		N/A
CBD/SRV		124 mg			N/A
Δ <sup>9</sup> -THC/SRV		ND			N/A

\*\* TOTAL CBD = (CBDA X 0.877) + CBD  
\*\* TOTAL THC = (THCA X 0.877) + THC  
Reported on an as received basis  
1000 µg/g = 1 mg/g



**RESULTS CERTIFIED BY:**  
BARRY CHAFFIN  
COO, NOVA ANALYTIC LABS  
MAR 23, 2022

**RESULTS CERTIFIED BY:**  
GREG NEWLAND  
CSO, NOVA ANALYTIC LABS  
MAR 23, 2022

**RESULTS CERTIFIED BY:**  
CHRIS ALTOMARE  
CEO, NOVA ANALYTIC LABS  
MAR 23, 2022

[https://lims.tagleaf.com/coa\\_/COyxk4fEke](https://lims.tagleaf.com/coa_/COyxk4fEke)

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

**END OF REPORT**