



# Certificate of Analysis

**Product Name:** Oat Extract Beta PF  
**Lot Number:** 34364  
**Manufacture Date:** October 11, 2023  
**Re-Test Date:** October 11, 2024  
**CAS #'s:** 84012-26-0  
**EINECS #'s:** 281-672-4  
**INCI Name:** Lactobacillus/Oat Ferment Extract Filtrate

Specification	Parameter	Result
Appearance	Clear to slightly hazy liquid	Pass
Odor	Slightly Viscous Liquid Characteristic	Pass
pH (direct)	Characteristic	Pass
NVM (1g-1hr-105°C)	5.0 – 7.0 5.0 - 9.0%	5.5
Heavy Metals	25.0% Minimum	28.0
Lead	< 20 ppm	< 20 ppm
Arsenic	< 10 ppm	< 10 ppm
Cadmium	< 2 ppm	< 2 ppm
Microbial Content	< 1 ppm 1.5 units/mg Minimum	< 1 ppm
Yeast & Mold	< 100 CFU/g; No pathogens	Pass
Gram Negative Bacteria	< 100 CFU/g 0 CFU/g	Pass Pass

**May Sediment upon Standing; Mix Well Prior to Use**

**\*\*Note:** When storing and handling this product please prevent exposure to temperatures above 25°C. Exposure to temperatures above 25°C may cause darkening/slight precipitation.\*\*

**QA Signature**     Tori Hoag    

**Date**     December 1, 2023