

# Caprylyl Capryl Glucoside

#### 1. Identification

#### Product identifier used on the label

# Caprylyl Capryl Glucoside

#### Recommended use of the chemical and restriction on use

Recommended use\*: cosmetic ingredient

Recommended use\*: Chemical

## Details of the supplier of the safety data sheet

Distributor:

Soap and More The Learning Centre Inc 3830 - 7 St. SE Calgary Alberta Canada T2G 2Y8 (403) 217-2346

### **Emergency telephone number**

After business hours CHEMTREC 800-424-9300

#### Other means of identification

Synonyms: Alkylpolyglucoside

#### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

Eye Dam./Irrit. 1 Serious eye damage/eye irritation

Aquatic Acute 3 Hazardous to the aquatic environment - acute

# Label elements

Pictogram:



Signal Word: Danger

Revised 9/05/2019 1 of 9

<sup>\*</sup> The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.



# Caprylyl Capryl Glucoside

Hazard Statement:

H318 Causes serious eye damage. H402 Harmful to aquatic life.

Precautionary Statements (Prevention):

P280 Wear eye/face protection.

P273 Avoid release to the environment.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

#### Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

## 3. Composition / Information on Ingredients

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	<u>Weight %</u>	Chemical name
68515-73-1	>= 50.0 - < 75.0%	D-Glucopyranose, oligomers, decyl octyl glycosides
1310-73-2	>= 1.0 - < 3.0%	Sodium Hydroxide

#### 4. First-Aid Measures

#### **Description of first aid measures**

#### If inhaled:

Keep patient calm, remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Seek medical assistance.

#### If on skin:

Wash thoroughly with soap and water. Remove contaminated clothing. Wash contaminated clothing before reuse. If irritation should develop, seek medical attention.

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. Do not rub eyes; mechanical action may cause corneal damage. If adverse health effects develop seek medical attention.

Revised 9/05/2019 2 of 9



# Caprylyl Capryl Glucoside

#### If swallowed:

Immediately rinse mouth and then drink 200 - 300 ml water, do not induce vomiting, seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: Additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: No hazard is expected under intended use and appropriate handling.

### Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

## 5. Fire-Fighting Measures

### **Extinguishing media**

Suitable extinguishing media: water spray, carbon dioxide, dry powder, foam

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.

#### **Environmental precautions**

Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material.

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations.

Revised 9/05/2019 3 of 9



# Caprylyl Capryl Glucoside

# 7. Handling and Storage

### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

## Conditions for safe storage, including any incompatibilities

No applicable information available.

Suitable materials for containers: Stove-lacquer R 78433, High density polyethylene (HDPE)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Storage stability:

Storage temperature: 10 - 40 °C

Protect from temperatures below: 10 °C

Below the temperature limit, the product is no longer pumpable.

Protect from temperatures above: 50 °C

## 8. Exposure Controls/Personal Protection

#### Components with occupational exposure limits

Sodium Hydroxide OSHA PEL PEL 2 mg/m3; CLV 2 mg/m3;

ACGIH TLV CLV 2 mg/m3;

#### Advice on system design:

No applicable information available.

### Personal protective equipment

#### Respiratory protection:

Respiratory protection not required.

### Hand protection:

Suitable are protective gloves with the following specification. The recommendation is valid for laboratory conditions, specific workplace conditions must be taken into consideration separately., Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374):, nitrile rubber (NBR) - 0.4 mm coating thickness

#### Eye protection:

Tightly fitting safety goggles (chemical goggles).

## **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

### General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

Revised 9/05/2019 4 of 9



# Caprylyl Capryl Glucoside

## 9. Physical and Chemical Properties

Form: liauid

Odour: almost odourless Odour threshold: not applicable

Colour: vellow

pH value: 11.5 - 12.5 (ph-value of APG-220 (20 °C) ÜP,-230 DK,- 600 UP)

(DGF C-IV 3C)

<= 10.0 °C solidification

temperature:

Upper explosion limit:

< 0 °C Melting temperature: > 100 °C boiling temperature:

(1,013.200 hPa)

Sublimation point: No applicable information available.

Flash point: 210 °C (DIN ISO 2592)

Flammability: not flammable

Flammability of Aerosol not applicable, the product does not

Products: form flammable aerosoles

For liquids not relevant for Lower explosion limit: classification and labelling.

For liquids not relevant for classification and labelling.

Autoignition: > 300 °C Vapour pressure: < 0.1 hPa

(20°C)

1.13 - 1.14 g/cm3 Density: (DIN 51757)

(20°C)

not applicable Vapour density:

Partitioning coefficient n-< 1.77

octanol/water (log Pow): The product has not been tested. The

> statement has been derived from substances/products of a similar

structure or composition.

Self-ignition not applicable

temperature:

Thermal decomposition: > 350 °C (DTA)

Viscosity, dynamic: 500 - 1,500 mPa\*s (DIN 53015)

(40.0°C)

Viscosity, kinematic: not determined

Solubility in water: soluble

Solubility (quantitative): No applicable information available.

Solubility (qualitative): miscible in all proportions

solvent(s): distilled water,

Evaporation rate: Value can be approximated from

Henry's Law Constant or vapor

pressure.

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

No further information available.

## 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Revised 9/05/2019 5 of 9



# Caprylyl Capryl Glucoside

Oxidizing properties: not fire-propagating

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

None if used for intended purpose.

#### Conditions to avoid

See MSDS section 7 - Handling and storage.

## Incompatible materials

No substances known that should be avoided.

## Hazardous decomposition products

Decomposition products:

No hazardous decomposition products known.

Thermal decomposition:

> 350 °C (DTA)

# 11. Toxicological information

## Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

## **Acute Toxicity/Effects**

## Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single skin contact.

Virtually nontoxic after a single ingestion.

### Oral

Type of value: LD50

Species: rat

Value: > 5,000 mg/kg (OECD Guideline 401)

#### **Inhalation**

No applicable information available.

# <u>Dermal</u>

Type of value: LD50 Species: rabbit

Value: > 2,000 mg/kg (OECD Guideline 402)

#### Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Revised 9/05/2019 6 of 9



# Caprylyl Capryl Glucoside

#### Irritation / corrosion

Assessment of irritating effects: May cause severe damage to the eyes. Not irritating to the skin.

<u>Skin</u>

Species: rabbit

Result: Slightly irritating.
Method: OECD Guideline 404

Eye

Species: rabbit

Result: Severely irritating. Method: OECD Guideline 405

Information on: D-Glucopyranose, oligomers, decyl octyl glycosides

Species: rabbit

Result: Risk of serious damage to eyes.

Method: OECD Guideline 405 Data of a comparable product

Sensitization

Assessment of sensitization: No sensitizing effect.

Species: guinea pig Result: Non-sensitizing. Method: OECD Guideline 406

Aspiration Hazard

No aspiration hazard expected.

#### **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: No adverse effects were observed after repeated oral exposure in animal studies.

#### Genetic toxicity

Assessment of mutagenicity: The substance was not mutagenic in bacteria.

Genetic toxicity in vitro: OECD Guideline 471 Ames-test Salmonella typhimurium:negative

#### Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

#### Reproductive toxicity

Assessment of reproduction toxicity: The information available on the product provides no indication of reproductive toxicity.

#### Teratogenicity

Assessment of teratogenicity: In animal studies the substance did not cause malformations.

# **Symptoms of Exposure**

Additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Revised 9/05/2019 7 of 9



# Caprylyl Capryl Glucoside

# 12. Ecological Information

## **Toxicity**

### Toxicity to fish

LC50 > 100 mg/l, Brachydanio rerio (DIN EN ISO 7346-2)

#### Aquatic invertebrates

EC50 > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

#### Aquatic plants

EC50 > 10 - 100 mg/l, Scenedesmus subspicatus (Directive 88/302/EEC, part C, p. 89)

#### Chronic toxicity to fish

No observed effect concentration > 1 - 10 mg/l, Brachydanio rerio (OECD Guideline 204)

#### Chronic toxicity to aquatic invertebrates

No observed effect concentration > 1 - 10 mg/l, Daphnia magna (OECD Guideline 202, part 2)

### Microorganisms/Effect on activated sludge

#### Toxicity to microorganisms

OECD Guideline 209 bacterium/EC0: > 100 mg/l

DIN 38412 Part 8 bacterium/EC0: > 100 mg/l

#### Persistence and degradability

#### Assessment biodegradation and elimination (H2O)

Readily biodegradable (according to OECD criteria).

## **Bioaccumulative potential**

#### Assessment bioaccumulation potential

Significant accumulation in organisms is not to be expected.

# Mobility in soil

### Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is not expected.

The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

# 13. Disposal considerations

#### Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

## 14. Transport Information

#### Land transport

Revised 9/05/2019 8 of 9



# Caprylyl Capryl Glucoside

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

## 15. Regulatory Information

#### **Federal Regulations**

Registration status:

Cosmetic TSCA, US released / exempt

Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

CERCLA RQ<br/>1000 LBSCAS Number<br/>1310-73-2Chemical name<br/>Sodium Hydroxide

State regulations

State RTKCAS NumberChemical nameNJ1310-73-2Sodium HydroxidePA1310-73-2Sodium Hydroxide

**NFPA Hazard codes:** 

Health: 3 Fire: 1 Reactivity: 0 Special:

#### 16. Other Information

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET

Revised 9/05/2019 9 of 9