

Version 1.7

Revision Date: 08/02/2021

SECTION 1. IDENTIFICATION

Product name :	ISOPROPANOL 99%
Synonyms :	2-PROPANOL; ISOPROPYL ALCOHOL; IPA
Recommended use of the chemica Recommended use :	I and restrictions on use Alcohol solvent
Restricted Uses :	No data available
Manufacturer or supplier's details Company Address	Soap and More 3830 - 7 St SE Calgary AB T2G 2Y8
Emergency telephone number	 ChemTel - (800) 255-3924 Domestic +1 813 248-0585 International

Additional Information:

SECTION 2. HAZARD IDENTIFICATION

Hazardous Classification of Flammable liquids	the substance or mixture : Category 2
Eye irritation	: Category 2A
Specific target organ toxicity - single exposure	: Category 3 (Central nervous system)
Label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.



rsion 1.7	Revision Date: 08/02/2021
Precautionary statements	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting equip- ment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protection. Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ atten- tion. P370 + P378 In case of fire: Use dry sand, dry chemical or alco- hol-resistant foam to extinguish. Storage: P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. Disposal: P501 Dispose of contents/ container to an approved waste dis- posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

CAS-No.	Chemical name	% by Weight	Synonyms		
67-63-0	Isopropyl alcohol	90 - 100	lsopropyl alco- hol		
The exact ranges of this mixture are being withhold due to a Trade Secret					

The exact ranges of this mixture are being withheld due to a Trade Secret.

SECTION 4. FIRST-AID MEASURES

General advice : Move out of dangerous area.



rsion 1.7	Revision Date: 08/02/2021
	Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	: If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Do not induce vomiting without medical advice.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion prod- ucts	:	Carbon oxides formaldehyde corrosive vapors Nitrogen oxides (NOx)
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored sepa- rately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary. Use personal protective equipment.



Version 1.7

Revision Date: 08/02/2021

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas.
Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ver- miculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against : fire and explosion	Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.
Advice on safe handling :	 Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Container may be opened only under exhaust ventilation hood. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage :	No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.



Version 1.7

Revision Date: 08/02/2021

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
67-63-0	Isopropyl alcohol	TWA	200 ppm 492 mg/m3	CA AB OEL
		STEL	400 ppm 984 mg/m3	CA AB OEL
		TWA	200 ppm	CA BC OEL
		STEL	400 ppm	CA BC OEL
		TWAEV	400 ppm 983 mg/m3	CA QC OEL
		STEV	500 ppm 1,230 mg/m3	CA QC OEL

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	:	Organic vapour type
Hand protection		
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concen- tration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid	
Colour	: Clear, Colorless	
Odour	: alcohol-like, characteristic	
Odour Threshold	: 200 ppm	



Version 1.7

Revision Date: 08/02/2021

рН	: No data available	
Freezing Point (Melting point/freezing point)	: -88 °C (-126 °F)	
Boiling Point (Boiling point/boiling range)	: 82 - 83 °C (180 - 181 °F) (1013 hPa)	
Flash point	: 12 °C (54 °F) Method: Tag closed cup	
Evaporation rate	: < 3.9	
Flammability (solid, gas)	(Butyl Acetate = 1) : No data available	
Upper explosion limit	: 13 %(V)	
Lower explosion limit	: 2 %(V)	
Vapour pressure	: No data available	
Relative vapour density	: < 2.1 @ 15 - 20 °C (59 - 68 °F) (Air = 1.0)	
Relative density	: 0.785 - 0.787 @ 20 °C (68 °F) Reference substance: (water = 1)	
Density	: 0.785 - 0.787 g/cm3 @ 20 °C (68 °F)
Solubility(ies) Water solubility	: completely miscible	
Solubility in other solvents	: No data available	
Partition coefficient: n- octanol/water	: log Pow: 0.05 @ 25 °C (77 °F)	
Auto-ignition temperature	: 399 - 425 °C	
Thermal decomposition	: No data available	
Viscosity Viscosity, dynamic	: 2.4 mPa.s @ 20 °C (68 °F)	
Viscosity, kinematic	: 2.66 mm2/s @ 25 °C (77 °F)	
Surface tension	: 22.7 mN/m, 20 °C	

SECTION 10. STABILITY AND REACTIVITY



ersion 1.7	Revision Date: 08/02/2021
Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	 Strong acids Aldehydes Oxidizing agents Rubber Oils Plastics Amines Metals Halogenated compounds Peroxides Bases
Hazardous decomposition products	: Carbon oxides Sulphur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Serious eye damage/eye irritation

Components:

67-63-0: Species: Rabbit Result: Irritating to eyes.

STOT - single exposure

Components:

67-63-0:

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Concentrations substantially above the TLV value may cause narcotic effects. Solvents may degrease the skin.



Version 1.7

Revision Date: 08/02/2021

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal	methods	

Waste from residues	 Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Uni- var Solutions ChemCare: 1-800-637-7922
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

TDG (Transportation of Dangerous Goods): UN1219, ISOPROPANOL, 3, II

IATA (International Air Transport Association): UN1219, ISOPROPANOL, 3, II

IMDG (International Maritime Dangerous Goods): UN1219, ISOPROPANOL, 3, II, Flash Point:12 °C(54 °F)



Version 1.7

Revision Date: 08/02/2021

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all of the information required by the HPR.

:	67-63-0
	ct are reported in the following inventories: On TSCA Inventory
:	All components of this product are on the Canadian DSL
:	On the inventory, or in compliance with the inventory
:	On the inventory, or in compliance with the inventory
:	On the inventory, or in compliance with the inventory
:	On the inventory, or in compliance with the inventory
:	On the inventory, or in compliance with the inventory
:	On the inventory, or in compliance with the inventory
	::

SECTION 16. OTHER INFORMATION

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions EHS Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date	: 08/02/2021	
Legacy SDS:	: R0001444, 100000027693, 100000061297	

Material number:

16182974, 16178967, 16182648, 16175816, 16176549, 16175656, 16176457, 16176751, 16175879, 16174714, 16176870, 16175445, 16174727, 16174726, 16175555, 16180539, 16163494, 16151614, 16169230, 16169779, 16168235, 16170647, 16170200, 16170163, 16168234, 16173689, 16172502, 16145669, 16149765, 16171308, 16158552, 16146859, 16147074, 16147313, 16148783, 16148704, 16144452, 16146351, 16146089, 16144123, 16143652, 16167327, 16166321, 16165964, 16161591, 16149329, 16158191, 16152613, 16138602, 16137598, 16143917, 16140147, 16138087, 16137628, 16137534, 16137389, 16137356, 16156747, 16145782, 16160060, 16154121, 16159435, 16144176, 16152980, 16144004, 16144388, 16153058, 16135462, 16143649, 16143998, 16148561, 16148563, 16135027, 16141526, 16159251, 16159182, 16143653, 16140155, 16140875, 16134646, 16134617, 16140663, 16157169, 16144470, 16143650, 16143357, 16141841, 16133175,



Version 1.7

Revision Date: 08/02/2021

16132658, 16132689, 16132569, 16132416, 16130223, 16129519, 16129253, 16128125, 16128122, 16127709, 16127436, 16126846

	end to abbreviations and acronyms			
ACGIH	American Conference of Gov- ernment Industrial Hygienists	LD50	Lethal Dose 50%	
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level	
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency	
NDSL	Canada, Non-Domestic Sub- stances List	NIOSH	National Institute for Occupational Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure Sce- nario Tool	OSHA	Occupational Safety & Health Administra- tion	
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit	
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances	
MAK	Germany Maximum Concentra- tion Values	PRNT	Presumed Not Toxic	
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthori- zation Act.	
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value	
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average	
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA UVCB	Toxic Substance Control Act	
KECI	KECI Korea, Existing Chemical Invento- ry		Unknown or Variable Composition, Com- plex Reaction Products, and Biological Materials	
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Infor- mation System	
LC50		Lethal Concentration 50%		

Disclaimer: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. Such information is to be the best of the company's knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee of any kind, express or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as to the suitableness & completeness of such information for his own particular use.