



Date Issued: 2023-11-15

## Certificate of Analysis

Emergency Telephone Number(s):  
(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands  
+1 813 248-0585 International

**PRODUCT: Honey Powder**  
**LOT# FS23-207**  
**MANUFACTURE DATE: 07/26/2023**  
**BEST IF USED BY: 01/26/2025**

---

<u>ANALYSIS</u>	<u>RESULTS</u>	<u>TEST METHOD</u>
COLOR	Tan	VISUAL
MOISTURE	3.53%	ANALYTE
AEROBIC PLATE COUNT	70 cfu/g	AOAC 990.12
COLIFORM	<10 cfu/g	AOAC 991.14
YEAST	<10 cfu/g	AOAC PTM 121301
MOLD	<10 cfu/g	AOAC PTM 121301
E. COLI	<10 cfu/g	AOAC 991.14
SALMONELLA	Negative/375g	AOAC 2011.03/BAM Ch 5
LISTERIA	Negative/25g	AOAC 2004.60/BAM Ch 10

This Certificate of Analysis is accurate to the best of our knowledge. However, the customer is responsible for performing its own analysis to ensure that the material is suitable for its applications, including compliance with all pertinent legal requirements.

---

This document is computer-generated and does not require a signature.