

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
Substance name	: Blue Tansy Oil Organic
Chemical name	: Tanacetum Annuum Flower Oil
Synonyms	: Blue tansy Oil
Other means of identification	: Tanacetum Annuum Flower Oil is the volatile oil derived from the flowers Tanacetum Annuum, Asteraceae

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec	: For professional use only Industrial Intermediate
Use of the substance/mixture	: Cosmetics

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Naissance
Unit 9 & 11 Milland Road Industrial Estate
Milland Road
SA11 1NJ Neath - United Kingdom
www.discoveringbetter.com

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Skin corrosion/irritation, Category 2	H315
Skin sensitisation, Category 1	H317
Germ cell mutagenicity, Category 2	H341
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Suspected of causing genetic defects. Causes skin irritation. May cause an allergic skin reaction. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

: Danger

Hazard statements (CLP) :

: H226 - Flammable liquid and vapour.
H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H341 - Suspected of causing genetic defects (.).
H411 - Toxic to aquatic life with long lasting effects.

Blue Tansy Oil Organic

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	: P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground and bond container and receiving equipment. P241 - Use explosion-proof electrical, ventilating, lighting, etc. equipment. equipment. P261 - Avoid breathing dust, fume, gas, mist, vapours or spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective clothing, eye protection, face protection. P308 - IF exposed or concerned: seek medical advice. P303 - IF ON SKIN (or hair): Remove immediately all contaminated clothing. Wash skin with water. P378 - Use all extinguishing media can be used to extinguish. P391 - Collect spillage. P405 - Store locked up. P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P103 - Read label before use. P235 - Keep cool. P301 - IF SWALLOWED: rinse mouth. Do not induce vomiting. Immediately call a poison centre or doctor.
--------------------------------	---

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : Blue Tansy Oil Organic

Name	Product identifier	%
Sabinene	(CAS-No.) 3387-41-5 (EC-No.) 222-212-4	15 - 25
Camphor	(CAS-No.) 76-22-2 / 21368-68-3 (EC-No.) 200-945-0	10 - 15
Beta-Pinene	(CAS-No.) 127-91-3 (EC-No.) 204-872-5	5 - 10
Myrcene	(CAS-No.) 123-35-3 (EC-No.) 204-622-5	5 - 10
p-Cymene	(CAS-No.) 99-87-6 (EC-No.) 202-796-7	5 - 10
Alpha-Pinene	(CAS-No.) 80-56-8 / 7785-26-4 (EC-No.) 201-291-9	1 - 5
Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5	1 - 5
Borneol	(CAS-No.) 507-70-0 (EC-No.) 208-080-0	1 - 5

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth out with water. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after ingestion	: Risk of lung oedema.

Blue Tansy Oil Organic

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Evacuate area. Eliminate all ignition sources if safe to do so. Stop leak if safe to do so.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Remove ignition sources. Evacuate area.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Prevent liquid from entering sewers, watercourses, underground or low areas.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Clean up any spills as soon as possible, using an absorbent material to collect it. Minimise generation of dust. Store away from other materials.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Flammable vapours may accumulate in the container. Wear personal protective equipment. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes.
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.
Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Camphor (76-22-2 / 21368-68-3)		
Germany	TRGS 910 Acceptable concentration notes	
United Kingdom	WEL TWA (mg/m ³)	13
United Kingdom	WEL TWA (ppm)	2 ppm
United Kingdom	WEL STEL (mg/m ³)	19
United Kingdom	WEL STEL (ppm)	3 ppm
USA - ACGIH	ACGIH TWA (ppm)	2 ppm

Blue Tansy Oil Organic

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Camphor (76-22-2 / 21368-68-3)		
USA - ACGIH	ACGIH STEL (ppm)	3 ppm

Beta-Pinene (127-91-3)		
Germany	TRGS 910 Acceptable concentration notes	
USA - ACGIH	ACGIH TWA (ppm)	20 ppm

Alpha-Pinene (80-56-8 / 7785-26-4)		
Germany	TRGS 910 Acceptable concentration notes	
USA - ACGIH	ACGIH TWA (ppm)	20 ppm

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:
Protective gloves made of PVC
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Blue.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 46 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.87 - 0.935 @ 20°C
Solubility	: Water: Insoluble in water Ethanol: Soluble in 10 volumes of 90% ethyl alcohol

Blue Tansy Oil Organic

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

Refractive index	: 1.465 - 1.525 @ 20°C
------------------	------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Camphor (76-22-2 / 21368-68-3)

LD50 oral	1500 mg/g
LC50 inhalation rat (mg/l)	1.5 mg/l

Beta-Pinene (127-91-3)

LD50 dermal rat	≈ 4700 mg/kg
-----------------	--------------

Myrcene (123-35-3)

LD50 oral	> 2000 mg/kg
LD50 dermal	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h

p-Cymene (99-87-6)

LD50 oral rat	4750 mg/kg
LD50 dermal	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l/4h

Alpha-Pinene (80-56-8 / 7785-26-4)

LD50 oral rat	3700 mg/kg
---------------	------------

Limonene (5989-27-5)

LD50 oral rat	4400 mg/kg
LD50 dermal	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 20 mg/l

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified

Blue Tansy Oil Organic

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects (.).
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.

p-Cymene (99-87-6)

LC50 fish 1	48 mg/l
EC50 Daphnia 1	6.5 mg/l

Limonene (5989-27-5)

LC50 fish 1	≈ 33 mg/l
EC50 Daphnia 1	0.1 - 1 mg/l
ErC50 (algae)	0.1 - 1 mg/l

12.2. Persistence and degradability

Sabinene (3387-41-5)

Persistence and degradability	Not established.
-------------------------------	------------------

Beta-Pinene (127-91-3)

Persistence and degradability	Not established. May cause long-term adverse effects in the environment.
-------------------------------	--

Myrcene (123-35-3)

Persistence and degradability	Not established. May cause long-term adverse effects in the environment.
-------------------------------	--

p-Cymene (99-87-6)

Persistence and degradability	Not established. May cause long-term adverse effects in the environment.
-------------------------------	--

Alpha-Pinene (80-56-8 / 7785-26-4)

Persistence and degradability	Not established. May cause long-term adverse effects in the environment.
-------------------------------	--

Limonene (5989-27-5)

Persistence and degradability	Not established. May cause long-term adverse effects in the environment.
-------------------------------	--

Borneol (507-70-0)

Persistence and degradability	Not established. May cause long-term adverse effects in the environment.
-------------------------------	--

12.3. Bioaccumulative potential

Sabinene (3387-41-5)

Bioaccumulative potential	Not established.
---------------------------	------------------

Beta-Pinene (127-91-3)

Bioaccumulative potential	Not established.
---------------------------	------------------

Blue Tansy Oil Organic

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Myrcene (123-35-3)	
Log Pow	5.29
Bioaccumulative potential	Not established.

p-Cymene (99-87-6)	
Bioaccumulative potential	Not established.

Alpha-Pinene (80-56-8 / 7785-26-4)	
Bioaccumulative potential	Not established.

Limonene (5989-27-5)	
Bioaccumulative potential	Not established.

Borneol (507-70-0)	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods






: Dispose of contents/container in accordance with licensed collector's sorting instructions. Must follow special treatment according to local regulation.

Additional information

: Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1169	UN 1169	UN 1169	UN 1169	UN 1169
14.2. UN proper shipping name				
EXTRACTS, AROMATIC, LIQUID	EXTRACTS, AROMATIC, LIQUID	Extracts, aromatic, liquid	EXTRACTS, AROMATIC, LIQUID	EXTRACTS, AROMATIC, LIQUID
Transport document description				
UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 1169 Extracts, aromatic, liquid, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)				
3	3	3	3	3
				
14.4. Packing group				
III	III	III	III	III

Blue Tansy Oil Organic

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.5. Environmental hazards

Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 601
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T2
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	:



Tunnel restriction code (ADR)	: D/E
EAC code	: 3YE

Transport by sea

Special provisions (IMDG)	: 223, 955
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Usually consist of alcoholic solutions. Miscibility with water depends upon the composition.

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3L

Inland waterway transport

Classification code (ADN)	: F1
Special provisions (ADN)	: 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EX, A

Blue Tansy Oil Organic

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: F1
Special provisions (RID)	: 601
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T2
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE4
Hazard identification number (RID)	: 30

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Blue Tansy Oil Organic is not on the REACH Candidate List

Blue Tansy Oil Organic is not on the REACH Annex XIV List

Blue Tansy Oil Organic is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Blue Tansy Oil Organic is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 1	Flammable solids, Category 1
Flam. Sol. 2	Flammable solids, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

Blue Tansy Oil Organic

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product