

# COMMAND HOSPITAL GRADE

ISSUE DATE: 01/01/2020

# DISINFECTANT

Page 1 of 4

#### 1. Identification

GHS Product Identifier	Hospital Grade Disinfectant
Other Names	Command
Company Name	Cleaner Future
Address	9/8 Garden Road, Clayton 3168
Telephone	(03) 9850 3055
Emergency Contact	000
Recommended use	Cleaning/sanitizing hard surfaces

#### 2. Hazard Identification

#### **Statement of Hazardous Nature**

This product is not classified as Hazardous according to the criteria of Safe Work Australia. NOT a Dangerous Good according to the Australian Dangerous Goods (ADG) Code version 7.

GHS Signal Word (s)	WARNING
Hazard Statement(s)	H315 Causes skin irritation. H320 Causes eye irritation.
GHS Pictogram (s)	~



#### Precautionary statement(s)

Frecautionally statemen	
Prevention	P280 Wear protective gloves and eye protection
Response	P353 Rinse skin or shower with water. P301+P330+P338: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P305+P351+P338: IF IN EYES: Rinse with water for several minutes. Remove contact lenses, if present. Continue rinsing.
	P332+P313: If skin irritation occurs: Get medical advice. P337+P313: If eye irritation persists: Get medical advice. P391: Collect spillage. P370+P378: Not combustible. Use extinguishing media suited to burning materials.
Storage	P233+P234: Keep only in original container. Keep container tightly closed.
Disposal	P501 Dispose of contents/container to an approved waste disposal plant.

ABN 28 607 341 515



# COMMAND HOSPITAL GRADE

ISSUE DATE: 01/01/2020

# DISINFECTANT

Page 2 of 4

# **3.** Composition/Information on Ingredients

Chemical characterizatio	<b>n</b> Aqueous bler	nd of quaternar	y ammonium compounds	s, < 5% and surfactant.
Hazardous ingredients				
<u>Name</u>	<u>CAS no</u> .	<b>Proportion</b>	Hazard symbol	<u>Risk phrase</u>
Quaternary Ammonium Compounds	107028-70-6	LOW	Xi	R36/38
KEY: Proportion, (wt %)	V HIGH >60,	HIGH 30 - 60,	MED 10-29, LOW 1-9,	V LOW <1

### 4. First Aid Measures

Ingestion:	Rinse mouth with water. Never give anything by mouth to an unconscious person. Consult a physician.
Skin:	Wash off with soap and plenty of water.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Inhalation	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
First Aid Facilities	Maintain eyewash fountain and safety shower in work area.
Advice to Doctor Other Information	Treat symptomatically. Consult Poisons Information Centre For advice, contact the National Poisons Information Centre (Phone Australia 13 11 26 and New Zealand 0800 764 766) or a doctor.

## 5. Fire Fighting Measures

Suitable extinguishing media	Use extinguishing media most appropriate for the surrounding fire such as water, foam or dry agent (carbon dioxide, dry chemical powder). If safe to do so, move undamaged containers from the fire area. If a significant quantity (>200L) of this product is involved in a fire, call the fire brigade.
Specific hazards arising	
from the chemical	There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. This product is likely to decompose only after heating to dryness, followed by further strong heating.
Precautions in connectio	<b>n</b> Wear SCBA and chemical splash suit. Fully encapsulating, gas-tight suits should be worn for maximum
with fire	protection.

## 6. Accidental Release Measures

Personal Precautions Personal Protection	Use personal protective equipment. Avoid breathing mist . Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8. Wear protective clothing specified for normal operations (see Section 8)
	wear protective clothing specified for hormal operations (see section 8)
Clean-up Methods-	
Small Spillages	Minor spills do not require special clean up measures or emergency procedures. Wear recommended personal protective equipment outlined in Section 8 when containing any spillage.
Large Spillages	Seek expert advice on handling and disposal.
Environmental	
Precautions	Prevent further leakage or spillage if safe to do so. Do not let product enter drains or waterways.

ABN 28 607 341 515



# COMMAND HOSPITAL GRADE

ISSUE DATE: 01/01/2020

# DISINFECTANT

Page 3 of 4

## 7. Handling and Storage

Precautions for Safe Handling	Product is safe to handle under normal conditions of use.
Conditions for safe storage	Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be resealed and kept upright to prevent leakage.
Incompatible products	None known
Incompatible materials	None known

## 8. Exposure Controls/Personal Protection

**SWA exposure limits** Exposure limits have not been established by SWA for any significant ingredients in this product.

		<u>STEL</u>	( <u>mg/m³)</u>	<u>TWA</u>	( <u>mg/m³)</u>
	<u>Name</u> Quaternary Ammonium Compounds	Not Set		Not Set	
Appropriate engineering controls	In industrial situations maintain th process modification, use of local methods.				
Personal Protective	Final choice of personal protective		ent will depend on individu	ual circum	nstances and/or
Equipment	according to risk assessments und	ertaken.			
<b>Respiratory Protection</b>	Usually, no respirator is necessary	Usually, no respirator is necessary when using this product.			
Eye Protection	The use of safety glasses with side Must comply with Australian Stan AS 1336.	•			•
Hand Protection	Avoid skin contact when removing Hand protection should comply w maintenance.			-	
Footwear	Safety boots in industrial situation Occupational protective footwear			d comply	with AS 2210,
Hygiene Measures	Do not eat, drink or smoke in wor Maintain good housekeeping.	k areas. V	Vash hands thoroughly afte	er handlir	ng this material.

## 9. Physical and Chemical Properties

Appearance	Thin, coloured liquid (Blue)
Odour	Scented (Eucalyptus)
Melting Point	~0 °C
Boiling Point	~ 100 °C
Flash point	Not applicable
Vapour Pressure	Not determined
Solubility	Miscible with water in all proportions.
Specific Gravity	1.0 g/cm³ @ 20 °C
рН	6.5 – 7.5 (as supplied)
Viscosity	Not determined
Percent volatile	> 95 %
Flammability	Non flammable



ISSUE DATE: 01/01/2020

# COMMAND HOSPITAL GRADE

Page 4 of 4

# DISINFECTANT

## 10. Stability and reactivity

Chemical stability	Stable under normal conditions of use.
Conditions to avoid	No special conditions. Refer to storage conditions in Section 7.
Incompatible materials	None known.
Hazardous decompositio	n
products	Carbon monoxide, carbon dioxide and possibly oxides of nitrogen.
Hazardous reactions	None.
Hazardous	Will not occur.
polymerization	

### **11.** Toxicological Information

Local Effects Target Organs Irritant: eye, skin. Eyes and skin.

## 12. Ecological Information

Ecotoxicity	Data from 50% quaternary ammonium compound:		
	Fish Toxicity (Zebra Fish): LC50, 1-10 mg/L		
	% Biological elimination: 35-70% [Method: OECD 302B]		
Persistence and			
degradability	Biodegradable.		

### 13. Disposal Considerations

Disposal

The small quantities contained in wash solutions can be handled by conventional sewage, septic and grey water systems. To dispose of large quantities of undiluted product, refer to State Land Waste Management Authority. Containers should be emptied as completely as practical before disposal.

## 14. Transport information

ADG Code

This product is NOT a Dangerous Good. No special transport conditions are necessary.

## **15. Regulatory information**

16 Other Information	
ADG Code	None allocated
SUSMP	None allocated
	Eye Irritation Category 2
<b>GHS Classification</b>	Skin Irritation Category 2
AICS	All ingredients listed in the Australian Inventory of Chemical Substances (AICS)

# 16. Other Information

#### Date of preparation or last

revision of SDS 1<sup>st</sup> January, 2020

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THIS PRODUCT AND HOW TO SAFELY USE THIS PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE. IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS.

Issued by Cleaner Future Pty Ltd

ABN 28 607 341 515

**Revision No. 1** 

DO NOT DETACH THIS PAGE FROM THE SDS