

Manufacturer of **energy meters** and **controllers** for automation and HVAC.



CLIMATE





Easy integration

MA-VAV is a dedicated controller for VAV systems that is easy to install and commission. It comes with pre-programmed, embedded algorithms that can be easily configured by the user.

Features

Comes with an integrated zero-drift differential pressure sensor for air flow measurement. Supports real-time clock and calendar with weekly schedule. Can be used with a remote display for user interface.


Versatile and adjustable

Supports cooling and heating controls, with terminal re-heating option and changeover mode. Configuration can be done by internal webserver, using any standard web browser.

Multi-protocol

MA-VAV has a serial RS485 port and optional IP ports, supporting both BACnet and Modbus communication protocols for easier integration with Building Management Systems (BMS).

Dimensions:



- 7,75" ----



Click or scan the **QR Code** to access the page of **product**





	Power Supply	24 VAC ± 20%, 50/60 Hz
	Inputs	4x universal inputs - digital, NTC 10k type II and type III, voltage (0-10V or 2-10V) or current (0-20mA or 4-20mA)
	Digital Outputs	2x relay digital outputs
	Analog Output	2x analog outputs, voltage (0-10V or 2-10V) or current (0-20mA or 4-20mA), software selectable
E S	Communication protocols	BACnet and Modbus protocols
	Communication interfaces	1x isolated serial RS485 port 2x ethernet ports (10/100M) for daisy chain installations
EATUR	Battery-maintained RTC	Real-time clock maintained by supercapacitor (no maintenance).
4	Configuration via webserver	Easy configuration and setup using internal webserver (ETH model exclusive)
ü	Pressure sensor	Range: -500 Pa to 500 Pa (-2 to 2 inH2O) Accuracy: 3% of reading
	Display	Optional remote display for user interface
	Mounting fixation	Screws – Mounted directly on VAV box.
	Dimensions	7,75" (197 mm) L x 4,80" (122 mm) D x 2,36" (60 mm) H
	Certifications	UL60730 and UL2043

CUMATE



+1 (615) **730·8692** +1 (615) **724·9608**



www mercatobas.com



info@mercatobas.com

Follow us on our social media:

