

ASSEMBLY INSTRUCTIONS
Wiwiurka Foldable
Triangle



- Assembly time 30-40 min
- Difficulty Level
  Basic

#### Please make sure you have the following pieces:

- The Small triangle contains 13 rods, the Medium 15 rods and the Large triangle 17 rods.
- 4 long wooden pieces (Side pieces)
- 2 triangular plates
- Assembly screws, stainless steel screws and allen key

You will need an electric or manual screwdriver





**NOTE**: 3 rods will have embedded entries for assembly screws. These rods go at the top.

# Before starting

#### **IMPORTANT**

- Remove all wrapping material before you start to assemble.
- Sorting your pieces will make assembly easier.
- Do not tighten all screws until completely assembled.



### Start by putting together one side of the triangle. The color sequence will vary according to the color palette.

1

Partially insert all screws in one leg leaving only the tip protruding out of the slots





Start placing the rods in their corresponding spots, spinning them to ensure the screw tips are gripping the wood. Make sure they go all the way into the slots.



Complete all rods on this leg.

NOTE: The top rods with embedded entries for assembly screws just need to be properly inserted in their slots, you will fasten them later using the assembly screws.







Flip the leg to sit the rods on the floor or a flat surface; then fasten all screws without tightening them in full.

\*Make sure that the rods are not pushed away from the leg when screwing them in.





Flip everything once again to place the second leg on top and fasten all screws without tightening them in full.





Repeat the same process for the second ladder.





Dispose the two ladders one in front of each other: the large leg should have the rounded corner facing outwards and the numbers which they were marked with must match.

Locate the triangular plate with the same number to match those legs.





Insert the assembly screws in the triangular plate on the outer face.



Then screw in the assembly screws using the allen key, this will fasten the pieces at the top together.



Repeat the same process for the opposite side, making sure that the markings match.





Place the open triangle on the floor and apply downward pressure to ground it. You may hear some tiny cracks, it's normal when the pieces are sitting into place.







Once you verify that everything is properly aligned proceed to tighten all screws in full.

Finally, lock your triangle to make it ready for use!

\*Remember to loosen the locking bolt before folding the triangle.





## ¡Enjoy your new Wiwiurka Foldable Triangle!

f @ D

www.wiwiurka.com



