DIGITAL MULTI-MEDIA PRESS







The En/Press Digital Multi-Media Press with the patented Enterprise High Speed Feed System or the new Enterprise-SL Feeder offers users an affordable way to go digital and meet the demand for fast, full-color printing. Enterprise's groundbreaking design features a straight multi-speed feed path for a faster and smoother delivery compared to other feed methods. The complete digital solution is driven by iQueue Simply Brilliant Workflow that offers new file editing options, new variable data manager, advanced color correction tools and so much more.

Improve In-House Productivity

En/Press Digital Multi-Media Print Systems allow you to do more for your customers, in-house

- Allows you to print on a wider variety of media and in a wider range of sheet sizes.
- Dramatically improved print speeds with a standard 320 GB Hard Disk Drive (HDD).
- Up to 4,000 full color envelopes per hour
- Features a lower cost per sheet, so you reduce production cost, while you increase profit margins.
- Run full color jobs including variable data in one pass.
- iQueue Simply Brilliant Workflow automates prepress production and provides critical color adjustments.







Full color sheets, envelopes and cards

Banners up to 13" x 49.6"



Astonishing Full-Color Results

The En/Press Digital Series features a multi-bit print engine that delivers outstanding color and print quality your customers expect

• Resolutions up to 4800 for exceptional sharpness, clarity and color quality.

Cartdecc

- Edit CMYK Colors and Match Critical Spot Colors using iQueue Simply Brilliant Workflow.
- New HD toner offers a wider color gamut. The smaller particles enable the En/Press Digital Color Series to capture subtle changes in color and tone.
- Output is waterproof and laser safe.

More Media / Feed Choices

Outstanding media flexibility allows you to offer your customers more and helps eliminate costly outsourcing

- Prints on a variety of stocks including: Uncoated, coated, NCR, card stocks, textured stocks, label stocks and envelopes (4 Bar, Monarch, standard #10, window^{**} and larger).
- The En/Press offers multiple feed options including the patented Enterprise High Speed Feeder, the new Enterprise-SL Compact High Speed Feeder, two standard feed trays and an optional large capacity feed tray.
- Print oversized sheets / banners up to 13" (330 mm) x 49.6" (1260 mm) manual feed.

Computer-to-Plate PlateMaker

Xante is pleased to announce a revolutionary advancement in Computer-to-plate (CTP) printing technology. The En/Press Revolutionary Digital Multi-Media Press with PlateMaker 8 Inside is a brand new polyester CTP system. Specifically designed for small commercial printers and print shops, this solution is low cost, high quality, and chemical free. The best part is that it's all contained WITHIN the En/Press which is already the best

way to print your envelopes, NCR forms, stationery, invitations, announcements and more!



PlateMaker 8 Specifications

Myriad 2 Plates	Available in the following sizes: $10^{\circ} \times 15^{\circ}$, $10^{\circ} \times 15^{\circ}$, $10^{\circ} \times 15^{\circ}$, $11^{\circ} \times 18^{\circ}$, $11^{\circ} \times 18^{\circ}$, $11^{\circ} \times 18^{\circ}$, $113^{\circ} \times 18^{\circ}$, $113^{\circ} \times 19^{\circ}$, $113^{\circ} \times 19^{\circ}$, $113^{\circ} \times 19^{\circ}$, $12^{\circ} \times 18^{\circ}$, $12^{\circ} \times 18^{\circ}$, $12^{\circ} \times 19^{\circ}$, $12^{\circ} \times 19$
340mm Option	13 ³ / ₈ " x 19 ⁷ / ₈ " (340mm x 505mm)
Media Weights	4 mil plates - Plate Auto Loader
Noise Level	Printing - less than 49.5 dB; Standby - less than 35 dB
Printer Language	Adobe PostScript 3
Typefaces	136 resident PostScript Typefaces; TrueType [®] 42 font rasterizer; Types 1/3/4/5/6 PostScript download support
Interface	Simultaneously active - 10/100BaseT Ethernet [®] (EtherTalk ^{®,} TCP/IP, LPR, IPP)

Customize with the Feeder System that works for your needs. (no feeder, Enterprise-SL, or the complete Enterprise Feed System)





ENGINE SPECIFICATIONS

Configuration Desktop Technology Laser-beam scanning & electrophotographic printing with dual component toner development, 4-drum tandem method, output water proof and laser safe Color 60 ppm / Black & White 60 ppm **Printing Speed** Except when feeding from the bypass tray Warm-Up Time 22 seconds or less **First Print Speed** 8 seconds or less **Duplex Print Speed** Near 100% productivity for all paper sizes Print Resolution 600, 1200, 2400 or 4800 **Input Capacity** Standard: 2 x 550 sheets + 100-Sheet Bypass Tray **Output Capacity** Standard: 500 sheets face down

Paper Sizes

Feed Tray 1: Min: 8.5" W x 11" L (216 x 279 mm) Max: A4 - 8.2677" W x 11.6929" L (210mm x 297mm) Feed Tray 2: Min: 7.17" W x 5.83" L (182 x 148 mm) Max: SRA3 12.5" W x 17.7" L (320 x 450 mm) Min: 3.5" W x 3.5" L (89 x89 mm) Multi-Purpose Tray: Max: 13" W x 49.6" L (330 x 1260 mm)

Paper Weights

Energy Saver

First / Second Tray: 16 - 68 lb. Bond - 18pt Cover (60 - 400 gsm) 16 - 68 lb. Bond - 18pt Cover (60 - 400 gsm) Bypass Tray: Feed source for Labels, OHP and Envelopes **Duplex Unit:** 60 - 256 gsm **Paper Types** Bond, Plain, Recycled, Preprinted, Special, Color, Letterhead, Card Stock, Glossy, Coated, Labels, OHPs and Envelopes (4 Bar, Monarch, #10, window* and larger) **Auto Duplex** Standard Dimensions 23.2" W x 27" D x 28.6" H (587 x 685 x 725 mm) (Base Model) (Standard Configuration) Weight (Base Model) With consumables loaded (except toner) 187 lb. (85 kg) 120-127V / 220-240V (50/60 Hz) Power **Operating Power** 992W Consumption Maximum Power 1.854 kw or less

PRINTER CONTROLLER (Standard)

2.2W

CPU	Intel Atom Processor Bay Trail 1.75GHz
Memory	2 GB
Hard Disk Drive	320 GB HDD Standard on all models
Printer Languages	PCL 5c, PCL 6, RPCS, Adobe® PS® 3^{TM} , PDF Direct Print
Fonts	Standard: 45 PCL fonts, 13 Intl Fonts, 136 PS 3 fonts Optional: OCR and Barcode fonts available
Standard Interface	Ethernet (1000Base-T/100Base-TX/10Base-T),
	USB 2.0, SD Slot
Operating Systems	Windows 7 to current / Mac OS 10.7 to current

SYSTEM SPECIFICATIONS

ENTERPRISE HIGH SPEED FEEDER

Capacity Load up to 1,000 No.10 (241 x 105mm) Envelopes Paper Sizes 3.5" x 3.5" (89 x 89 mm) - 13" x 49.6" (305 x 1260 mm) Paper Weights 16 - 68 lb. Bond - 18pt Cover (60 - 400 asm)

ENTERPRISE-SL COMPACT HIGH SPEED FEEDER

Dimensions	28.75" x 11.5" x 22.25" (73cm x 29.2cm x 69.2cm)
Capacity	Load up to 500 No.10 (241 x 105mm) Envelopes
Paper Sizes	3.5" x 3.5" (89 x 89 mm) - 13" x 25.5" (305 x 648 mm)
Paper Weights	16 - 68 lb. Bond - 18pt Cover (60 - 400 gsm)

HARDWARE ACCESSORIES

Single-Tray Feed Unit

Capacity	550 sheets
Paper Sizes	3.625" x 5.125" (92 x 130 mm) - 11" x 17" (279 x 432 mm)
Paper Weights	16 - 68 lb. Bond - 14pt Cover (60 - 300 gsm)

Two-Trav Feed Unit

Capacity	1,100 sheets (550 x 2)
Paper Sizes	3.625" x 5.125" (92 x 130 mm) - 11" x 17" (279 x 432 mm)
Paper Weights	16 - 68 lb. Bond - 14pt Cover (60 - 300 gsm)

Large Capacity Feed Unit

Capacity	2,000 sheets
Paper Sizes	3.5" x 3.5" (89 x 89 mm) - 13" x 49.6" (330 x 1260 mm)
Paper Weights	16 - 68 lb. Bond / 14pt Cover (60 - 300 gsm)

SUPPLIES

Consumables	Yield	Consumables	Yield	
Black Toner ¹	20,000 pages @ 5%	Yellow Toner ¹	15,000 pages @ 5%	
Mag. Toner ¹	15,000 pages @ 5%	Cyan Toner ¹	15,000 pages @ 5%	
Also: Drum, Waste Toner Bottle, Transfer Belt and Fuser				

¹Based on a letter 5% test chart; 3 pages / job; Cyan, Magenta and Yellow (color printing only).

En/Press ships with starter toner cartridges that yield 10,000

pages for Black and 8,000 pages for each Color @ 5% coverage. Use only Xanté or Xanté approved consumables.



iQueue Simply Brilliant Workflow (Included)

Digital Color Workflow with Advanced Color Matching and File Management Tools

Available Features:

- Multi-Part Form Design
- Sequential Numbering
- Booklet Creation
- Universal Print Driver
- Independent CMYK
- **Color Controls**
- Patented Spot Color Matching
- Job Cost Estimator
- Full Imposition and Tiling
- Custom QR Code Generator
- Import Variable Data with Intelligent Mail barcodes*
- Automatic Creep
- Adjustment and more



9687 Gerwig Lane | Suite B | Columbia, Maryland | 21046 0: 410.290.8200 | F: 410.649.5226 atlanticgraphicsystems.com | agspress.com | info@agspress.com