

# CERTIFICATE OF ANALYSIS

## Prepared for:

# North Brands LLC

Batch ID or Lot Number:	Test, Test ID and Methods:	Matrix:	Page 1 of 5
NCC0057	Various	Unit	
Reported:	Started:	Received:	
10Jan2024	10Jan2024	09Jan2024	

## Cannabinoids

Test ID: T000267054					
Methods: TM14 (HPLC-DAD)	LOD (mg)	<b>LOQ</b> (mg)	Result (mg)	<b>Result</b> (mg/g)	Notes
Cannabichromene (CBC)	0.188	0.505	ND	ND	# of Servings = 1,
Cannabichromenic Acid (CBCA)	0.172	0.462	ND	ND	Sample
Cannabidiol (CBD)	0.516	1.326	9.860	0.00	Weight=355g
Cannabidiolic Acid (CBDA)	0.529	1.360	ND	ND	
Cannabidivarin (CBDV)	0.122	0.314	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.221	0.567	ND	ND	
Cannabigerol (CBG)	0.107	0.287	ND	ND	
Cannabigerolic Acid (CBGA)	0.446	1.199	ND	ND	
Cannabinol (CBN)	0.139	0.374	ND	ND	
Cannabinolic Acid (CBNA)	0.304	0.818	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.531	1.429	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.483	1.297	5.070	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.428	1.150	ND	ND	
Tetrahydrocannabivarin (THCV)	0.097	0.261	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.377	1.014	ND	ND	
Total Cannabinoids			14.930	0.00	
Total Potential THC			5.070	0.00	
Total Potential CBD			9.860	0.00	

#### **Final Approval**

Samantha Small 10Jan2024 01:24:00 PM MST

Sam Smith

PREPARED BY / DATE

APPROVED BY / DATE

Karen Winternheimer Winternheimen 10Jan2024 01:27:00 PM MST



# CERTIFICATE OF ANALYSIS

## Prepared for:

## **North Brands LLC**

Batch ID or Lot Number:	Test, Test ID and Methods:	Matrix:	Page 2 of 5
NCC0057	Various	Unit	
Reported:	Started:	Received:	
10Jan2024	10Jan2024	09Jan2024	

## **Residual Solvents**

Test ID: T000267058
Methods: TM04 (GC-MS): Residual

(			
Solvents	Dynamic Range (ppm)	Result (ppm)	Notes
Propane	95 - 1899	ND	
Butanes (Isobutane, n-Butane)	207 - 4139	ND	
Methanol	64 - 1277	ND	•
Pentane	94 - 1877	ND	*
Ethanol	96 - 1913	ND	•
Acetone	104 - 2089	ND	•
Isopropyl Alcohol	105 - 2097	ND	*
Hexane	7 - 132	ND	•
Ethyl Acetate	107 - 2132	ND	•
Benzene	0.2 - 4.3	ND	•
Heptanes	105 - 2097	ND	•
Toluene	19 - 382	ND	•
Xylenes (m,p,o-Xylenes)	139 - 2783	ND	•

#### **Final Approval**

Sam Smith Samantha Smith 11Jan2024 01:42:00 PM MST PREPARED BY / DATE

APPROVED BY / DATE

Karen Winternheimer 11Jan2024 W MANNEMEN 01:42:00 PM MST



# CERTIFICATE OF ANALYSIS

## Prepared for:

# **North Brands LLC**

Batch ID or Lot Number:	Test, Test ID and Methods:	Matrix:	Page 3 of 5
NCC0057	Various	Unit	
Reported:	Started:	Received:	
10Jan2024	10Jan2024	09Jan2024	

# Microbial Contaminants

		Quantitation		
Method	LOD	Range	Result	Notes
TM25: PCR	10 <sup>0</sup> CFU/25g	NA	Absent	Free from visual mold, mildew, and – foreign matter
TM25: PCR	10 <sup>0</sup> CFU/25g	NA	Absent	
TM24: Culture Plating	10 <sup>1</sup> CFU/g	1.0x10 <sup>2</sup> - 1.5x10 <sup>4</sup>	None Detected	-
TM26: Culture Plating	10 <sup>2</sup> CFU/g	1.0x10 <sup>3</sup> - 1.5x10 <sup>5</sup>	None Detected	
TM27: Culture Plating	10 <sup>1</sup> CFU/g	1.0x10 <sup>2</sup> - 1.5x10 <sup>4</sup>	None Detected	-
	MethodTM25: PCRTM25: PCRTM24: Culture PlatingTM26: Culture PlatingTM27: Culture Plating	MethodLODTM25: PCR $10^0$ CFU/25gTM25: PCR $10^0$ CFU/25gTM24: Culture Plating $10^1$ CFU/gTM26: Culture Plating $10^2$ CFU/gTM27: Culture Plating $10^1$ CFU/g	MethodLODQuantitation RangeTM25: PCR10° CFU/25gNATM25: PCR10° CFU/25gNATM24: Culture Plating10° CFU/g1.0x10² - 1.5x10⁴TM26: Culture Plating10² CFU/g1.0x10³ - 1.5x10⁵TM27: Culture Plating10° CFU/g1.0x10² - 1.5x10⁴	MethodLODQuantitation RangeResultTM25: PCR10° CFU/25gNAAbsentTM25: PCR10° CFU/25gNAAbsentTM24: Culture Plating101 CFU/g1.0x10² - 1.5x10²None DetectedTM26: Culture Plating10² CFU/g1.0x10³ - 1.5x10²None DetectedTM27: Culture Plating101 CFU/g1.0x10² - 1.5x10²None Detected

#### **Final Approval**

Keat Verhun	Brett Hudson 12Jan2024 11:11:00 AM MST	Breanne Maillot	Brianne Maillot 12Jan2024 01:51:00 PM MST
PREPARED BY / DATE		APPROVED BY / DATE	

## **Heavy Metals**

Test ID: T000267057 Methods: TM19 (ICP-MS): Heavy

Metals	Dynamic Range (ppm)	Result (ppm)	Notes
Arsenic	0.05 - 4.56	ND	
Cadmium	0.04 - 4.39	ND	
Mercury	0.05 - 4.50	ND	
Lead	0.04 - 4.10	ND	

### **Final Approval**

Samanthe Smoll

Sam Smith 12Jan2024 03:00:00 PM MST

nternheimer APPROVED BY / DATE

Karen Winternheimer 16Jan2024 12:59:00 PM MST

PREPARED BY / DATE



# CERTIFICATE OF ANALYSIS

## Prepared for:

## **North Brands LLC**

Batch ID or Lot Number:	Test, Test ID and Methods:	Matrix:	Page 4 of 5
NCC0057	Various	Unit	
Reported:	Started:	Received:	
10Jan2024	10Jan2024	09Jan2024	

## **Pesticides**

Test ID: T000267055

Methods: TM17			
(LC-QQ LC MS/MS)	Dynamic Range (ppb)	Result (ppb)	
Abamectin	311 - 2831	ND	Malathion
Acephate	40 - 2758	ND	Metalaxyl
Acetamiprid	43 - 2718	ND	Methiocarb
Azoxystrobin	43 - 2716	ND	Methomyl
Bifenazate	44 - 2695	ND	MGK 264 1
Boscalid	42 - 2734	ND	MGK 264 2
Carbaryl	41 - 2697	ND	Myclobutanil
Carbofuran	44 - 2706	ND	Naled
Chlorantraniliprole	42 - 2772	ND	Oxamyl
Chlorpyrifos	42 - 2771	ND	Paclobutrazol
Clofentezine	282 - 2719	ND	Permethrin
Diazinon	271 - 2723	ND	Phosmet
Dichlorvos	271 - 2767	ND	Prophos
Dimethoate	43 - 2709	ND	Propoxur
E-Fenpyroximate	264 - 2851	ND	Pyridaben
Etofenprox	42 - 2778	ND	Spinosad A
Etoxazole	281 - 2696	ND	Spinosad D
Fenoxycarb	43 - 2739	ND	Spiromesifen
Fipronil	54 - 2790	ND	Spirotetramat
Flonicamid	50 - 2792	ND	Spiroxamine 1
Fludioxonil	283 - 2738	ND	Spiroxamine 2
Hexythiazox	40 - 2806	ND	Tebuconazole
Imazalil	264 - 2746	ND	Thiacloprid
Imidacloprid	38 - 2799	ND	Thiamethoxam
Kresoxim-methyl	43 - 2739	ND	Trifloxystrobin

	Dynamic Range (ppb)	Result (ppb)
Malathion	276 - 2695	ND
Metalaxyl	44 - 2712	ND
Methiocarb	38 - 2787	ND
Methomyl	43 - 2772	ND
MGK 264 1	158 - 1629	ND
MGK 264 2	113 - 1090	ND
Myclobutanil	70 - 2723	ND
Naled	46 - 2668	ND
Oxamyl	42 - 2768	ND
Paclobutrazol	46 - 2692	ND
Permethrin	289 - 2802	ND
Phosmet	40 - 2590	ND
Prophos	275 - 2751	ND
Propoxur	43 - 2702	ND
Pyridaben	290 - 2755	ND
Spinosad A	34 - 2084	ND
Spinosad D	66 - 682	ND
Spiromesifen	263 - 2781	ND
Spirotetramat	282 - 2798	ND
Spiroxamine 1	15 - 1055	ND
Spiroxamine 2	23 - 1629	ND
Tebuconazole	274 - 2726	ND
Thiacloprid	45 - 2728	ND
Thiamethoxam	42 - 2767	ND
Trifloxystrobin	44 - 2718	ND

### **Final Approval**



Karen Winternheimer 17Jan2024 Manhemen 08:38:00 AM MST

Sam Smith

Samantha Smith 17Jan2024 08:39:00 AM MST

PREPARED BY / DATE

APPROVED BY / DATE



# CERTIFICATE OF ANALYSIS

#### Prepared for: North Brands IIC

Higher Vibes Pineapple Orange		North Brands LLC		
Batch ID or Lot Number: NCC0057	Test, Test ID and Methods: Various	Matrix: Unit	Page 5 of 5	
Reported:	Started:	Received:		
10Jan2024	10Jan2024	09Jan2024		



#### Definitions

LOD = Limit of Detection, ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation, PPB = Parts per Billion, % = % (w/w) = Percent (weight of analyte / weight

of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDa \*(0.877)). Fail equates to a concentration level of Delta 9-THC, on a dry weight basis, higher than 0.3 percent + or – the measurement uncertainty. Total Potential THC is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step. Total THC = THC + (THCa \*(0.877)). ALOQ = Above Limit Of Quantitation (defined by dynamic range of the method), CFU/g = Colony Forming Units per Gram. Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples:  $10^2 = 100$  CFU,  $10^3 = 1,000$  CFU,  $10^4 = 10,000$  CFU,  $10^5 = 100,000$  CFU.

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological. Some tests listed on this COA may not be within our scope of A2LA accreditation. Please visit A2LA for more details.



061c759d0ea4496bb9a761932dafc151.1