(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

1 of 5

SH:CBG

Sample ID: HR20200891015 Strain: SH:CBG Matrix: Plant Type: Preroll Sample Size: 10 g; Batch:

larrer

ISO 17025 Accredited Laboratory

Produced: Collected: 08/31/2020 Received: 08/31/2020 Completed: 09/09/2020 Batch#: SH-PR-A1

Client HHemp.Co Lic. # AG-R10666417IHH 924 Chevy Way Medford, OR 97504

Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	09/02/2020	Complete
Moisture	09/01/2020	13.10%
Terpenes	09/01/2020	Complete
Residual Solvents	09/01/2020	Pass
Microbials	09/02/2020	Pass
Mycotoxins	09/02/2020	Pass
Pesticides	09/01/2020	Pass
Heavy Metals	09/02/2020	Pass
Foreign Matter	09/01/2020	Pass

Cannabinoids

Complete

	0.18%		9.57%		19.79%
Тс	otal THC		Total CBD		Total Cannabinoids
Analyte	LOD	LOQ	Result	Result	
	%	%	%	mg/g	
THCa	0.0033	0.0100	ND -	ND	
Δ9-THC	0.0033	0.0100	0.18 9.27	1.8 92.7	alloratory
CBDa CBD	0.0033	0.0100	9.27	92.7 14.4	
CBN	0.0010	0.0025	ND	14.4 ND	
CBGa	0.0033	0.0100	8.35	83.5	
CBG	0.0010	0.0025	0.55	5.5	
Total THC			0.18	1.8	
Total CBD			9.57	95.7	
Total			19.79	197.9	

1 Unit = g, 1g. Determination of Cannabinoids by HPLC, HL223 Total THC = THCa * 0.877 + Δ 9-THC Total CBD = CBDa * 0.877 + CBD ND = Not Detected; NR = Not Reported; LOD = Limit of

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Ming Li - General Manager 09/09/2020

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

QA Testing

2 of 5

SH:CBG

Harrens

ISO 17025 Accredited Laboratory

Sample ID: HR20200891015	Produced:	Client
Strain: SH:CBG	Collected: 08/31/2020	HHemp.Co
Matrix: Plant	Received: 08/31/2020	Lic. # AG-R10666417IHH
Type: Preroll	Completed: 09/09/2020	924 Chevy Way
Sample Size: 10 g; Batch:	Batch#: SH-PR-A1	Medford, OR 97504

Terpenes

Analyte	LOD	LOQ	Results	Results	
	%	%	%	mg/g	
Guaiol	0.0080	0.0100	0.114	1.14	
β-Caryophyllene	0.0080	0.0100	0.113	1.13	
α-Bisabolol	0.0080	0.0100	0.105	1.05	
α-Humulene	0.0080	0.0100	0.038	0.38	
Caryophyllene Oxide	0.0080	0.0100	0.025	0.25	
cis-Nerolidol	0.0080	0.0100	0.019	0.19	
Linalool	0.0080	0.0100	0.019	0.19	
β-Myrcene	0.0080	0.0100	0.018	0.18	
3-Carene	0.0080	0.0100	ND	ND	
α-Phellandrene	0.0080	0.0100	ND	ND	
α-Pinene	0.0080	0.0100	ND	ND	
α-Terpinene	0.0080	0.0100	ND	ND	
α-Terpineol	0.0080	0.0100	ND	ND	
β-Ocimene	0.0080	0.0100	ND	ND	
β-Pinene	0.0080	0.0100	ND	ND	
Borneol	0.0080	0.0100	ND	ND	
Camphene	0.0080	0.0100	ND	ND	
δ-Limonene	0.0080	0.0100	ND	ND	
Eucalyptol	0.0080	0.0100	ND	ND	
Fenchol	0.0080	0.0100	ND	ND	
Fenchone	0.0080	0.0100	ND	ND	
y-Terpinene	0.0080	0.0100	ND	ND	
Geraniol	0.0080	0.0100	ND	ND	
Geranyl Acetate	0.0080	0.0100	ND	ND	
Isopulegol	0.0080	0.0100	ND	ND	
Menthol	0.0080	0.0100	ND	ND	
Nerol	0.0080	0.0100	ND	ND	
Ocimene	0.0080	0.0100	ND	ND	
Pulegone	0.0080	0.0100	ND	ND	
p-Cymene	0.0080	0.0100	ND	ND	
Terpinolene	0.0080	0.0100	ND	ND	
trans-Nerolidol	0.0080	0.0100	ND	ND	
Total			0.451	4.51	

Primary Aromas




Date Tested: 09/01/2020

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. SOP HL228. GC-FID







ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

09/09/2020

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

SH:CBG

larrens

ISO 17025 Accredited Laboratory

┝

Sample ID: HR20200891015	Produced:	Client
Strain: SH:CBG	Collected: 08/31/2020	HHemp.Co
Matrix: Plant	Received: 08/31/2020	Lic. # AG-R10666417IHH
Type: Preroll	Completed: 09/09/2020	924 Chevy Way
Sample Size: 10 g; Batch:	Batch#: SH-PR-A1	Medford, OR 97504

Pesticides

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.03	0.1	0.1	ND	Pass	Fludioxonil	0.03	0.1	0.1	ND	Pass
Acephate	0.03	0.1	0.1	ND	Pass	Hexythiazox	0.03	0.1	0.1	ND	Pass
Acequinocyl	0.03	0.1	0.1	ND	Pass	Imazalil	0.03	0.1	0.03	ND	Pass
Acetamiprid	0.03	0.1	0.1	ND	Pass	Imidacloprid	0.03	0.1	5	ND	Pass
Aldicarb	0.03	0.1	0.03	ND	Pass	Kresoxim Methyl	0.03	0.1	0.1	ND	Pass
Azoxystrobin	0.03	0.1	0.1	ND	Pass	Malathion	0.03	0.1	0.5	ND	Pass
Bifenazate	0.03	0.1	0.1	ND	Pass	Metalaxyl	0.03	0.1	2	ND	Pass
Bifenthrin	0.03	0.1	3	ND	Pass	Methiocarb	0.03	0.1	0.03	ND	Pass
Boscalid	0.03	0.1	0.1	ND	Pass	Methomyl	0.03	0.1	1	ND	Pass
Captan	0.03	0.1	0.7	ND	Pass	Mevinphos	0.03	0.1	0.03	ND	Pass
Carbaryl	0.03	0.1	0.5	ND	Pass	Myclobutanil	0.03	0.1	0.1	ND	Pass
Carbofuran	0.03	0.1	0.03	ND	Pass	Naled	0.03	0.1	0.1	ND	Pass
Chlorantraniliprole	0.03	0.1	10	ND	Pass	Oxamyl	0.03	0.1	0.5	ND	Pass
Chlordane	0.03	0.1	0.03	ND	Pass	Paclobutrazol	0.03	0.1	0.03	ND	Pass
Chlorfenapyr	0.03	0.1	0.03	ND	Pass	Parathion Methyl	0.03	0.1	0.03	ND	Pass
Chlorpyrifos	0.03	0.1	0.03	ND	Pass	Pentachloronitrobenzene	0.03	0.1	0.1	ND	Pass
Clofentezine	0.03	0.1	0.1	ND	Pass	Permethrin	0.03	0.1	0.5	ND	Pass
Coumaphos	0.03	0.1	0.03	ND	Pass	Phosmet	0.03	0.1	0.1	ND	Pass
Cyfluthrin	0.03	0.1	2	ND	Pass	Piperonyl Butoxide	0.03	0.1	3	ND	Pass
Cypermethrin	0.03	0.1	1	ND	Pass	Prallethrin	0.03	0.1	0.1	ND	Pass
Daminozide	0.03	0.1	0.03	ND	Pass	Propiconazole	0.03	0.1	0.1	ND	Pass
Diazinon	0.03	0.1	0.1	ND	Pass	Propoxur	0.03	0.1	0.03	ND	Pass
Dichlorvos	0.03	0.1	0.03	ND	Pass	Pyrethrins	0.03	0.1	0.5	ND	Pass
Dimethoate	0.03	0.1	0.03	ND	Pass	Pyridaben	0.03	0.1	0.1	ND	Pass
Dimethomorph	0.03	0.1	2	ND	Pass	Spinetoram	0.03	0.1	0.1	ND	Pass
Ethoprophos	0.03	0.1	0.03	ND	Pass	Spinosad	0.03	0.1	0.1	ND	Pass
Etofenprox	0.03	0.1	0.03	ND	Pass	Spiromesifen	0.03	0.1	0.1	ND	Pass
Etoxazole	0.03	0.1	0.1	ND	Pass	Spirotetramat	0.03	0.1	0.1	ND	Pass
Fenhexamid	0.03	0.1	0.1	ND	Pass	Spiroxamine	0.03	0.1	0.03	ND	Pass
Fenoxycarb	0.03	0.1	0.03	ND	Pass	Tebuconazole	0.03	0.1	0.1	ND	Pass
Fenpyroximate	0.03	0.1	0.1 0.03	ND	Pass	Thiacloprid	0.03	0.1	0.03	ND ND	Pass
Fipronil	0.03	0.1		ND	Pass	Thiamethoxam	0.03	0.1 0.1	5		Pass
Flonicamid	0.03	0.1	0.1	ND	Pass	Trifloxystrobin	0.03	U.1	0.1	ND	Pass

Date Tested: 09/01/2020 We analyze samples by AOAC Official Method 2007.01-Modified; ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866



Ming Li - General Manager 09/09/2020 www.confidentcannabis.com USO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

QA Testing

3 of 5

Pass

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

SH:CBG

Sample ID: HR20200891015	Produced:	Client
Strain: SH:CBG	Collected: 08/31/2020	HHemp.Co
Matrix: Plant	Received: 08/31/2020	Lic. # AG-R10666417IHH
Type: Preroll	Completed: 09/09/2020	924 Chevy Way
Sample Size: 10 g; Batch:	Batch#: SH-PR-A1	Medford, OR 97504

Residual Solvents

Harrens

ISO 17025 Accredited Laboratory

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	1	1	1	ND	Pass
Acetone	1	10	5000	ND	Pass
Acetonitrile	1	5	410	ND	Pass
Benzene	1	1	1	ND	Pass
Butane	1	25	5000	ND	Pass
Chloroform	1	1	1	ND	Pass
Ethanol	1	10	5000	ND	Pass
Ethyl-Acetate	1	10	5000	ND	Pass
Ethyl-Ether	1	10	5000	ND	Pass
Ethylene Oxide	1	1	1	ND	Pass
Heptane	1	10	5000	ND	Pass
Isopropanol	1	10	5000	ND	Pass
Methanol	1	10	3000	ND	Pass
Methylene-Chloride	1	1	1	ND	Pass
n-Hexane	1	10	290	ND	Pass
Pentane	1	10	5000	ND	Pass
Propane	1	10	5000	ND	Pass
Toluene	1	10	890	ND	Pass
Trichloroethene	1	1	1	ND	Pass
Xylenes	1	10	2170	ND	Pass

ISO 17025 Accredited Laboratory

Date Tested: 09/01/2020 ND = Not Detected; SOP HL231. Headspace GC-FID



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Ming Li - General Manager 09/09/2020

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Pass

5 of 5

SH:CBG

arrei

ISO 17025 Accredited Laboratory

Sample ID: HR20200891015	Produced:	Client
Strain: SH:CBG	Collected: 08/31/2020	HHemp.Co
Matrix: Plant	Received: 08/31/2020	Lic. # AG-R10666417IHH
Type: Preroll	Completed: 09/09/2020	924 Chevy Way
Sample Size: 10 g; Batch:	Batch#: SH-PR-A1	Medford, OR 97504

Microbials

Pass

Analyte	Results	Status
Aerobic Plate Count	NR	NT
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga Toxin-producing E. coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass
Yeast & Mold	NR	NT

Date Tested: 09/02/2020

Date Tested: 09/02/2020 NR = Not Reported; Aerobic Bacteria refers to Aerobic Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 3. E.coli refers to E.coli Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Coliforms refers to Coliform Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Salmonella analysis method by Compact Dry SL, Hardy Diagnostics. Visual Mold inspection by UV light. 1= Mold Present, 0=Mold Not Present. Yeast and Mold Plate count method by AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC: SOP HL 316. Aspergillus sp.: SOP HL311.2 (modified) & SOP HL 317.

Mycotoxins						Pass
Analyte		LOD	LOQ	Limit	Results	Status
		µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1		0.4	1		ND	Tested
Aflatoxin B2		0.4	1		ND	Tested
Aflatoxin G1		0.4	1		ND	Tested
Aflatoxin G2		0.4	1		ND	Tested
Total Aflatoxins				20	ND	Pass
Ochratoxin A		0.4	1	20	ND	Pass
Date Tested: 09/02/2020 SOP HL 240	7025	Accr	adita		orato	1rV

SOP HL 240 Total Aflatoxins = Aflatoxin B1 + Aflatoxin B2 + Aflatoxin G1 + Aflatoxin G2. Each aflatoxin is tested individually.

Heavy Metals					Pass
Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.07	0.20	0.2	ND	Pass
Cadmium	0.07	0.20	0.2	ND	Pass
Lead	0.17	0.50	0.5	ND	Pass
Mercury	0.03	0.10	0.1	ND	Pass

Date Tested: 09/02/2020 SOP HL 237



Ming Li - General Manager 09/09/2020

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.