

Khokolatez Milk Chocolate

Sample ID: HR20230490448	Produced:	Client:
Strain: Khokolatez Milk Chocolate	Collected: 04/26/2023	HHemp.Co
Matrix: Ingestible	Received: 04/26/2023	Lic. #
Type: Chocolate	Completed: 05/03/2023	924 Chevy Way
Sample Size: ; Batch:	Batch#: E-D9MC-1410	Medford, OR 97504



Summary

Test:	Date Tested:	Result:
Batch	04/27/2023	Complete
Cannabinoids		Complete

Cannabinoids

Complete



Analyte	LOD	LOQ	Mass	Mass	Mass	Mass
	mg/g	mg/g	%	mg/g	mg/unit	mg/serving
THCa	0.02000	0.06100	ND	ND	ND	ND
Δ9-THC	0.01500	0.04500	0.31	3.12	112.18	11.22
Δ8-THC	0.01400	0.04200	ND	ND	ND	ND
THCV	0.01500	0.04400	ND	ND	ND	ND
CBDa	0.01000	0.03100	ND	ND	ND	ND
CBD	0.01500	0.04500	ND	ND	ND	ND
CBDV	0.01300	0.04000	ND	ND	ND	ND
CBN	0.01600	0.05000	ND	ND	ND	ND
CBGa	0.02900	0.08800	ND	ND	ND	ND
CBG	0.01300	0.03900	ND	ND	ND	ND
CBC	0.01400	0.04200	ND	ND	ND	ND
CBL	0.01700	0.05300	0.63	6.34	228.13	22.81
HHC			1.31	13.10	471.60	47.16
Total THC			0.31	3.12	112.18	11.22
Total CBD			ND	ND	ND	ND
Total			2.26	22.55	811.91	81.19

1 Unit = g, 36g, 0.1 unit(s) per serving, 10 serving(s) per container.

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ9-THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory, HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



Ming Li

Ming Li - General Manager
05/03/2023

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.