

Chief Stix THC-A 1gm preroll Huckleberry + Bubblegum

Sample ID: HR20230790075	Produced:	Client
Strain: Huckleberry + Bubblegum	Collected: 07/07/2023	Chief Stix
Matrix: Plant	Received: 07/07/2023	Lic. #
Type: Preroll	Completed: 07/13/2023	924 Chevy Way
Sample Size: ; Batch:	Batch#: PR-HBG-1579-2	Medford, OR 97504




Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	07/10/2023	Complete
Moisture	07/10/2023	13.44%

Cannabinoids

Complete



Analyte	LOD mg/g	LOQ mg/g	Mass %	Mass mg/g	Mass mg/unit	Mass mg/serving
THCa	0.20000	0.61000	10.91	109.12		
Δ9-THC	0.15000	0.45000	0.27	2.70		
Δ8-THC	0.14000	0.42000	ND	ND		
THCV	0.15000	0.44000	ND	ND		
CBDa	0.10000	0.31000	6.56	65.59		
CBD	0.15000	0.45000	2.27	22.65		
CBDV	0.13000	0.40000	ND	ND		
CBN	0.16000	0.50000	ND	ND		
CBGa	0.29000	0.88000	8.04	80.42		
CBG	0.13000	0.39000	0.36	3.63		
CBC	0.14000	0.42000	ND	ND		
CBL	0.17000	0.53000	ND	ND		
Total THC			9.84	98.40	0.00	0.00
Total CBD			8.02	80.17		
Total			25.27	252.73	0.00	0.00

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ9-THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory, HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



Ming Li

Ming Li - General Manager
07/13/2023

Condent Cannabis
All Rights Reserved
support@condentcannabis.com
(866) 506-5866
www.condentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.