STUDENT SERVICE ISLAND-DOUBLE

C2410K, C2410KF, C2610K, & C2610KF SERIES
ASSEMBLY INSTRUCTIONS

AL DIMINSIONA ARE IN INCHES USES. DAVI. EMR. DAIR. 10/31/16 M. SOCIED CHIEFWARE.

NOTE:

1. MODEL VIEWS MAY NOT REPRESENT EXACT MODEL PURCHASED

 A
 CREATED DRAWING
 10/31/16
 EMR

 REV.
 DESCRIPTION
 DATE
 NAME
 ECN NO.

IN 1HIS DOCUMENT AND ALL KEPRODUCTIONS THEREOF ARE THE EXCLUSIVE PROPERTY OF DIVERSIFIED WOODCRAFTS, INC.

THESE DOCUMENTS ARE SUPPLIED WITH THE UNDERSTANDING THAT THEY WILL NOT BE DISCLOSED TO THIRD PARTIES WITHOUT WRITTEN COMERN OF DIVERSIFIED FOR THE WOODCRAFTS WILL NOT BE DISCLOSED TO THIRD PARTIES WITHOUT WRITTEN COMERN OF DIVERSIFIED FOR THE WOODCRAFTS WILL AND THE PROPERTY OF THE WOODCRAFTS WILL AND THE WOODCRAFT WILL AND THE WOODCRAFT

THESE DOCUMENTS ARE SUPPLIED WITH THE UNDERSTANDING THAT THEY WILL NOT BE DISCLOSED TO THIRD PARTIES WITHOUT WRITTEN CONSENT OF DIVERSIFIED WOODCRAFTS, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT WRITTEN CONSENT IS SUBJECT TO LEGAL ACTION.

DIVERSIFIED OF

300 South Krueger Street Suring, WI 54174 diversifiedwoodcrafts.com

STUDENT SERVICE ISLAND-DOUBLE
ASSEMBLY INSTRUCTIONS

ORAWING NUMBER: SCALE: SHEET: REVISION: NTS 1 OF 13 REV A

ASSEMBLY TEMPLATE

TOOLS REQUIRED				
½" WRENCH				
$rac{1}{2}$ " SOCKET AND TORQUE WRENCH - OPTIONAL				
CONTACT CEMENT				
SCREW DRIVER				
C-CLAMPS				
SHIM STOCK (IF NEEDED)				

ASSEMBLY COMPONENTS						
ITEMS INCLUDED	PART#	PART DESCRIPTION				
TOP	VARIES	TOP (STYLE VARIES), 1.00 X 48 X 66	1			
CABINET W/ REMOVABLE PANEL CLEATS ATTACHED	N/A	CABINET - 24"W X 35"H X 16"D CLEATS - 1"W X 34.50"H X 0.75"D	2			
REMOVABLE PANELS	N/A	REM PANELS - 13"W X 35"H X 0.75"D	2			
SCREWS - REMOVABLE PANELS	100495	SCREW,#10X1-½ PHIL TR. SMS,ZN	12			
APRON ASSEMBLY	N/A	APRON ASSEMBLY (FACTORY ASSEMBLED)	2			
SILICONE	100711	SILICONE,SEALANT,CLEAR	1			
LEGS	500101	LEG,OAK 2.25X2.25X34.25	2			
LEG LEVELER	100079	LEG LEVELER,BLK BASE 1	2			
LEG BOOT	100076	LEG BOOT,BLK RUBBER	2			
CARRIAGE BOLT	227159	BOLT,5/16X3-1/2,CARRIAGE	4			
HEX NUT	100044	NUT,HEX 5/16-18 STEEL ZINC	4			
WASHER	100451	WASHER,5 FLAT ZINC PLATED	4			
RUBBER BASE MOLDING	100283	RUBBER BASE MOLDING (SOLD BY FOOT)	11			
STAINLESS STEEL CORNERS	100057	CORNERS-STAINLESS STEEL,BASE	4			
SCREWS - BASE	100064	SCREW,#6X½ PTH SMS SS SCREW	16			
ELECTRICAL BOX	100033	ELECTRICAL BOX 3.00X2X2.50 DEEP	1			
ELECTRICAL OUTLET	100034	ELEC,OUTLET,GFI,20A 125V,BLK	1			
L BRACKET	100355	BRACKET,RAIL 1.25X1.25X4.25	4			
SCREWS - L BRACKET	100649	SCREW,#8X¾ PHIL TRUSS HEAD SMS	16			

NOTE:

1. TOPS ARE EITHER PHENOLIC OR EPOXY.

ALL DIMENSIONS ARE IN INCHES UNLESS NOTED OTHERWISE	DWN BY:	EMR	DATE DWN:	10/31/16
DECIMALS: .X = ± .030 .XX = ± .020 .XXX = ± .010	APR BY:		DATE APR:	
ANGLES: = ± 1°0′ CABINET SQUARENESS = + 0625	APR RY:		DATE APR:	

CONFIDENTIAL:
ALL DESIGN RIGHTS RESERVED
THE INFORMATION, DATA, DESIGN, AND DRAWINGS EMBODIED
IN THIS DOCUMENT AND ALL REPRODUCTIONS THEREOF ARE
THE EXCLUSIVE PROPERTY OF DIVERSIFIED WOODCRAFTS, INC.

THESE DOCUMENTS ARE SUPPLIED WITH THE UNDERSTANDING THAT THEY WILL NOT BE DISCLOSED TO THIRD PARTIES WITHOUT WRITTEN CONSENT OF DIVERSIFIED WOODCRAFTS, NC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT WRITTEN CONSENT IS SUBJECT TO LEGAL ACTION.

SPACES

300 South Krueger Street Suring, WI 54174 diversifiedwoodcrafts.com

REVISION:

STUDENT SERVICE ISLAND-DOUBLE TOOLS AND ASSEMBLY COMPONENTS

SHEET: STUDENT SERVICE ISLAND _{2 OF 13} REV A NTS

CREATED DRAWING 10/31/16 EMR REV. DESCRIPTION NAME ECN NO. DATE REVISION LEVEL

ASSEMBLY TEMPLATE

ASSEMBLY COMPONENTS						
ITEMS INCLUDED	PART #	PART DESCRIPTION	QTY			
FIXTURE - FAUCETS	100074-BKR	FIXTURE,L65-WSA-DIV(MULTI-SERVICE)	2			
FIXTURE - SINK	100691	SINK,EPOXY L3,BLK	1			
FIXTURE - SINK TRAP	100056	SINK TRAP,PLATIC ADJUSTABLE	1			
FIXTURE - SINK STOPPER	100112	SINK STOPPER 1 ½,BLK	1			
FIXTURE - STRAINER	100055	SINK,OUTLET/STAINER EPOXY,BLK	1			
ROD SOCKETS	206505	ROD SOCKET ASSY, SOCKET, WASHER, NUT	2			

NOTE:

1. **XX** INDICATES ITEMS USED ONLY FOR THE "K" SERIES.

ALL DIMENSIONS ARE IN INCHES UNLESS DWN NOTED OTHERWISE DECIMALS; X = ± .000 XX = ± .000 X DATE DWN: 10/31/16

CONFIDENTIAL:
ALL DESIGN RIGHTS RESERVED
THE INFORMATION, DATA, DESIGN, AND DRAWINGS EMBODIED
IN THIS DOCUMENT AND ALL REPRODUCTIONS THEREOF ARE
THE EXCLUSIVE PROPERTY OF DIVERSIFIED WOODCRAFTS, INC.

THESE DOCUMENTS ARE SUPPLIED WITH THE UNDERSTANDING THAT THEY WILL NOT BE DISCLOSED TO THIRD PARTIES WITHOUT WRITTEN CONSENT OF DIVERSIFIED WOODCRAFTS, NC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT WRITTEN CONSENT IS SUBJECT TO LEGAL ACTION.


SPACES


300 South Krueger Street Suring, WI 54174 diversifiedwoodcrafts.com


STUDENT SERVICE ISLAND-DOUBLE TOOLS AND ASSEMBLY COMPONENTS


SHEET: REVISION: STUDENT SERVICE ISLAND 3 OF 13 REV A NTS


Α	CREATED DRAWING	10/31/16	EMR	-			
REV.	DESCRIPTION	DATE	NAME	ECN NO.			
REVISION LEVEL							























TROUBLESHOOTING YOUR GFCI ELECTRICAL RECEPTACLE:

<u>PLEASE NOTE: THROUGHOUT ANY OF THE FOLLOWING STEPS (PROCEDURES); IF YOU ARE NOT SURE YOU CAN DO THIS JOB SAFELY, AND COMPETENTLY, REFER THIS WORK TO QUALIFIED PROFESSIONAL!</u>

If your unit comes equipped with a GFCI (Ground Fault Circuit Interrupter) electrical receptacle, and there is no power in the receptacle please consider/check the following:

- The extension cord (if being used) is working properly.
- The breaker hasn't been tripped, or turned off.

This type of GFCI has two testing-related buttons on it. One button is appropriately labeled "TEST", and the other button is labeled "RESET". To test the GFCI receptacle follow these steps:

- Plug in an appliance (lamp or night light) into the outlet. The light should now be on. Then press the "TEST" button on the GFCI. The GFCI "RESET" button should pop out, and the light should go out.
- If the "RESET" button pops out, but the light doesn't go out, the GFCI has been improperly wired. In this case please contact a certified professional. There may also be a problem with other wiring in the same circuit.
- If the "RESET" button doesn't pop out, the GFCI is defective, or malfunctioned, and should be replaced.
- If the GFCI is functioning properly, and the lamp goes out, press the "RESET" button to restore power to the outlet.

Conversely, if you have a GFI that has tripped (which is common) and it will not reset, you may have a wiring short in the circuit, a defective appliance on the circuit, or the GFI itself has become defective. To test a tripping GFCI follow these steps:

- Remove every appliance connected to the GFCI's circuit and reset it. If it doesn't reset there may either be a wiring fault behind a socket outlet, or your GFCI itself has become faulty.
- Make sure whatever you are plugging into to the GFCI is dry and not damaged.
- Only plug in one item at a time. If you are plugging in a defective item it will cause the GFCI to trip, and that item therefore should be replaced.

If you are still having difficulty the easiest way to troubleshoot a GFI is to obtain a GFI tester, which is available at most hardware stores. It plugs into the GFI outlet, and will supply you with a "snapshot" of your connections, indicating wiring problems and/or the condition of the GFI. Another way to troubleshoot is to simply purchase a new GFI and install it.