# 7.5FT X 7.5FT LUMIÈRE LIGHT WALL

PRODUCT CODE: LLW3X3















**Graphic Endcaps (Optional)** 



Channel Bars on Frame



Frame



Ladder Lights

### PRODUCT DESCRIPTION

Illuminate your message with the Lumiere Light Wall! Lumiere ladder lights make backlit graphics pop on this innovative combo display of silicone-edge graphics and portable RPL fabric pop ups. Plus, the Lumiere shrinks down in size: simply collapse the geometric frame and the SEG bungeed channel bars, and fold or roll the fabrics graphics. Setup requires 1 person and 5-10 minutes. SEG portability is easy and stylish.

DISPLAY DIMENSION	88.75 " W x 88.75" H x 14.5" D
-------------------	--------------------------------

### **GRAPHIC DIMENSIONS**

MAIN GRAPHIC 89" W x 89" H END CAP GRAPHIC 14.25" W x 89" H

#### **GRAPHIC MATERIAL**

UV Backlit Fabric

#### **GRAPHIC FINISHING**

Silicone beading is sewn around the perimeter of the fabric graphic. Silicone beading is hidden from view once installed.

#### **DISPLAY CONSTRUCTION**

Aluminum Frame

### LADDER LIGHTS SPECIFICATION

EACH LIGHT BEAD | 1.0W ANGLE 170° OPERATING VOLTAGE DC12V/24V TOTAL WATTAGE 315W TOTAL AMPERAGE | 13.5A

### TRANSFORMER SPECIFICATION

OUTPUT | 24V/3.75A INPUT | AC100-240V/1.3A

### SHIPPING WEIGHTS & DIMENSIONS

Lumiere Ladder Lights - 3 Units Shipping Weight 23 lbs

> Shipping Dimensions 12" L x 12.25" W x 33.5" H

Lumiere Light Wall

Shipping Weight 28 lbs (frame only) 32 lbs (with graphics) 34" L x 14" W x 9" H **Shipping Dimensions** 

### LARGE QUANTITY FREIGHT

Lumiere Ladder Lights Freight Shipping 30 boxes per 48" L x 40" W x 28.5" H skids Freight Weight 168 lbs Lumiere Light Wall Freight Shipping 15 boxes per 48" L x 40" W x 48" H skids

336 lbs (frame only)

### Freight Weight 384 lbs (with graphics) **GRAPHIC TURN AROUND TIME**

2 business days after proof approval

AVAILABILITY | CA and PA

# **AVAILABLE ACCESSORIES**



La Caja Case



Genie Counter Case



Hard Case Podium



Stabilization Feet



Straight Connector



L Link Connector



Internal Showcase



Lumiere Jumper Cable\*

# PARTS LIST



Qty 1 - Pop Up Frame



Qty 8 - 3 Section Channel Bars




Qty 4 - End Cap Channel Bars



Qty 1 - Carry Bag



Qty 1 - Channel Bar Bag



Qty 9 - Ladder Lights



Qty 3 - Transformer



Qty 3 - Transformer Power Cord



Qty 3 - Ladder Light Travel Bag




# **SET UP INSTRUCTIONS 1/2**


## **Set Up Pop Up Frame**



a. Place frame with the adjustable feet facing down.




**b.** Expand the frame.




c. Close frame by pushing the outside of the frame until male and female ends connect.


### **Insert Channel Bars**



a. Expand each channel bar. Follow bungee to connect.



**b.** Attach channel bars to frame.



c. Slide channels bars onto frame, from top to bottom, then secure onto metal peg.



d. Attach the top and bottom endcaps on each side of the frame.

### **Unfold The Hooks**



a. Locate each hook.



**b.** Turn each hook outward.



c. Twist each hook to face the front of the ladder light.

# SET UP INSTRUCTIONS 2/2

### **Hook Ladder Lights**



**a.** Hang ladder lights from top "x" bar. **Note:** Make sure to follow label that says "UP" or "DOWN".



**b.** Hang ladder lights in each section of the frame until reaching the bottom of the frame.

# **Connect Ladder Lights**



**a.** Connect each ladder light together using the barrel connectors.



**b.** Connect bottom set of lights to the LED Driver using the barrel connectors



**c.** Insert power cord to the LED Driver. Plug other side into your main power outlet.

# **Install Graphic**



**a.** In each corner, insert the silicone edge beading into the groove.



**b.** Then insert the remainder of the beading. Repeat blockout installation for the back frame.



**c.** Then repeat graphic installation on the end caps for each side.