

# SUBWAY COLLECTION


























The Subway Collection combines two unique lines of ceramic subway tiles in a variety of rich colors and glazes. A Train is a traditional straight-edge ceramic tile, while B Train expands the category with a rustic-body and unfinished edges. Both lines work beautifully when used on their own, or pair perfectly with our most popular stone and glass tile collections.



PICTURED: B TRAIN WHITE GLOSS


# SUBWAY COLLECTION

## A Train

<p>STRAIGHT EDGE FIELD TILE - 5" x 10" x 3/8"</p>  <p>White Matte</p>  <p>White Gloss</p>	<p>STRAIGHT EDGE FIELD TILE - 4" x 12" x 3/8"</p>  <p>White Gloss</p>	<p>STRAIGHT EDGE FIELD TILE - 3" x 6" x 3/8"</p>  <p>White Gloss</p>	<p>STRAIGHT EDGE FIELD TILE - 5" x 5" x 3/8"</p>  <p>White Gloss</p>																		
	<p>STRAIGHT EDGE FIELD TILE - 2 1/2" x 10" x 3/8"</p>  <p>White Matte</p>  <p>White Gloss</p>  <p>Indigo Gloss</p>  <p>Azul Gloss</p>  <p>Pearl Gloss</p>																				
	<p>LONG SIDE BULLNOSE - 2 1/2" x 10" x 3/8"</p>  <p>White Matte</p>  <p>White Gloss</p>  <p>Azul Gloss</p>  <p>Pearl Gloss</p>  <p>Antique Cream Gloss</p>																				
<p>CHAIR RAIL MOLDING - 1 1/2" x 10" x 3/4"</p>  <p>White Matte</p>  <p>White Gloss</p>  <p>White Gloss Crackle</p>	<p>A &amp; B TRAIN QUARTER ROUND MOLDING - 5/8" x 12" x 3/16"</p>  <p>Antique Cream Gloss</p>  <p>Ash Gloss</p>  <p>Azul Gloss</p>  <p>Indigo Gloss Crackle</p>  <p>White Gloss</p>  <p>White Gloss Crackle</p>  <p>Pearl Gloss</p>																				
<p>SUGGESTED GROUT COLORS:</p> <table border="1"> <tr> <td>White Matte</td> <td>Mapei Avalanche</td> </tr> <tr> <td>White Gloss</td> <td>Mapei Frost</td> </tr> <tr> <td>White Gloss Crackle</td> <td>Mapei Light Almond</td> </tr> <tr> <td>Antique Cream Gloss</td> <td>Mapei Warm Gray</td> </tr> <tr> <td>Pearl Gloss &amp; Crackle</td> <td>Mapei Pearl Gray</td> </tr> <tr> <td>Ash Gloss</td> <td>Mapei Sahara Beige</td> </tr> <tr> <td>Elephant Gloss &amp; Crackle</td> <td>Mapei Frost Sanded</td> </tr> <tr> <td>Azul Gloss</td> <td>Mapei Charcoal Sanded</td> </tr> <tr> <td>Indigo Gloss &amp; Crackle</td> <td></td> </tr> </table>				White Matte	Mapei Avalanche	White Gloss	Mapei Frost	White Gloss Crackle	Mapei Light Almond	Antique Cream Gloss	Mapei Warm Gray	Pearl Gloss & Crackle	Mapei Pearl Gray	Ash Gloss	Mapei Sahara Beige	Elephant Gloss & Crackle	Mapei Frost Sanded	Azul Gloss	Mapei Charcoal Sanded	Indigo Gloss & Crackle	
White Matte	Mapei Avalanche																				
White Gloss	Mapei Frost																				
White Gloss Crackle	Mapei Light Almond																				
Antique Cream Gloss	Mapei Warm Gray																				
Pearl Gloss & Crackle	Mapei Pearl Gray																				
Ash Gloss	Mapei Sahara Beige																				
Elephant Gloss & Crackle	Mapei Frost Sanded																				
Azul Gloss	Mapei Charcoal Sanded																				
Indigo Gloss & Crackle																					

APPLICATIONS								
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND
No	All	All <sup>1</sup>	No	No	Yes	No	No	Yes

VARIATION



INSTALLATION/MAINTENANCE									
SETTING MATERIAL	GROUT	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT
Ardex X4 Tile & Stone Mortar <sup>2</sup>	Ardex FL Rapid Set Sanded <sup>3</sup>	1/16" Minimum	Mapei Mapelastac AquaDefense	Mapei Keracaulk Sanded	Not Required <sup>4</sup>	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Recommended

AVAILABLE SIZES	
<p>A &amp; B TRAIN QUARTER ROUND MOLDING</p> <p>5/8" x 12" x 3/16"</p> <p>Matte, Gloss &amp; Gloss Crackle</p>	<p>A TRAIN LONG SIDE BULLNOSE</p> <p>2 1/2" x 10" x 3/8"</p> <p>Matte, Gloss &amp; Gloss Crackle</p>
<p>A TRAIN CHAIR RAIL MOLDING</p> <p>1 1/2" x 10" x 3/4"</p> <p>Matte, Gloss &amp; Gloss Crackle</p>	<p>A TRAIN STRAIGHT EDGE FIELD TILE</p> <p>2 1/2" x 10" x 3/8"</p> <p>Matte, Gloss &amp; Gloss Crackle</p>
<p>A TRAIN STRAIGHT EDGE FIELD TILE</p> <p>4" x 12" x 3/8"</p> <p>Gloss</p>	<p>A TRAIN STRAIGHT EDGE FIELD TILE</p> <p>5" x 10" x 3/8"</p> <p>Matte, Gloss &amp; Gloss Crackle</p>
<p>A TRAIN STRAIGHT EDGE FIELD TILE</p> <p>3" x 6" x 3/8"</p> <p>Gloss</p>	<p>A TRAIN STRAIGHT EDGE FIELD TILE</p> <p>5" x 5" x 3/8"</p> <p>Gloss</p>

**NOTES**

<sup>1</sup> All crackle glazes must be sealed to limit water penetration and tile discoloration. Artistic Tile recommends 3-coats of sealer at the time of installation. Crackle glazes will continue to crackle over time and sealer should be applied every 6-months. Some water-related darkening may still occur.




<sup>2</sup> Alternate mortar - Mapei Ultraflex or Mapei Type I Mastix (dry areas only)



<sup>3</sup> Alternate grout options - Mapei Ultracolor Plus FA or Mapei Keracolor Sanded. Dark or contrasting color grouts are likely to stain crackle glaze tiles.

<sup>4</sup> A Train Crackle glazes must be sealed - Aquamix Sealer's Choice Gold. Material has protective wax applied to minimize damage in shipping, which is easily removed. If necessary, scrape lightly with a plastic scraper and clean with warm water, glass cleaner or 100% acetone.

# SUBWAY COLLECTION

## B Train

<p><b>RUSTIC EDGE FIELD TILE - 3" × 12" × 3/8"</b></p>  <p>White Gloss</p> <p>Pearl Gloss Crackle</p> <p>White Gloss Crackle</p> <p>Indigo Gloss Crackle</p> <p>Antique Cream Gloss Crackle</p>	<p><b>LONG SIDE BULLNOSE - 1 1/2" × 12" × 3/8"</b></p>  <p>White Gloss</p> <p>Pearl Gloss Crackle</p> <p>White Gloss Crackle</p> <p>Indigo Gloss Crackle</p> <p>Antique Cream Gloss Crackle</p>																		
<p><b>A &amp; B TRAIN QUARTER ROUND MOLDING - 5/8" × 12" × 5/16"</b></p>  <p>Antique Cream Gloss</p> <p>Ash Gloss</p> <p>Azul Gloss</p> <p>Indigo Gloss Crackle</p> <p>Pearl Gloss</p> <p>White Gloss</p> <p>White Gloss Crackle</p>	<p><b>SUGGESTED GROUT COLORS:</b></p> <table border="1"> <tr> <td>White Matte</td> <td>Mapei Avalanche</td> </tr> <tr> <td>White Gloss</td> <td>Mapei Frost</td> </tr> <tr> <td>White Gloss Crackle</td> <td>Mapei Light Almond</td> </tr> <tr> <td>Antique Cream Gloss &amp; Crackle</td> <td>Mapei Warm Gray</td> </tr> <tr> <td>Pearl Gloss &amp; Crackle</td> <td>Mapei Pearl Gray</td> </tr> <tr> <td>Ash Gloss</td> <td>Mapei Sahara Beige</td> </tr> <tr> <td>Elephant Gloss Crackle</td> <td>Mapei Frost Sanded</td> </tr> <tr> <td>Azul Gloss</td> <td>Mapei Charcoal Sanded</td> </tr> <tr> <td>Indigo Gloss &amp; Crackle</td> <td></td> </tr> </table>	White Matte	Mapei Avalanche	White Gloss	Mapei Frost	White Gloss Crackle	Mapei Light Almond	Antique Cream Gloss & Crackle	Mapei Warm Gray	Pearl Gloss & Crackle	Mapei Pearl Gray	Ash Gloss	Mapei Sahara Beige	Elephant Gloss Crackle	Mapei Frost Sanded	Azul Gloss	Mapei Charcoal Sanded	Indigo Gloss & Crackle	
White Matte	Mapei Avalanche																		
White Gloss	Mapei Frost																		
White Gloss Crackle	Mapei Light Almond																		
Antique Cream Gloss & Crackle	Mapei Warm Gray																		
Pearl Gloss & Crackle	Mapei Pearl Gray																		
Ash Gloss	Mapei Sahara Beige																		
Elephant Gloss Crackle	Mapei Frost Sanded																		
Azul Gloss	Mapei Charcoal Sanded																		
Indigo Gloss & Crackle																			

APPLICATIONS									VARIATION		
INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	POOL/ FOUNTAIN	COUNTER TOP	FIREPLACE SURROUND			
No	All	All <sup>1</sup>	No	No	No	No	No	Yes			
INSTALLATION/MAINTENANCE										AVAILABLE SIZES	
SETTING MATERIAL*	GROUT*	GROUT JOINT	MEMBRANE	CAULK	SEALER	CLEANER	INSTALLATION INSTRUCTIONS	LAYOUT	DRY LAYOUT	 <p><b>A &amp; B TRAIN QUARTER ROUND MOLDING</b> 5/8" × 12" × 5/16" Matte, Gloss &amp; Gloss Crackle</p> <p><b>B TRAIN LONG SIDE BULLNOSE</b> 1 1/2" × 12" × 3/8" Gloss &amp; Gloss Crackle</p> <p><b>B TRAIN RUSTIC EDGE FIELD TILE</b> 3" × 12" × 3/8" Gloss &amp; Gloss Crackle</p>	
Mapei Ultraflex 2 White <sup>2</sup>	Mapei Ultracolor Plus Sanded <sup>3</sup>	1/8" Minimum	Mapei Mapelastac AquaDefense	Mapei Keracaulk Sanded	Not Required <sup>4</sup>	AquaMix Concentrated Stone & Tile Cleaner	TCNA Handbook	No	Recommended		
NOTES											
<p><sup>1</sup> All crackle glazes must be sealed to limit water penetration and tile discoloration. Artistic Tile recommends 3-coats of sealer at the time of installation. Crackle glazes will continue to crackle over time and sealer should be applied every 6-months. Some water-related darkening may still occur.</p> <p><sup>2</sup> Alternate mortar - Mapei Kerabond/Keralastic System, Mapei Type I Mastic (dry areas only) or Ardex X4.</p> <p><sup>3</sup> Alternate grout options - Mapei Keracolor Sanded or Ardex FI Rapid Set Sanded Dark or contrasting color grouts are likely to stain crackle glaze tiles.</p> <p><sup>4</sup> B Train crackle tiles must be sealed - Aquamix Sealer's Choice Gold. Material has protective wax applied to minimize damage in shipping, which is easily removed. If necessary, scrape lightly with a plastic scraper and clean with warm water, glass cleaner or 100% acetone.</p>											

# SUBWAY COLLECTION


A Train



*3" x 6" & 4" x 12" White Gloss*



*5" x 10" Ash Gloss & 2 1/2" x 10" Pearl Gloss*



*5" x 10" Antique Cream Gloss & 2 1/2" x 10" Elephant Gloss*



*5" x 10" Grey Mist Gloss & 2 1/2" x 10" Azul Gloss*