# VANILLA ONYX SLAB

Vanilla Onyx brings a translucent, dreamy aspect to any project. Its exotic beauty evokes soft moonlight; making Onyx a desired element in jewelry for centuries. Dramatic yet serene, Vanilla Onyx is exquisite in any setting.





2cm Polished - Vein Cut


2cm Polished - Cross Cut

APPLICATIONS											LATION/ ENANCE	TAILORED TO CUSTOMIZATION
ACID SENSITIVITY	COUNTER TOP	INTERIOR FLOOR	INTERIOR WALL	SHOWER WALL	SHOWER FLOOR	EXTERIOR FLOOR	EXTERIOR WALL	,	FIREPLACE SURROUND	SETTING MATERIAL	INSTALLATION INSTRUCTIONS	CARPET CUTTING
												FIELD
												MOSAIC
High <sup>1</sup>	Yes, bathroom only	Medium Traffic Residential	All	Conventional Only <sup>2</sup>	Yes <sup>2</sup>	No	Yes, non-freeze thaw	No	Yes	Mapei Kerapoxy 410 White <sup>3</sup>	MIA DSDM <sup>4</sup>	SADDLE
												VANITYTOP
												WATERJET

#### ORIGIN



### VARIATION



## SLAB



Vein Cut & Cross Cut

## (2CM)



MATERIAL

#### NOTES

- <sup>1</sup>This material is highly sensitive to acids. When used as a kitchen countertop, acid etching will be highly visible. Do not use this material if acid etching is a concern. For kitchen countertops we recommend a honed finish. Expect material to patina over time and create a beautiful rustic/antique look.
- <sup>2</sup> Regarding Fiberglass Mesh Backed Stones for installation in wet areas, consult your fabricator for recommended installation method. Options include, but are not limited to complete removal of fiberglass mesh backing (where applicable) or installing with epoxy setting material. Any decision to install contrary to most current Marble Institute of America Dimension Stone Design Manual practices is solely at buyers discretion and risk.
- <sup>3</sup> May have fiberglass mesh backing, choose setting materials accordingly.
- $^4\,\text{Please}$  see MIA DSDM (Dimension Stone Design Manual) for all installation instructions.

 $Mortar\ Note: The\ MIA\ recommends\ installing\ resin-backed\ stone\ with\ epoxy-based\ setting\ materials.\ Consult\ your\ setting\ materials\ manufacturer\ for\ specific\ recommendations.$