HTROTRONICS

www.taotronics.com

NORTH AMERICA

E-mail : support@taotronics.com(US) support.ca@taotronics.com(CA) Tel : 1-888-456-8468 (Monday-Friday: 9:00 - 17:00 PST) US Distributor: SUNVALLEYTEK INTERNATIONAL INC. Address:46724 Lakeview Blvd, Fremont, CA 94538

EUROPE

E-mail: support.uk@taotronics.com(UK) support.de@taotronics.com(DE) support.fr@taotronics.com(FR) support.es@taotronics.com(ES) support.it@taotronics.com(IT) EU Importer: ZBT International Trading GmbH Address:Halstenbeker Weg 98C, 25462 Rellingen, Deutschland

ASIA PACIFIC

E-mail: support.jp@taotronics.com(JP) Tel: 03-5542-0238(10~18時/土日祝除く) JP Importer: 株式会社SUNVALLEY JAPAN Address: 〒104-0032東京都中央区八丁堀 3 丁目18-6 PMO京橋東 9 F

MANUFACTURER

Manufacturer: Shenzhen NearbyExpress Technology Development Co.,Ltd. Address: 333 Bulong Road, Shenzhen, China, 518129

Learn more about the EU Declaration of Conformity: https://www.taotronics.com/downloads-TT-AH018-CE-Cert.html



TT-AH018_V1.2 EN

H THOTRONICS

Extend your warranty to 18 months by registering your product on our website taotronics.com/warranty:

support@taotronics.com(US) support.ca@taotronics.com(CA) support.uk@taotronics.com(UK)



MODEL: TT-AH018 TOP FILL HUMIDIFIER **User Manual**

CONTENTS

STATEMENT	01
SAFETY INSTRUCTIONS	01
BEFORE USING THE HUMIDIFIER	02/03
WHEN USING THE HUMIDIFIER	04
AFTER USING THE HUMIDIFIER	05
PACKAGE CONTENTS	06
SPECIFICATIONS	06
PRODUCT DIAGRAM	07
OPERATIONS AND FUNCTIONS	08
Add Water	08
Power On / Off	09
Mist Adjustment	09
Warm Mist Adjustment	09
Sleep Mode	09
Humidity Setting	10
Timer Setting	10
Low Water Protection: Auto Shut-off the Humidifier	10
Memory Function	10
High Temperature Alarm	10
CLEANING AND MAINTENANCE	11
Caution	11
Daily Maintenance	11
Weekly Maintenance	11
Scale Removal Instructions	11/12
Disinfecting Instructions	13
End-of-Season Care and Storage	13
TROUBLESHOOTING GUIDE	14
WARRANTY	15
TAOTRONICS CUSTOMER CARE	15

STATEMENT

Thank you for purchasing a TaoTronics product that has been tested to meet our stringent quality standards. This product is covered with TaoTronics product and labor warranty for **12** months from the date of its original purchase.

For any question, please email us with your order ID and problem or issue via **support@taotronics.com**, we will respond within 24 hours.

Please read the User Manual thoroughly. Clean and maintain the product as instructed. If any abnormalities occur, please refer to the Troubleshooting Guide first.


This warranty is void if the defect is caused by accidental damage, misuse, abuse, neglect, improper repair or alteration by unauthorized persons, or a failure to follow operating instructions provided with the product including adding essential oils directly into the tank and base. This warranty does not apply to normal wear and tear or commercial use.

In no event shall liability exceed the purchase price paid by the purchaser of the product. Under no circumstances shall there be liability for any loss - direct, indirect or incidental - or consequential damage arising out of, or in connection with the use of the product.


SAFETY INSTRUCTIONS

The humidifier was made with safe and environmental protection materials, it has been certified and complied with the requirement of sale regions' related regulations or laws. **IMPORTANT:** Please read and save this SAFETY INSTRUCTIONS before using the device. Basic precautions should always be followed to reduce the risk of fire, electrical shock, and injury to persons or damage to the product.

BEFORE USING THE HUMIDIFIER




- 1. Please extend the cord and check any signs of damage. Do not use the humidifier if the cord has been damaged.
- 2. DO NOT place this humidifier in wet environments.





Please always keep the humidifier out of reach of patients & children & pet.





- 1. Please always place the unit on a smooth, flat, lint-free, non-metallic, waterproof and level surface and keep it away from direct sunlight.
- 2. Always place the unit 2 feet (60 cm) above the floor, 12 inches (30 cm) away from the wall, other appliances or wooden furniture.






1. DO NOT place the unit on carpet, towel or wood surface, which will block the vent and may

damage the unit.


2. DO NOT place the humidifier near naked flames and heat sources, such as stove tops, ovens, radiators or computers.

WHEN USING THE HUMIDIFIER






- 1. DO NOT plug the unit with wet hands.
- 2. DO NOT direct the mist nozzle against the wall.




- 1. DO NOT use your hand or any other object to cover the nozzle while the unit is on to avoid
- damaging the product or causing injury.
- $\ensuremath{\text{2. DO}}\xspace$ NOT clean the unit while it is connected to a power source or while it is on.



- 1. DO NOT move or tilt the humidifier while it is in operation.
- 2. The most comfortable environmental humidity is between 40%-60%. Please adjust the mist as needed.

AFTER USING THE HUMIDIFIER






2

- 1. Always disconnect from a power source by pulling the plug when not in use.
- 2. Humidifier requires regular cleaning. Please refer to, and follow the Cleaning and


Maintenance instructions.




- 1. DO NOT clean the humidifier right after turning it off if the humidifier has been diffusing warm mist. Allow the humidifier to completely cool down before cleaning.
- 2. DO NOT attempt to repair or adjust any electrical or mechanical functions on this humidifier. Doing so will void your warranty.

PACKAGE CONTENTS


- 1 x TaoTronics Top Fill Humidifier (Model: TT-AH018)
- I x Cleaning Brush
- 2 x Mineral Absorption Pads
- 4 1 x Thank You Card
- 1 x User Manual





SPECIFICATIONS


Model	TT-AH018
	300 mL/h (high mist)
Mist Output	200 mL/h (medium mist)
	100 mL/h (low mist)
Warm Mist Temperature	60°C / 140°F (high)
	50°C / 122°F (medium)
	40°C / 104°F (low)
Voltage	AC 100-120V 50 / 60 Hz
Water Tank Volume	5.5 L / 1.4 Gallons
Power	280W
Working Time on a Full Tank	16h-45h
Applicable Space	20-50m²/ 200-450ft²



PRODUCT DIAGRAM

1. Tank Cover	9. Timer Button
2. Nozzles	10. Warm Mist Button
3. LED Display	11. Tank Handle
4. Power Cable	12. Water Tank
5. Power Button	13. Mist Tube
6. Sleep Button	14. Atomizer
7. Humidity Button	15. Air Outlet
8. Mist Button	16. Floater

OPERATIONS AND FUNCTIONS




Add Water

- 1-2. Remove the tank cover, take out the water tank by holding the tank handle.
- 3. Fill the tank with clean water.
- 4-5. Place the tank back into the base, cap on the cover. Please make sure it fits together securely so that water can go from the tank to the reservoir.
- 6. Connect to an appropriate power source. The unit enters standby mode with a beep sound, the LED display shows the relative humidity of current environment.



- 1. If tap water is too hard, it is recommended to use filtered or distilled water to avoid white dust. DO NOT use hot water.
- 2. DO NOT add any essential oils or medicinal tablets into the water tank.
- 3. DO NOT add water into the base or through nozzle.
- 4. DO NOT move the humidifier while the water tank is full of water to avoid leakage or base overfilling.
- 5. You can fill the water tank without removing it from the base, pay attention to avoid water getting into the air outlet.



Power On / Off

Tap the Power Button to start (default: medium mist level) / stop misting with a beep sound with each

- 1. When turned off, although the unit stops working, the fan will continue working for 3 minutes to avoid generation of mildew in the mist tube.
- 2. When turned off, the LED display will dim to half of the brightness if there is no operation in 3 seconds.

Mist Adjustment

Tap the Mist Button to adjust the mist output between high / medium / low levels, the mist level indicator on the LED display will light up accordingly.

Warm Mist Adjustment

Tap the Warm Mist Button to adjust the heat level between high / medium / low levels. When the heat level is at high level, tap the Warm Mist Button one more time to turn off the heating. The corresponding warm mist level indicator on the LED Display will light up.

Sleep Mode

- 1. Tap the Sleep Button to enter sleep mode. The LED display will show "ZZZ".
- 2. The beep sound is disabled in sleep mode and the LED display will turn off if there is no operation in 3 seconds. Tap any button (except the Power Button) to wake it up.
- 3. The unit will enter low mist level automatically, while the mist, humidity, and timer settings remain functional. The warm mist mode is disabled.
- 4. Tap the Sleep Button again to turn off the sleep mode with "ZZZ" showing on the LED display.



Humidity Setting

- 1. Tap the Humidity Button to set the humidity level from 30% to 95% with an increase of 5% with each tap.
- 2. Once set, the humidity level on the LED display will flash 3 times to confirm your setting.
- 3. When the humidity level is at 95%, tap the Humidity Button one more time to cancel the humidity setting, the LED display will show "-- --%".
- 4. Or you can turn off the humidity setting at any time by tapping and holding the Humidity Button for 2 seconds.

The most comfortable environmental humidity is between 40%-60%. Please adjust the mist as needed

Timer Setting

- 1. Tap the Timer Button to set the timer from 1 hour to 12 hours with an increase of 1 hour with each tap. Once set, the timer indicator on the LED display will flash 3 times to confirm the setting.
- 2. When the timer is at 12 hours, tap the Timer Button again to turn off the timer. Or you can turn off the timer at any time by tapping and holding the Timer Button for 2 seconds.

Low Water Protection: Auto Shut-off the Humidifier

The unit will turn off automatically when water has been depleted. The low water indicator "Err" on the LED display will light up.

Memory Function

If power is not disconnected, the unit will remember the mist level setting of the last time when it was turned off.

High Temperature Alarm

High temperature alarm will be activated if temperature of the heat tube is too high, 8 beep sounds will be heard every other second. The unit will stop working after 1 minute.

Caution: Unplug the power source and wait for 3 minutes to allow the unit to cool down before you turn it on again.

CLEANING AND MAINTENANCE



Caution

1. DO NOT submerge the base in water.

2. Make sure water does not enter the base through the air outlet, air inlet, or the control buttons and LED display.

3. DO NOT wash any part of this humidifier in dish washer which will

damage the humidifier and void the warranty.


Daily Maintenance


Turn off the humidifier, unplug it from the power source. Drain water from the tank, reservoir and base.


Weekly Maintenance


- 1. To properly clean your humidifier, we recommend you to remove scale and disinfect the humidifier separately.
- 2. DO NOT mix vinegar and bleach solutions together. Do not use more than 1 tsp. of bleach per gallon of water to avoid damaging your humidifier.


Scale Removal Instructions














1. Turn off and unplug the humidifier.

2. Remove the tank from the base and drain water according to the indicated position.

- 3. Fill the water tank half full. Add in 1 teaspoon of undiluted distilled white vinegar. Use a soft cloth to wipe the tank thoroughly.
- 4. Place the tank onto the base. The vinegar solution will enter the water reservoir to loosen mineral buildup (scale) on the atomizer, water floater and the bottom of the water tank. Set it still for 15-20 minutes.
- 5. Uncap the tank cap and drain the solution. Wipe the atomizer and floater with a soft cloth to remove loosened mineral deposits.
- 6. Rinse both the water reservoir and water tank until the smell of vinegar (for scale removal) or bleach solution (for disinfecting, see below) is gone.

You are recommended to change the mineral absorption pad once every 2-4 weeks depending on water hardness.

Disinfecting Instructions

- 1. Follow steps 1-2 of the previous section on scale removal.
- 2. Fill the water tank half full. Add in ½ tsp of bleach.
- 3. Follow steps 4-5 of the previous section on scale removal to complete disinfecting the humidifier.

TROUBLESHOOTING GUIDE

1. If the information listed in the troubleshooting guide can't solve your problem, please

email us for help.

- 2. Failure to keep this unit clean from mineral deposits may affect operation of this unit.
- 3. Customer failure to follow these instructions may void the warranty.

End-Of-Season Care and Storage

- Follow the cleaning instructions when the humidifier will not be used for at least one week, or at the end of the season. Remove any accessories used with the humidifier and allow the humidifier and accessories to dry completely before storing.
- 2. DO NOT store with water inside the base, water reservoir, or tank.
- 3. Pack the unit safely and store in a cool, dry location.

Troubleshooting Guide

Problem	Cause	Solution
No mist coming out	No power	
	Did not turn on the unit	Connect the power adapter
	No water in the water tank	Refer to the instructions
	Humidity level or temperature	Add water into the water tank
	too high	Use in an appropriate area
	Stain built up inside water tank	
	or sink	Clean the water tank or base
	The floater is installed reversely	as instructed
Mist is getting small	Stain built up on the ceramic	Install the floater properly
	plate atomizer	Clean the atomizer
Bad / Strange smell	Dirty water	
		Clean the water tank as
		instructed
No mist coming out	Water getting into the air	Use clean water
or base leakage	outlet	Drain water from the base

WARRANTY

This product is covered with TaoTronics product and labor warranty for 12 months from the date of its original purchase. You will be given a warranty extension of 18 months if the product is registered on our website (www.taotronics.com).

Any defective part will be, at the discretion of **SUNVALLEYTEK INTERNATIONAL INC.**, repaired or replaced at no charge if the appliance has not been tampered with and has been used according to these printed directions.

If any problems occur, please contact TaoTronics support (support@taotronics.com) immediately to launch a warranty claim. Specify model number and your Amazon order number. Our Consumer Service Representative will respond within 1 business day, advise you how to correct the problem yourself, or instruct you on how to return the defective unit back to us for repair or replacement.

We can only provide after sales service for products that are sold by TaoTronics or TaoTronics authorized retailers and distributors. If you have purchased your unit from a different place, please contact your seller for return and warranty issues.

CONTACT / TAOTRONICS CUSTOMER CARE

PLEASE CONTACT US BEFORE RETURNING THIS PRODUCT TO THE STORE. EMAIL TAOTRONICS CUSTOMER CARE FOR PROBLEMS AND QUESTIONS. WE WILL RESPOND WITHIN 1 BUSINESS DAY.

Sunvalleytek USA, Inc. Address: 46724 Lakeview Blvd, Fremont, CA 94538 E-mail: support@taotronics.com(US) support.ca@taotronics.com(CA) support.uk@taotronics.com(UK) Tel: 1-888-456-8468 (Monday-Friday: 9:00 - 17:00 PST) Website: www.taotronics.com

15

FCC Compliance

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

www.taotronics.com

尺寸:150*200mm 装订成册

材质:封面128克铜版纸内页80克书纸