



simple ABI with CUFF LINK™

DIAGNOSE ARTERIAL DISEASE

Easy & Efficient workflow

Meets CMS Guidelines for Reimbursement

Multiple System Options

Diagnosing Vascular Disease for over 30 years

SIMPLE | INTUITIVE | EFFECTIVE

Reimbursable systems for the Diagnosis of PAD

FAST & ACCURATE

TESTING MADE SIMPLE

simpleABI Systems from Newman Medical make vascular testing simple and accurate. The familiar interface of a PC coupled with the automation of the simpleABI with Cuff-link make accurate testing fast and easy - even for those with little or no experience. Dual ankle pressures are taken with a sensitive Doppler – the required *“gold standard”* for vascular diagnosis.

simpleABI systems lead you through the exam by observing the report coming together on the screen – no memorization of complex menus or protocols. Simple push button remote captures pressures and waveforms to accurately diagnose Peripheral Arterial Disease according to CMS requirements. The Cuff-Link automates the selection of the cuffs to reduce errors and time - no moving tubes between cuffs during the exam.

ABI-600CL

MULTI-LEVEL
+ EXERCISE & STRESS

Advanced multi-level system
adds ABI Exercise &
ABI Stress-Treadmill Exams



ABI-500CL


MULTI-LEVEL SYSTEM

Advanced multi-level system
for segmental testing

Make ABI
as simple as **A B C**



'Push button simplicity!' Cuff-Link remote



Made in the U.S.A.



Experienced Customer Service

FINANCIALLY BENEFICIAL

ABI-400CL

SINGLE LEVEL

Advanced System for Single Level Testing

ABI-450CL

SINGLE LEVEL + EXERCISE & STRESS

Advanced single level system adds ABI Exercise & ABI Stress-Treadmill Exams



CPT CODE*	TEST	AVERAGE REIMBURSEMENT (2015)	PURPOSE	APPROPRIATE SIMPLE ABI SYSTEMS
93922	SINGLE LEVEL ABI or ABI with Toe Studies	\$92	Determine if PAD is present	400CL, 450CL, 500CL, 600CL
93923	MULTI-LEVEL Complete bilateral at 3 or more levels	\$142	Locate region of occlusion	500CL, 600CL
93923	ABI WITH EXERCISE Single level study with functional maneuvers	\$142	Resting ABI ambiguous, but symptoms exist	450CL, 600CL
93924	ABI STRESS-TREADMILL Studies at rest and following treadmill stress testing	\$178	Resting ABI ambiguous, but symptoms exist FULL TREADMILL PROTOCOL	450CL, 600CL

Current Procedural Terminology or CPT® codes and descriptors only are copyright American Medical Association. All rights reserved.

YOUR PATIENTS TRUST YOU



Undiagnosed PAD carries a 25% chance of heart attack, stroke, amputation, or death in 5 years!

MAINTAIN THEIR TRUST

- Find your patient's PAD before they have a heart attack or stroke
- 25% will have an MI, stroke, amputation or death within 5 years

YOU HAVE MORE PAD PATIENTS THAN YOU REALIZE

- 20% - 30% of those over age 65 and diabetics or smokers over age 50 have PAD
- Many don't realize they have PAD, thinking it is arthritis or other leg pain
- Over half are undiagnosed

WE MAKE IT EASY

- Most common customer comment: "I can't believe it's so easy"
- Easy to follow test right on the screen
- Immediate full page printing, communicating results



YOU CAN CHANGE THESE OUTCOMES

- More pharmaceutical options continue to come to market
- Exercise therapy is effective and is now reimbursable
- New intervention techniques effective, easier on the patient


simpleABI systems come with appropriate hardware and cuffs for testing. Please call or see system Fact Sheets for exact specifications.

800-267-5549


INFO@NEWMAN-MEDICAL.COM




MULTI LEVEL



MULTI LEVEL WITH TOE



ABI WITH EXERCISE



ABI STRESS TREADMILL