

STRONGERWELLNESS

ENDURANCE

GYM FLOORING





Interactive Experience If you need more information you can click on the product and you will be redirected to the technical specifications.

STRENGTH AREAS

Its high density provides supreme resistance for standard cardio, functional training & free weight areas (medium loads).


Great aesthetic with customization options. Supreme resistance for standard cardio, functional training and free weight areas (medium loads).



Endurance

Technical Information

Weight		6,8 kg
Density	UNE-53526	1.200 kg/m ³
Hardness	Din 53505	75° Shore A
% water absorption	ASTM D570	0%
Coef. Linear dilatation	0° C-40°C	1,5 10 ⁻⁴ °C ⁻¹
Fire Reaction	EN 13501-1	Cfl-s2 (Op. Bfl-s1)
Sound Insulation	ISO 10140	15,4 dB



Texture COLOUR

Lime **Orange** **Cyan**

Red **Magenta** **Purple**

Wengue **Walnut** **A. Brown**

Stone Grey **B. Marble** **Jet Black**

Beechwood

*The appearance and color of these images may differ slightly from the final product.
*Samples available on request

Comparative Chart

	ENDURANCE	ENDURANCE S&S	RECYCLED RUBBER (ROLLS)
Comfort	◆◆◆	◆◆◆◆◆	◆◆
Marks resistance (medium loads)	◆◆◆◆	◆◆◆◆◆	◆◆◆
Marks resistance (heavy loads)	◆◆◆	◆◆◆◆	◆◆
Sound Insulation	◆◆◆	◆◆◆◆◆	◆◆
Durability	◆◆◆◆	◆◆◆◆◆	◆◆◆
Hygienic/Anti-bacterial protection	◆◆◆◆◆	◆◆◆◆◆	◆◆
Thermal Insulation	◆◆◆◆◆	◆◆◆◆◆	◆◆◆
Water resistance	◆◆◆◆◆	◆◆◆◆◆	◆◆◆
Easy to install & maintain	◆◆◆◆◆	◆◆◆◆◆	◆◆

THANKS!



For more information

Call us | Write us