



## FREE WEIGHT AREAS

Specifically designed for heavy duty & weight training areas where maximum level of resistance and sound absorption is needed.



## **Technical Information**

Weight		15,5 kg	
Density	UNE-53526	900 kg/m3	
% water absorption	ASTM D570	0%	
Coef. Linear dilatation	0° C-40°C	10-40 °C-1	
Fire Classification	EN 13501-1	Efl	
Sound Insulation	ISO 10140	20 dB	



## **Comparative Chart**

	EXTREME S&S	EXTREME	RECYCLED RUBBER (ROLLS)
Comfort	****	+++	++
Marks resistance (regular loads)	****	++++	++++
Marks resistance (big loads)	****	+++	++
Sound Insulation	****	+++	+++
Durability	***	++++	+++
Hygienic/Anti-bacterial protection	+++	++++	+++
Thermal Insulation	****	+++	+++
Water resistance	++++	++++	+++
Easy to install & maintain	++++	++++	++



Texture **COLOUR** 





**Pure Stone** 

Onyx Black

Colours SPECIAL

\*Contact us for more details about availability.






Ltd Cyan

Ltd Orange





Ltd Green

Ltd Yellow

\*The appearance and color of these images may differ slightly from the final product.

\*Samples available on request

## THANKS!



For more information

Call us | Write us