


TRANSIT AREAS


100% resistance and elegance for cardio, fitness & functional training area.

Best biomechanical and sport properties for your gym. Design, elegance, resistance, elasticity an friction to prevent equipment from sliding, reduce noise & vibration and resist indentations.



Technical Information

Weight		5,3 kg
Density	UNE-53526	1.200 kg/m3
Hardness	Din 53505	75° Shore A
% water absorption	ASTM D570	0%
Coef. Linear dilatation	0° C-40°C	1,5 10-4 °C-1
Fire Classification	EN 13501-1	Cfl-s2 (Op. Bfl-s1)



Comparative Chart

	Our Traffic	LINOLEUM (PVC)	LAMINATED	CARPET	LINOLEUM	CERAMIC
Comfort	***	+++	++	++++	***	+
Vibration Absorptions	***	+++	+	+++	***	+
Marks Resistance	****	+++	+	+	**	++++
Sound Insulation	****	+++	+	++	***	+
Thermal Insulation	***	++	+++	****	***	+
Durability	****	+++	+	+	**	+++++
Hygienic/Anti-Bacterial protection	****	++	****	+	***	++++
Easy to install	****	++	++	++	**	+
Easy to Repair/Remplace	++++	++	+	+	+	++



THANKS!



For more information

Call us | Write us