



Clapham's Beeswax Polish / Miss Mustard Seed's® Furniture Wax /  
Fusion™ Furniture Wax / Homestead House Paint's Furniture Wax

SDS Preparation Date (mm/dd/yyyy): 04/20/2018

Page 1 of 11

## SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION

#### Product identifier used on the label

: **Clapham's Beeswax Polish / Miss Mustard Seed's® Furniture Wax /  
Fusion™ Furniture Wax / Homestead House Paint's Furniture Wax**

**Product Code(s)** : No information available.

#### Recommended use of the chemical and restrictions on use

: Solid waterproofing wax polish blend.  
No restrictions on use known.

#### Chemical family

: Mixture of: Odorless mineral spirits; Natural wax; Paraffin wax

#### Name, address, and telephone number of the manufacturer:

**Clapham's Beeswax Products Ltd.**

104 Lee Road  
Salt Spring Island, BC, Canada  
V8K 2A5

Manufacturer's Telephone # : (250) 653-4765; (800) 667-2939 (toll free)

**24 Hr. Emergency Tel #** : No information available.

#### Name, address, and telephone number of the supplier:

Refer to manufacturer

### SECTION 2. HAZARDS IDENTIFICATION

#### Classification of the chemical

White to slightly yellow waxy solid / semi-solid. Wax-like odor.

#### Most important hazards:

Flammable solid. Occupational exposure to the substance or mixture may cause adverse effects. For further information, please refer to section 11 of the SDS.

May cause long lasting harmful effects to aquatic life. Avoid release to the environment. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. See Section 12 for more environmental information.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:

Flammable solid - Category 1

#### Label elements

##### Hazard pictogram(s)



*Signal Word*  
DANGER!

##### Hazard statement(s)

Flammable solid.

##### Precautionary statement(s)

Ground/Bond container and receiving equipment.  
Use explosion-proof electrical and ventilating equipment.  
Wear protective gloves and eye/face protection.

In case of fire: Use carbon dioxide, dry chemical or foam to extinguish.



Clapham's Beeswax Polish / Miss Mustard Seed's® Furniture Wax /  
Fusion™ Furniture Wax / Homestead House Paint's Furniture Wax

SDS Preparation Date (mm/dd/yyyy): 04/20/2018

Page 2 of 11

## SAFETY DATA SHEET

### Other hazards

*Other hazards which do not result in classification:*

Toxic fumes, gases or vapors may evolve on burning. May cause slight eye and skin irritation. May cause mild respiratory irritation at higher temperatures. May cause gastrointestinal irritation. In extremely high concentrations, may cause symptoms of central nervous system depression. Prolonged overexposure may cause slight liver and kidney effects, such as increased organ weights.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Naphtha (petroleum), heavy alkylate	Odorless mineral spirits	64741-65-7	65.0 - 75.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

### SECTION 4. FIRST-AID MEASURES

#### Description of first aid measures

- Ingestion* : If ingested, do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms persist.
- Inhalation* : If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing is irregular or stopped, administer artificial respiration. If irritation or symptoms develop, seek medical attention.
- Skin contact* : For skin contact, wash with soap and water while removing contaminated clothing. If irritation or symptoms develop, seek medical attention. Launder clothing before reuse.
- Eye contact* : Flush eyes with water for at least 15 minutes. If irritation or symptoms develop, seek medical attention.

#### Most important symptoms and effects, both acute and delayed

- : May cause slight eye and skin irritation. Direct eye contact may cause slight redness. Direct skin contact may cause temporary redness. May cause mild respiratory irritation at higher temperatures. May cause coughing and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. In extremely high concentrations, which are not expected with normal conditions of handling of this product, may also cause nausea, vomiting, dizziness, drowsiness and other symptoms of central nervous system depression. Prolonged overexposure may cause slight liver and kidney effects, such as increased organ weights.

#### Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

#### Extinguishing media

- Suitable extinguishing media* : Carbon dioxide (CO<sub>2</sub>); Dry chemical; Alcohol resistant foam; Water fog
- Unsuitable extinguishing media* : Do not use a solid water stream as it may scatter and spread fire.

#### Special hazards arising from the substance or mixture / Conditions of flammability

- : Flammable solid. May be ignited if heated to extremely high temperatures. Product may float, and be re-ignited at the water's surface. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Toxic fumes, gases or vapors may evolve on burning.



Clapham's Beeswax Polish / Miss Mustard Seed's® Furniture Wax /  
Fusion™ Furniture Wax / Homestead House Paint's Furniture Wax

SDS Preparation Date (mm/dd/yyyy): 04/20/2018

Page 3 of 11

## SAFETY DATA SHEET

### Flammability classification (OSHA 29 CFR 1910.106)

- : Flammable solid - Category 1

### Hazardous combustion products

- : Carbon oxides; Reactive hydrocarbons; Aldehydes; Other unidentified organic compounds.

### Special protective equipment and precautions for firefighters

#### *Protective equipment for fire-fighters*

- : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

#### *Special fire-fighting procedures*

- : Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

- : All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** : Prevent product from entering drains, sewers, waterways and soil. Avoid release to the environment.

### Methods and material for containment and cleaning up

- : Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Use inert, non-combustible absorbents to assist the pick up of material. Scrape up product and place it into a container for disposal. Keep in properly labelled containers. Contact the proper local authorities. For waste disposal, see Section 13 of the SDS.

### Special spill response procedures

- : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).  
US CERCLA Reportable quantity (RQ): None known.

In Canada: Contact appropriate local and provincial environmental authorities for assistance and/or reporting requirements.

## SECTION 7. HANDLING AND STORAGE

### Precautions for safe handling

- : Use with adequate ventilation. Avoid breathing fumes, mists or vapors. Wear suitable protective equipment during handling. Wear protective gloves and eye/face protection. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and direct flame. Keep away from incompatibles. Wash thoroughly after handling.

**Conditions for safe storage** : Store in cool/well-ventilated place. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. Keep away from incompatibles.

**Incompatible materials** : Strong oxidizing agents (e.g. hydrogen peroxide, nitric acid)



Clapham's Beeswax Polish / Miss Mustard Seed's® Furniture Wax /  
Fusion™ Furniture Wax / Homestead House Paint's Furniture Wax

SDS Preparation Date (mm/dd/yyyy): 04/20/2018

## SAFETY DATA SHEET

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Exposure Limits:</u>				
<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Naphtha (petroleum), heavy alkylate	N/Av	N/Av	500 ppm (2000 mg/m <sup>3</sup> ) (as petroleum distillates, naphtha)	N/Av

#### Exposure controls

##### Ventilation and engineering measures

- : Provide adequate ventilation. Apply technical measures to comply with the occupational exposure limits. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits. Use explosion-proof electrical and ventilating equipment. In case of insufficient ventilation wear suitable respiratory equipment.

##### Respiratory protection

- : None required when used as intended.  
If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02. Advice should be sought from respiratory protection specialists.

##### Skin protection

- : For prolonged or repeated skin contact use suitable protective gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Wear sufficient clothing to prevent skin contact.

##### Eye / face protection

- : Wear as appropriate: Tightly fitting safety goggles; Safety glasses with side shields.

##### Other protective equipment

- : Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

##### General hygiene considerations

- : Avoid breathing fumes, mists or vapors. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance** : White to slightly yellow waxy solid / semi-solid.
- Odor** : Wax-like odor.
- Odor threshold** : N/Av
- pH** : N/Av
- Melting/Freezing point** : N/Av
- Initial boiling point and boiling range** : > 150°C (302°F) (based on ingredients)
- Flash point** : 40.5°C (105°F)
- Flashpoint (Method)** : ASTM D 56
- Evaporation rate (BuAe = 1)** : < 1 (butyl acetate = 1)
- Flammability (solid, gas)** : Flammable solid
- Lower flammable limit (% by vol.)** : N/Av



Clapham's Beeswax Polish / Miss Mustard Seed's® Furniture Wax /  
Fusion™ Furniture Wax / Homestead House Paint's Furniture Wax

SDS Preparation Date (mm/dd/yyyy): 04/20/2018

Page 5 of 11

## SAFETY DATA SHEET

### Upper flammable limit (% by vol.)

: N/Av

**Oxidizing properties** : None known.

**Explosive properties** : Not explosive

**Vapor pressure** : N/Av

**Vapor density** : > 1 (Air = 1.0)

### Relative density / Specific gravity

: 0.8

**Solubility in water** : Insoluble.

**Other solubility(ies)** : N/Av

### Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: N/Av

**Auto-ignition temperature** : N/Av

**Decomposition temperature** : N/Av

**Viscosity** : > 60 cSt @ 40°C (104°F)

**Volatiles (% by weight)** : N/Av

### Volatile organic Compounds (VOC's)

: N/Av

### Absolute pressure of container

: N/Av

**Flame projection length** : N/Av

### Other physical/chemical comments

: No additional information.

## SECTION 10. STABILITY AND REACTIVITY

**Reactivity** : Not normally reactive.

**Chemical stability** : Stable under normal conditions.

### Possibility of hazardous reactions

: Hazardous polymerization does not occur.

**Conditions to avoid** : Keep away from extreme heat and flame. Do not use in areas without adequate ventilation.  
Avoid contact with incompatible materials.

**Incompatible materials** : Strong oxidizing agents (e.g. hydrogen peroxide, nitric acid)

### Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure:

**Routes of entry inhalation** : YES

**Routes of entry skin & eye** : YES

**Routes of entry Ingestion** : YES

**Routes of exposure skin absorption**

: NO



Clapham's Beeswax Polish / Miss Mustard Seed's® Furniture Wax /  
Fusion™ Furniture Wax / Homestead House Paint's Furniture Wax

SDS Preparation Date (mm/dd/yyyy): 04/20/2018

Page 6 of 11

## SAFETY DATA SHEET

### Potential Health Effects:

#### Signs and symptoms of short-term (acute) exposure

##### *Sign and symptoms Inhalation*

- : May cause mild respiratory irritation at higher temperatures. May cause coughing and breathing difficulties. In extremely high concentrations, which are not expected with normal conditions of handling of this product, may also cause nausea, vomiting, dizziness, drowsiness and other symptoms of central nervous system depression.

##### *Sign and symptoms ingestion*

- : Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

##### *Sign and symptoms skin*

- : Direct skin contact may cause slight or mild, transient irritation. Direct skin contact may cause temporary redness.

##### *Sign and symptoms eyes*

- : Direct eye contact may cause slight or mild, transient irritation. Direct eye contact may cause temporary redness.

#### Potential Chronic Health Effects

- : Prolonged overexposure may cause slight liver and kidney effects, such as increased organ weights.

#### Mutagenicity

- : No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

#### Carcinogenicity

- : Not classifiable as a human carcinogen. No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

#### Reproductive effects & Teratogenicity

- : This product is not expected to cause reproductive or developmental effects.

#### Sensitization to material

- : Not expected to be a skin or respiratory sensitizer.

#### Specific target organ effects

- : According to the classification criteria of U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015), this product is not expected to cause target organ toxicity through single or repeated exposures.

Mild effects may be seen in the following organs: Eyes; Skin; Respiratory system; Digestive system; Liver; Kidneys

#### Medical conditions aggravated by overexposure

- : Pre-existing skin, eye and respiratory disorders.

#### Synergistic materials

- : None reported by the manufacturer.

#### Toxicological data

- : Not classified for acute toxicity based on available data. No data is available on the product itself.

See below for individual ingredient acute toxicity data.

<u>Chemical name</u>	<u>LC<sub>50</sub> (4hr)</u> <u>inh, rat</u>	<u>LD<sub>50</sub></u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Naphtha (petroleum), heavy alkylate	23.78 mg/L (vapour) (Read-across)	> 5000 mg/kg	> 2000 mg/kg (No mortality)

#### Other important toxicological hazards

- : None reported by the manufacturer.



Clapham's Beeswax Polish / Miss Mustard Seed's® Furniture Wax /  
Fusion™ Furniture Wax / Homestead House Paint's Furniture Wax

SDS Preparation Date (mm/dd/yyyy): 04/20/2018

Page 7 of 11

## SAFETY DATA SHEET

### SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** : May cause long lasting harmful effects to aquatic life.  
No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

See the following tables for individual ingredient ecotoxicity data.

**Ecotoxicity data:**

<u>Ingredients</u>	CAS No	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
Naphtha (petroleum), heavy alkylate	64741-65-7	N/Av	N/Av	None.

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Naphtha (petroleum), heavy alkylate	64741-65-7	N/Av	N/Av	None.

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Naphtha (petroleum), heavy alkylate	64741-65-7	13 mg/L/72hr (Green algae)	N/Av	None.

**Persistence and degradability**

: The product itself has not been tested.  
Contains the following chemicals which are considered to be inherently biodegradable:  
Odorless mineral spirits.

**Bioaccumulation potential**

: The product itself has not been tested. See the following data for ingredient information.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Naphtha (petroleum), heavy alkylate (CAS 64741-65-7)	7	598 - 11,430

**Mobility in soil**

: The product itself has not been tested.

**Other Adverse Environmental effects**

: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### SECTION 13. DISPOSAL CONSIDERATIONS

**Handling for Disposal**

: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.

**Methods of Disposal**

: Dispose in accordance with all applicable federal, state, provincial and local regulations.



Clapham's Beeswax Polish / Miss Mustard Seed's® Furniture Wax / Fusion™ Furniture Wax / Homestead House Paint's Furniture Wax

SDS Preparation Date (mm/dd/yyyy): 04/20/2018

## SAFETY DATA SHEET

**RCRA** : If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

### SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN3175	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Odorless mineral spirits)	4.1	II	
<b>TDG Additional information</b>	May be shipped as Limited Quantity when transported in containers no larger than 1.0 kg; total per package may not exceed 30 kg gross mass. Under the TDG, refer to Section 1.17 for additional exemption requirements, if shipping under this exemption.				
49CFR/DOT	UN3175	Solids containing flammable liquid, n.o.s. (Odorless mineral spirits)	4.1	II	
<b>49CFR/DOT Additional information</b>	May be shipped as Limited Quantity when transported in containers no larger than 1.0 kg; total per package may not exceed 30 kg gross mass. Refer to 49 CFR Section 173.151.				

**Special precautions for user** : Appropriate advice on safety must accompany the package.

**Environmental hazards** : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

: Not applicable.

### SECTION 15 - REGULATORY INFORMATION

**US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:

Ingredients	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
Naphtha (petroleum), heavy alkylate	64741-65-7	Yes	None.	None.	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes:

Physical hazards (Flammable solid)

Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.





Clapham's Beeswax Polish / Miss Mustard Seed's® Furniture Wax / Fusion™ Furniture Wax / Homestead House Paint's Furniture Wax

SDS Preparation Date (mm/dd/yyyy): 04/20/2018

Page 9 of 11

## SAFETY DATA SHEET

### US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Naphtha (petroleum), heavy alkylate	64741-65-7	No	N/Ap	No	No	No	No	No	No

### Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

Canadian National Pollutant Release Inventory (NPRI): This product contains the following substances listed on the NPRI:  
Odorless mineral spirits (Part 5: Other groups and mixtures)

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

### International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS #	European EINECS	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	New Zealand IOC
Naphtha (petroleum), heavy alkylate	64741-65-7	265-067-2	Present	Present	(9)-1690	KE-18190	Present	May be used as a single component chemical under an appropriate group standard.

## SECTION 16. OTHER INFORMATION

### Legend

- : ACGIH: American Conference of Governmental Industrial Hygienists
- AICS: Australian Inventory of Chemical Substances
- ATE: Acute Toxicity Estimate
- CA: California
- CAS: Chemical Abstract Services
- CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
- CFR: Code of Federal Regulations
- CSA: Canadian Standards Association
- DOT: Department of Transportation
- EC50: Effective Concentration 50%
- EINECS: European Inventory of Existing Commercial chemical Substances
- ENCS: Existing and New Chemical Substances
- EPA: Environmental Protection Agency
- HSDB: Hazardous Substances Data Bank
- IARC: International Agency for Research on Cancer
- IBC: Intermediate Bulk Container
- IECSC: Inventory of Existing Chemical Substances
- IMDG: International Maritime Dangerous Goods
- IOC: Inventory of Chemicals

Clapham's Beeswax Polish / Miss Mustard Seed's® Furniture Wax /  
Fusion™ Furniture Wax / Homestead House Paint's Furniture Wax

SDS Preparation Date (mm/dd/yyyy): 04/20/2018

Page 10 of 11

## SAFETY DATA SHEET

KECI: Korean Existing Chemicals Inventory  
 KECL: Korean Existing Chemicals List  
 LC: Lethal Concentration  
 LD: Lethal Dose  
 MA: Massachusetts  
 MN: Minnesota  
 N/Ap: Not Applicable  
 N/Av: Not Available  
 NIOSH: National Institute of Occupational Safety and Health  
 NJ: New Jersey  
 NOEC: No observable effect concentration  
 NTP: National Toxicology Program  
 OECD: Organisation for Economic Co-operation and Development  
 OSHA: Occupational Safety and Health Administration  
 PA: Pennsylvania  
 PEL: Permissible exposure limit  
 PICCS: Philippine Inventory of Chemicals and Chemical Substances  
 RCRA: Resource Conservation and Recovery Act  
 RI: Rhode Island  
 RTECS: Registry of Toxic Effects of Chemical Substances  
 SARA: Superfund Amendments and Reauthorization Act  
 SDS: Safety Data Sheet  
 STEL: Short Term Exposure Limit  
 TDG: Canadian Transportation of Dangerous Goods Act & Regulations  
 TLV: Threshold Limit Values  
 TSCA: Toxic Substance Control Act  
 TWA: Time Weighted Average  
 WHMIS: Workplace Hazardous Materials Identification System

- References** :
1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2017.
  2. International Agency for Research on Cancer Monographs, searched 2018.
  3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases, 2018 (Chempendium, HSDB and RTECs).
  4. Material Safety Data Sheets from manufacturer.
  5. US EPA Title III List of Lists - March 2015 version.
  6. California Proposition 65 List - December 29, 2017 version.
  7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2018.

**Preparation Date (mm/dd/yyyy)**

: 04/20/2018

**Other special considerations for handling**

: Provide adequate information, instruction and training for operators.

<p><b><u>Prepared for:</u></b>          Clapham's Beeswax Products Ltd.          104 Lee Road          Salt Spring Island, BC, Canada, V8K 2A5          Telephone: (250) 653-4765          Direct all enquiries to: Clapham's Beeswax Products Ltd.</p>	
<p><b><u>Prepared by:</u></b>          ICC The Compliance Center Inc.          Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada)  <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a></p>	



Clapham's Beeswax Products Ltd.  
104 Lee Road  
Salt Spring Island, BC, Canada, V8K 2A5  
Telephone: (250) 653-4765

---

**Clapham's Beeswax Polish / Miss Mustard Seed's® Furniture Wax /  
Fusion™ Furniture Wax / Homestead House Paint's Furniture Wax**

**SDS Preparation Date (mm/dd/yyyy): 04/20/2018**

Page 11 of 11

## **SAFETY DATA SHEET**

### **DISCLAIMER**

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Clapham's Beeswax Products Ltd. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Clapham's Beeswax Products Ltd. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Clapham's Beeswax Products Ltd.

**END OF DOCUMENT**