



MATERIAL SAFETY DATA SHEET

SECTION 1 – GENERAL INFORMATION

Manufacturer: Modern Masters, Inc.
9380 San Fernando Road,
Sun Valley, California 91352
818-683-0201

HMIS Rating
HEALTH 2
FLAMMABILITY 0
REACTIVITY 1

Emergency Telephone: 800-942-3166 **Preparation Date:** January 18, 2002
Revision Date: May 5, 2009

Product Name: Metal Effects Green Patina Aging Solution

Product Code: PA901

SECTION 2 – HAZARDOUS INGREDIENTS

<u>Hazardous Component</u>	<u>CAS #</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Blue Copper	7758-99-8	1 mg/m ³ (as copper) (dusts and mists)	0.1 mg/m ³ (as copper) (fumes)
Sal Ammoniac	12125-02-9	20 mg/m ³	10 mg/m ³

SECTION 3 – HAZARD IDENTIFICATION

Emergency Overview: This material is a reactive patinating solution. It is a stable, non-flammable, translucent blue flowable liquid with a flash point above 200°F.

Primary Routes of Exposure:

Inhalation Skin contact Eye contact Ingestion

Potential Acute Health Effects:

Inhalation: May cause respiratory tract irritation **Eye:** May cause eye irritation
Skin: Prolonged or repeated skin contact may cause irritation
Ingestion: Not hazardous under intended use conditions

Potential Chronic Health Effects: None known



MATERIAL SAFETY DATA SHEET

SECTION 4 – FIRST AID MEASURES

- Eye contact:** Flush eyes with clean water for 15 minutes. Seek medical attention.
- Skin contact:** Thoroughly wash with soap and warm water.
- Inhalation:** If irritation occurs, remove to fresh air and seek medical attention if cough or other symptoms develop.
- Ingestion:** If ingested, do not induce vomiting. Seek medical attention.
- Note to Physician:** Treat symptomatically. Wilson's Disease, a disease associated with the inability to remove copper from the blood, is a medical condition aggravated by exposure to Blue Copper.

SECTION 5 – FIRE FIGHTING MEASURES

- Flash Point (method):** N/D (est. >200°F)
- Extinguishing Media:** Use water spray, foam, or carbon dioxide when fighting fires involving this material.
- Protection of Firefighters:** As in any fire, wear NIOSH approved self-contained breathing apparatus pressure-demand and full protective gear.
- Fire and Explosion Hazards:** Material will not burn.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

- Personal Precautions:** Slippery: can cause slips and falls if walked on.
- Clean Up Methods:** Contain spill with sand or other diking material. Soak up small spills with absorbent material. Dispose of in accordance with federal, state, and local regulations.

(See also Section 8 for information on Exposure Controls and Personal Protective Equipment.)



MATERIAL SAFETY DATA SHEET

SECTION 7 – HANDLING AND STORAGE

Handling: Avoid prolonged or repeated contact with skin. Avoid contact with eyes. Wash hands thoroughly with soap and warm water after use.

Storage: **Do not freeze.** Keep container closed when not in use. Do not reuse containers and properly dispose of empty containers.

KEEP OUT OF REACH OF CHILDREN!

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: If necessary, use general room dilution ventilation, process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

Personal Protective Equipment (PPE):

Eye Protection: Eye contact should be avoided. Where eye contact is likely, wear chemical splash goggles and/or full-face shield.

Skin Protection: Skin contact should be avoided. Wear impervious rubber or latex gloves when using this product.

Respiratory Protection: None needed under normally anticipated use conditions. If vapor levels exceed allowable limits, wear a NIOSH approved air-purifying respirator with an organic vapor cartridge.

General Hygiene Practices: Avoid eye and skin contact. Avoid breathing vapors. Wash hands before eating, drinking, or using the toilet.



MATERIAL SAFETY DATA SHEET

SECTION 9 – PHYSICAL DATA

Appearance:	Translucent blue flowable liquid	Odor:	Mild odor
Physical State:	Liquid	pH:	3.0 to 4.0
Boiling Point:	Above 200°F	Melting Point:	<32°F
Vapor Pressure:	N/D	Vapor Density:	N/D
Odor Threshold:	N/D	Viscosity:	<100 cps
Solubility in Water:	Dilutable in water	Specific Gravity (water = 1):	1.0-1.2
Material VOC:	Material, less water, contains less than 1 gram per liter Volatile Organic Compounds.		

SECTION 10 – STABILITY AND REACTIVITY

Stability:	Stable, non-reactive
Incompatibility:	Strong acids and strong alkalis; oxidizers
Hazardous Polymerization:	Will not occur
Hazardous Decomposition Products:	None known

SECTION 11 – TOXICOLOGICAL INFORMATION

Carcinogenicity: This material is not considered a carcinogen by IARC or NTP and is not regulated as a carcinogen by OSHA.

Wilson's Disease, a disease associated with the inability to remove copper from the blood, is a medical condition aggravated by exposure to Blue Copper.

(See also Section 15 for related information.)



MATERIAL SAFETY DATA SHEET

SECTION 12 – ECOLOGICAL INFORMATION

Chemical Effects: Blue Copper is toxic to fish and marine organisms. Do not contaminate water destined for streams, rivers, ponds, or lakes.

Chemical Fate: No data available.

SECTION 13 – DISPOSAL CONSIDERATIONS

Recommended Waste Disposal Method: This material is not considered hazardous waste under Federal Hazardous Waste Regulations (40CFR 261). However, state and local requirements for waste disposal may be more restrictive or otherwise differ from federal regulations. Chemical additions, processing, or otherwise altering this material may render the waste management information presented in this MSDS incomplete, inaccurate, or otherwise inappropriate. Consult all applicable federal, state, and local regulations regarding the proper disposal of this material.

SECTION 14 – TRANSPORTATION INFORMATION

Regulated by the DOT: Not regulated

DOT Proper Shipping Name: Paint

SECTION 15 – REGULATORY INFORMATION

CERCLA:

The Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification to the National Response Center for releases of quantities of Hazardous Substances equal to or greater than the reportable quantities (RQs) in 40 CFR 302.4 (for CERCLA 102).

Components present in this product at a level which could require reporting under the statute are:

<u>Chemical Name</u>	<u>CAS #</u>	<u>Maximum Concentration (Wt. %)</u>
none	N/A	N/A



MATERIAL SAFETY DATA SHEET

SARA Title III, section 311/312:

The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires emergency planning based on Threshold Planning Quantities (TPQs) and release reporting based on Reportable Quantities (RQs) in 40 CFR 355 (used for SARA 302, 304, 311, and 312).

Components present in this product at a level which could require reporting under the statute are:

<u>Chemical Name</u>	<u>CAS #</u>	<u>Maximum Concentration (Wt. %)</u>
none	N/A	N/A

SARA Title III, section 313:

The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372 (for SARA 313).

Components present in this product at a level which could require reporting under the statute are:

<u>Chemical Name</u>	<u>CAS #</u>	<u>Maximum Concentration (Wt. %)</u>
Blue Copper	7758-99-8	4%
Sal Ammoniac	12125-02-9	6%

TSCA:

The components of this mixture are listed in the Toxic Substance Control Act Inventory of Chemical Substances.

This product does not contain any chemicals that would require export notification under Section 12(b) of the TSCA regulation.

