

Section 1 - Chemical Product and Company Information

Product Name: Smith's WB Poly A Product Code: SCS-WBPOLYA

Trade Name: WB Poly A Manufactured by: Smith Paint Products

2200 Paxton Street Harrisburg, PA 17111 (800) 466-8781 Chemtrec 2900 Fairview Park Drive Falls Church, VA 22042-4513 (800) 262-8200

Emergency Hot Line: (800) 424-9300

Section 2 - Hazards Identification

GHS Ratings:

GHS Hazards

GHS Precautions

Signal Word:

There are no GHS ratings that apply to this product at this time.

Section 3 - Composition / Information on Ingredients		
Chemical Name	CAS number	Weight Concentration %
	Inert	90.00% - 100.00%

Section 4 - First Aid Measures

Inhalation: Move to fresh air. If breathing remains or becomes labored, seek medical attention.

Eye Contact: Flush with water for 15 minutes. Seek medical attention.

Skin Contact: Wash with soap and water. If irritation persists, seek medical attention.

Ingestion: Give 3-4 glasses of water if the affected person is concious. DO NOT INDUCE VOMITTING! Obtain

Section 5 - Fire Fighting Measures

Flash Point: N/A

LEL:

Flammable Limits:

Extinguishing Media: Water, CO2, Dry Chemical.

Unusual Fire and Explosive Hazards: Polymer film can burn, material can splatter above 100°C

Hazardous Combustion Products: CO, CO2

Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Water spray is useful in cooling fire-exposed vessels and in dispersing vapors.

Special Fire Fighting Procedures: None likely with small quantities. For large quantities, firefighters and others exposed to vapors or products of combustion should wear butyl rubber boots, gloves, and body suit. Self-contained breathing apparatus should be worn.

Section 6 - Accidental Release Measures

Spill and Leak Procedures: Cover spills with absorbent. Place in metal containers for recovery or disposal. Prevent entry into sewers, storm drains, and waterways.

Section 7 - Handling and Storage

Handling Precautions: Store in a cool, well ventilated area. Keep away from heat and open flames. Avoid prolonged inhalation of heated vapors or mists. Avoid prolonged skin contact.

Storage Requirements: Store between 40°F and 100°F protected from frost and direct sunlight.

Section 8 - Exposure Controls / Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Inert Not Established		Not Established	Not Established

Engineering Controls: No specific controls needed. General and local exhaust recommended.

Respiratory Protection: None required in adequately ventilated areas. If vapor concentration exceeds 20 ppm for longer than 15 minutes, a NIOSH approved respirator for organic vapors is recommended.

Protective Gear: Long sleeved shirts and pants. Emergency showers and wash stations should be readily accessible. Nitrile rubber protective gloves. Splash-proof goggles or chemical safety glasses.

Section 9 - Physical and Chemical Properties

Appearance: Liquid	Odor Threshold: Not Determined	
Vapor Pressure: Not Determined	Vapor Density: >1	
pH: Not Determined	Specific Gravity: 1.0-1.1	
Melting point: Not Determined	Freezing point: Not Determined	
Solubility in water: Dilutable	Boiling point: >100°C	
Flash point: Not Applicable	Evaporation rate: <1	
Flammable Limits: Not Established	Explosive Limits: Not Established	

UEL:

% Volatiles by Volume: 68%

Section 10 - Stability and Reactivity

Stability:

STABLE

Incompatibilities/Conditions to avoid: Avoid elevated temperatures and keep from freezing.

Hazardous Decomposition Products: None known

Hazardous polymerization will not occur.

Section 11 - Toxicological Information

Mixture Toxicity Component Toxicity

Carcinogenic Data: NTP: None OSHA: None IARC: None

<u>CAS Number</u> None	Description	<u>% Weight</u>	<u>Carcinogen Rating</u> No Data Available		
Section 12 - Ecological Information					
Acute Toxicity to Aquatic Invertebrates: EC50 (48h): 70.7 mg/l, Daphnia Magna (Water Flea),					

Acute Toxicity to Algae/Aquatic Plants: Not Determined

Toxicity to Bacteria: EC50: >10,000 mg/l Activated Sludge

Persistence and Degradability Biodegradability: Not readily biodegradable Biodegradation: 60% Exposure time: 28 days Method: OECD Test guidline 302B or equivalent

Component Ecotoxicity

Section 13 - Disposal Considerations

Waste Disposal Methods: Not a hazardous waste by RCRA criteria (40 CFR 261). Place in an appropriate disposal facility in compliance with all federal, state and local regulations.

Section 14 - Transport Information

This material is classified for transport as follows:

iata Adr/Rid Imdg

Agency DOT **UN Number**

Unregulated

Unregulated

Unregulated

Unregulated

Packing Group

Section 15 - Regulatory information

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

- None

R2K List

- None


Section 16 - Other Information

Hazardous Material Information System (HMIS)



HMIS & NFPA Hazard Rating Legend * = Chronic Health Hazard 0 = INSIGNIFICANT 1 = SLIGHT 2 = MODERATE 3 = HIGH

National Fire Protection Association (NFPA)



The material contained in this Safety Data Sheet is based on information supplied to Smith Paint Products by the raw material suppliers of the individual components of this product. Smith Paint Products believes this information is truthful and reliable. However, no warranty is expressed or implied regarding the accuracy of this information, or of any product, method or apparatus mentioned and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and health and safety of your employees and users of this material. As more information becomes available from our vendors additional revisions will be forthcoming.

Date Prepared: 12/16/2015

Hazard Class

Non Hazardous Non Hazardous Non Hazardous Non Hazardous