

# OUTDOOR & SPORT-





# SLNIILNO

# HEADLAMPS

10 X21R

K6R

12 KIDLED2 KIDLED4R

KIDBEAM4

KIDCAMP6

K6R Safety

KIDS LIGHTS

**KEYCHAIN LIGHTS** 

### CORE HEADLAME

H5R Core H7R Core

H15R Core

H19R Core

# SIGNATUR HEADI AN

6 H19R Signature

## MH HEADLAMP

7 MH5

MH7

MH10

MH11

# POWERCAS

# NEO HEADLAMF

8 NE01R

NE03 NE05R

NE09R

# LANTERNS

ML4 warm light ML6 warm light

# **FLASHLIGHTS**

# CORE HEADLAMP

9 P2R Core

P4R Core

P5R Core P6R Core

P6R Core QC

P7R Core

# GUARANTEED QUALITY



GERMAN ENGINEERING & DESIGN



At Ledlenser, we pride ourselves in superior quality in everything we do. From design all the way to manufacturing our product, we push the boundaries of innovation every step of the way.

All Ledlenser lights purchased from an authorized reseller are backed by a five-year warranty. An additional two years can be added to this warranty – seven years in total – if the user registers their product. Each light comes with a product registration card and unique product code. The user can simply scan the included QR code on the product registration card and follow the prompted instructions or enter the URL on a web browser. Once the product information has been entered on our website, the warranty becomes a full seven-year warranty.









	-													1		
		H5	R CORE			H7F	CORE			H15F	CORE			H191	R CORE	
	Boost	High	Medium	Low	Boost	High	Medium	Low	Boost	High	Medium	Low	Boost	High	Medium	Low
Light Output¹ (lm)	500	300	-	15	1000	600	-	15	2500	1000	-	20	3500	1600	800	200
Beam Distance <sup>1</sup> (m)	200	150	-	30	250	200	-	25	250	170	-	20	300	230	150	80
Run Time <sup>1</sup> (h)	-	2	-	50	-	4	-	65	-	5	-	80	-	4	7	20
Battery Type	1x L	i-ion B	atterypack	3.7V	1x 21	700 Li-	ion Batter	y 3.7V	1x L	i-ion Bat	terypack '	7.4V	1x L	i-ion Ba	tterypack 7	.4V
Charge Time <sup>2</sup> (hrs./min.)		3h	30min			3h	30min			5h 3	0min			5h 3	30min	
Rechargeable			Yes			,	Yes			Υ	es			Y	/es	
Weight g (incl. Batteries)   oz		167	g   5.6 oz			259 g	ı   9.1 oz			380 g	13.4 oz			374 g	13.2 oz	
Contents	ma		f batteries charging c				batteries, harging ca				batteries, narging ca	ble	ma		batteries, harging cal	ole
TECHNOLOGY																
Multi-Core Optics			-				-				•				•	
Flex Sealing Technology			•				•				•				_	
Advanced Focus System			•				•				•				-	
Magnetic Charge System			•				•				•				•	
Temperature Control			•				•				•				•	
Item no.		88	30505			88	0506			880	0502			88	0503	
Price MSRP (\$) USA   Canada	79	95 USF	1 1 1 1 1 9 5 (	CAD.	99 (	95 USD	1137 95 0	CAD	169	95 USD	1 234 95 0	:AD	224	. 95 USD	11309 95 C	ΑD



		Boost	High	Medium	Low
<del>`</del> Ò́-	Light Output <sup>1</sup> (lm)	4000	1800	800	200
⇒	Beam Distance <sup>1</sup> (m)	330	250	150	80
<u>(L)</u>	Run Time <sup>1</sup> (h)	-	3.5	7	20
<u> </u>	Battery Type	1x L	i-ion Bat	terypack 7	.4V
(L)	Charge Time <sup>2</sup> (hrs./min.)		5h 3	0min	
٦	Rechargeable		Υ	'es	
<mark>g</mark> √	Weight g (incl. Batteries)   oz		374 g	13.2 oz	
	Contents	rem GoPr magn hold	ote contro o adapter etic charg der, USB p al holder	ries, Blueton ol, helmet cl r, helmet ho ging cable, t power adap , extension ive pads	lips, lder, ripod ter,
	TECHNOLOGY				
	Multi-Core Optics			•	
	Flex Sealing Technology			_	
	Advanced Focus System			-	
	Magnetic Charge System			•	
	Temperature Control			•	
	Item no.		880	0507	
	Price MSRP (\$) USA   Canada	200	951150	413.95 C	ΔD _



# H19R SIGNATURE

- **01 Fusion Beam** individually adjustable flood and spotlight for a unique light image with perfect illumination
- **02 Multi-Core Optics** homogeneous light image through special faceting of the lens
- 03 Ledlenser Connect app and Bluetooth® remote control enable personalization and remote control of the light functions
- **04 Optisense Technology** automatic adaptation to the light conditions thanks to the integrated
- 05 Extreme dust and water protection (IP68)
- 06 Additional red light to maintain night vision
- **07** Stepless **swivel mechanism** for vertical alignment of the light cone
- **08 Ledlenser Connecting System** an interface for many accessory parts

  09 - Reflective headband







⇔










			MH <mark>5</mark>				иН <mark>7</mark>			М	H10			М	H11	
	Boost	High	Medium	Low	Boost	High	Medium	Low	Boost	High	Medium	Low	Boost	High	Medium	Low
Light Output <sup>1</sup> (lm)	-	400	-	20	600	400	170	20	-	600	250	10	1000	750	300	10
Beam Distance <sup>1</sup> (m)	-	180	-	40	200	180	120	40	-	150	100	20	320	300	200	30
Run Time <sup>1</sup> (h)	-	4	-	35	-	7	10	60	-	10	15	120	-	4	8	100
Battery Type		Battery	Pack 3.7\	/		Battery	Pack 3.7V	,		Battery	Pack 3.6V			Battery	Pack 3.6V	
Charge Time <sup>2</sup> (hrs./min.)		2h	30min			4h :	30min			(	5h				7h	
Rechargeable			Yes			`	/es			Y	es			١	/es	
Weight g (incl. Batteries)   oz		92 g	3.2 oz			139 g	4.9 oz			158 g	5.6 oz			179 g	6.3 oz	
Contents																
TECHNOLOGY																
Magnetic Charge System			•				•				_				•	
Smart Light Technology	_		•				•			_	•				•	
Rapid Focus			•				•				•				•	
Dual Power Source			•				•				_				-	
Removable lamp with clip			•				_				_				•	
Item no.		88053	36 (black)			88054	0 (black)			880	385			88046	7 (black)	
Price, MSRP (\$) USA   Canada	49	.95 USI	D   68.95 C	AD	74.9	95 USD	102.95 (	AD	89.	95 USD	123.95 C/	AD	149	.95 USD	206.95 C	AD
	Beam Distance¹ (m) Run Time¹ (h) Battery Type Charge Time² (hrs./min.) Rechargeable Weight g (incl. Batteries)   oz  Contents  TECHNOLOGY Magnetic Charge System Smart Light Technology Rapid Focus Dual Power Source Removable lamp with clip	Light Output¹ (lm)  Beam Distance¹ (m)  Run Time¹ (h)  Battery Type  Charge Time² (hrs./min.)  Rechargeable  Weight g (incl. Batteries)   oz  Contents  TECHNOLOGY  Magnetic Charge System  Smart Light Technology  Rapid Focus  Dual Power Source  Removable lamp with clip	Light Output¹ (Im)	Light Output¹ (Im)	Light Output¹ (Im)	Boost   High   Medium   Low   Boost	Boost   High   Medium   Low   Boost   High	Boost   High   Medium   Low   Boost   High   Medium	Boost   High   Medium   Low   Boost   High   Medium   Low	Boost   High   Medium   Low   Boost   High   Medium   Low   Boost   High   Medium   Low   Boost	Boost   High   Medium   Low   Boost   High   Medium   Low   Boost   High   Medium   Low   Boost   High	Boost   High   Medium   Low   Low	Boost   High   Medium   Low   Boost   High   Medium   Low   Boost   High   Medium   Low   Boost   High   Medium   Low	Boost   High   Medium   Low   Boost   Light   Dual Power Source	Boost   High   Medium   Low   Doos   Low   Low	Boost   High   Medium   Low   Boost   High   Low   L

		POWERCASE
	Battery Type	Battery Pack 3.7V
(L)	Charge Time <sup>2</sup> (Hours/Minutes)	4h 30min
Û	Rechargeable	Yes
ĝ	Weight g (incl. Batteries)   oz	219 g   7.7 oz
	Contents	1 rechargeable battery, magnetic charging cable
	MATCHES	
	Ledlenser Headlamps	MH4, MH5, MH7, MH8, iH5R, and iH9R
	Item no.	502093
	Price, MSRP (\$) USA   Canada	49.95 USD   68.95 CAD













			N	IEO1R			N	EO3			NE	05R			NE	E09R	
		Boost	High	Medium	Low	Boost	High	Medium	Low	Boost	High	Medium	Low	Boost	High	Medium	Low
- <u>`</u> Ċ́-	Light Output¹ (lm)	250	150	_	20	400	200	100	20	600	300	100	20	1200	600	200	20
⇔	Beam Distance <sup>1</sup> (m)	80	50	-	15	80	60	40	5	100	70	40	5	200	120	60	5
<u>(L</u> )	Run Time <sup>1</sup> (h)	-	3	-	15	-	3	6	20	-	4	8	35	-	5	12	120
	Battery Type	1x L	i-ion B	atterypack	3.7V		3x A	AA 1.5V		1x L	i-ion Ba	terypack (	3.7V	1x L	i-ion Ba	tterypack 3	3.7V
<u>(L)</u>	Charge Time <sup>2</sup> (hrs./min.)			3h				-				4h			5h !	50min	
٩	Rechargeable			Yes				No			Y	'es			\	/es	
g\	Weight g (incl. Batteries)   oz		39 g	j   1.4 oz			97 g	3.4 oz			104 g	3.7 oz			199	g   7 oz	
	Contents			eable batte charging c			1 set of	batteries		mag	gnetic ch	able batte narging ca id, Chest b	ole,	ma	gnetic cl	eable batter harging cal ad, Chest be	ole,
	TECHNOLOGY																
	Rear Light			-				•				•				•	
	Transportation Lock			•				•				•				•	
	Fusion Beam			-				•				•				•	
	Magnetic Charge System			•				-				•				•	
	Red Light			•				-				•				•	
	Item no.		02713	12 (black) (black/blu (white/lim	- ,	50	02718 (	black/gray black/blue white/lime	e)	5	02716 (	olack/gray olack/blue white/lime	)			black/gray black/blue	
	Price, MSRP (\$) USA   Canada	49	9.95 US	D   68.95 C	AD	39.	95 USE	)   54.95 C	AD D	69	.95 USD	96.95 CA	رD.	119	.95 USE	165.95 C	AD







	Boost	High	Medium	Low	Boost	High	Medium	Low
Light Output¹ (lm)	300	150	50	5	700	550	_	5
Run Time <sup>1</sup> (h)	-	2.2	7	40	-	3.5	-	200
Battery Type		Battery	Pack 3.7V			Battery	Pack 3.6V	
Charge Time <sup>2</sup> (hrs./min.)		2h 3	30min				5h	
Rechargeable		١	/es			١	'es	
Weight g (incl. Batteries)   oz		97 mm   7	71 g   2.5 oz			178 mm   2	280 g   9.9 oz	
Contents	batter		echargeable etic charging	cable			geable batte USB cable, st	
TECHNOLOGY								
Smart Light Technology			•				•	
Warm Light Ability			•				•	
Powerbank Function			-				•	
Red Light Function			•				•	
Magnetic Charge System			•				•	



(<u>)</u>





			P2	R CORE			P4F	CORE			P5R	CORE	
		Boost	High	Medium	Low	Boost	High	Medium	Low	Boost	High	Medium	Lov
) <del>(</del> -	Light Output <sup>1</sup> (lm)	_	120	50	15	_	200	90	15	500	350	130	15
]⇒	Beam Distance <sup>1</sup> (m)	-	65	45	15	-	1.5	60	15	250	180	110	40
)	Run Time <sup>1</sup> (h)	-	0.5	1	5	-	1.5	3	25	-	1	3.5	25
⊐·	Battery Type	1:	k Li-ion	Battery 3.	7V	1x	Li-ion	Battery 3.	7V	1x	Li-ion E	Battery 3.7	V
9	Charge Time <sup>2</sup> (hrs./min.)		2h	30min			2h	30min			:	2h	
)	Rechargeable			Yes			,	Yes			Υ	'es	
7	Weight g (incl. Batteries)   oz	10	)3 mm	36 g   1.3	OZ	15	0 mm	55 g   1.9	0Z	123	3 mm   1	106 g   3.7	oz
	Contents		,	et, pocket arging cab			,	et, pocket rging cabl			,	set, lanyar narging ca	
	TECHNOLOGY												
	Smart Light Technology			-				-				•	
	Flex Sealing Technology			-				-				•	
	Magnetic Charge System			-				-				•	
	Temperature Control			-				-				•	
	Advanced Focus System			•				•				•	
	Item no.		88	30513			88	0514			88	0515	
	Price MSRP (\$) USA   Canada	20	05 115	n I 40 95 C	.VD	30	0F 11CT	1   54   95   C	۸۵	60	05 LICD	1949504	ND.



P6R CORE



P7R CORE

	Boost	High	Medium	Low	Boost	High	Medium	Low	
Light Output¹ (lm)	900	600	240	15	1400	1000	440	15	
Beam Distance¹(m)	240	190	120	25	300	210	130	15	
Run Time <sup>1</sup> (h)	-	2	6	95	-	2	4	90	
Battery Type	1	x18650 Li-i	on Battery 3.7	V	1	x 21700 Li-i	on Battery 3.7	/	
Charge Time <sup>2</sup> (hrs./min.)			5h			2h 3	30min		
Rechargeable		,	Yes			١	es/es		
Weight g (incl. Batteries)   oz		158 mm	170 g   6 oz			158 mm   2	202 g   7.1 oz		
Contents			set, lanyard, harging cable		1 battery set, lanyard, magnetic charging cable				
TECHNOLOGY									
Advanced Focus System			•				•		
Smart Light Technology			•				•		
Rapid Focus			•				•		
Dual Power Source			-				-		
Temperature Control			•				•		
Item no.		88	0516	•	·	88	0518	•	
Price, MSRP (\$) USA   Canada		89.95 USD	123.95 CAD			99.95 USD	137.95 CAD		



			X		
		Boost	High	Medium	Low
- <u>`</u> Ċ́-	Light Output¹ (lm)	5000	3500	-	200
⇔	Beam Distance <sup>1</sup> (m)	800	700	-	150
Ŀ	Run Time <sup>1</sup> (h)	2	5	-	40
	Battery Type	1 x LiFe	P04 3x3270	00 Battery Pa	ck 9.6V
Ŀ	Charge Time <sup>2</sup> (hrs./min.)		5h 3	0min	
٩	Rechargeable		Y	es	
ğ	Weight g (incl. Batteries)   oz	4	05 mm   13	15 g   46.4 oz	!
	Contents	Carrying Moun	g strap, Floa ting materia	geable batter sting charge s al, Power ada Tripod conne	system, ipter,
	TECHNOLOGY				
	Smart Light Technology			•	
	Flex Sealing Technology			-	
	Floating Charge System			•	
	Temperature Control			•	
	Advanced Focus System			•	
	Item no.		501	967	•
	Price MSRP (\$) USA   Canada	1	24 95 USD	I 585 95 CAD	

# - X21R

- 01 X-Lens Technology Merges various reflector lenses and synchronizes them into one perfect, powerful beam
   02 Advanced Focus System stepless focusable
   03 Emergency Light If the power goes out and the light is on the charging base, it will automatically turn on
   04 Floating Charge System Convenient charging and storage so light is easily accessible and always ready

- storage so light is easily accessible and always ready **05** Personalize the light functions thanks to **Smart Light**
- Technology

  06 Temperature Control System Keeps light from overheating so it can run brighter and longer





1.2 Information on the back



Transportation Lock





Transportation Lock, Acoustic alarm

		ŀ	K4R			ŀ	K6R			K6R	Safety	
	Boost	High	Medium	Low	Boost	High	Medium	Low	Boost	High	Medium	Lo
Light Output <sup>1</sup> (lm)	120	80	-	20	400	200	-	20	400	200	-	2
→ Beam Distance¹ (m)	30	25	-	10	80	50	-	15	80	50	-	1
Run Time <sup>1</sup> (h)	-	1	-	3.5	-	1.5	-	10	-	1.5	_	
Battery Type		1x Li-ion	Battery 3.7V		1	x Li-ion l	Battery 3.7\	/		1x Li-ion	Battery 3.7V	
Charge Time <sup>2</sup> (hrs./min.)			3h				3h				3h	
Rechargeable		\	Yes			١	/es			\	/es	
Weight g (incl. Batteries)   oz		52 mm	20 g   1 oz			52 mm   :	30 g   1.1 oz			66 mm   :	32 g   1.1 oz	
Contents		Sna	p hook			Sna	p hook			Sna	o hook	
FEATURES												

74 (gray),	502577 (gray),	502580 (gray),
5 (rose gold)	502578 (rose gold)	502581 (rose gold)

Transportation Lock







	TRIBEED2				NIDELD4II					
	Boost	High	Medium	Low	Boost	High	Medium	Low		
Light Output <sup>1</sup> (lm)	_	40	-	5	_	40	-	5		
Beam Distance <sup>1</sup> (m)	-	9	-	2	_	9	-	2		
Run Time <sup>1</sup> (h)	_	1.5	-	20	_	2	-	18		
Battery Type		1x AAA A	lkaline 1.5V			Battery	Pack 3.7V			
Charge Time <sup>2</sup> (hrs./min.)			_				1h			
Rechargeable			No			)	/es			
Weight g (incl. Batteries)   oz		23 g	0.8 oz			25 g	0.8 oz			
Contents		1 set of	batteries			USE	cable			
FEATURES										
			Light, Light				Light, I Light			
Item no.			7 (green) 3 (purple)				5 (green) 5 (purple)			
Price, MSRP (\$) USA   Canada		14.95 USD	20.95 CAD		1	9.95 USC	)   27.95 CAI	)		







	KIDBEAM4				KIDCAMP <mark>6</mark>			
	Boost	High	Medium	Low	Boost	High	Medium	
Light Output <sup>1</sup> (lm)	_	40	-	5	_	40	_	
Beam Distance <sup>1</sup> (m)	-	9	-	2	-	9	-	
Run Time <sup>1</sup> (h)	-	1.5	-	20	-	2	-	
Battery Type	2x AAA Alkaline 1.5V				2x AAA Alkaline 1.5V			
Charge Time <sup>2</sup> (hrs./min.)					-			
Rechargeable	No				No			
Weight g (incl. Batteries)   oz	72 g   2.5 oz				95 g   3.4 oz			
Contents	1 set of batteries				1 set of batteries			
FEATURES	Blue Light, Red Light, Green Light				Blue Light, Red Light, Green Lig			
Item no.		502754 (green) 502789 (purple)			502753 (green) 502786 (purple)			
Price, MSRP (\$) USA   Canada		19.95 U <u>SD</u>	)   27.95 CAD		_1	9.95 U <u>S</u> [	)   27.95 CA	D _

<sup>1,2</sup> Information on the back







**THERE IS MORE!**Follow the QR code for the PowerUp story.

The information pertaining to package contents, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change package contents, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and misprints excepted.

1) Measurements according to ANSI FL1 in the respective setting. If no setting is explicitly named for a measured value, the values for luminous flux (lumens/lm) and luminous range (meters/m) refer to the brightest setting and the values for the luminous period (hours/h) refer to the lowest setting. For "max. – min." range, in terms of luminous flux (lumens/lm) and luminous range (meters/m), the range from the brightest setting (first value) to the lowest setting (second value) is given. With regards to the values of the luminous period (hours/h), the range from the lowest setting (first value) to the brightest setting (second value) is given. A boost function (if available) can be used several times, but only for short periods. If the lamp has different energy modes, measurement is based on "energy-saving mode."

2) Charging time (in hours and minutes) may vary by power supply.

\*) Ledlenser has a non-transferable warranty. Ledlenser's warranty is conveyable to the end-use purchaser only through authorized Dealers and Distributors. No other warranty is expressed, implied or valid when purchased from an unauthorized third party. Five year warranty from the date of purchase, or seven years with online registration through our website. The warranty applies worldwide; legal warranty rights also apply, to evers defects in material and manufacture. Battery packs are guaranteed to work correctly for 24 months. This warranty does not cover products in the "Solidline" series, Ledlenser K1 and Ledlenser K2, as well as defective batteries, holsters, pouches, remote switches, color filters, imprints and surface coatings. The warrantor is Ledlenser GmbH & Co. KG, Kronenstr. 5-7, 42699 Solingen, Germany, For more information visit ledlenserusa.com/pages/service-warranty

Ledlenser USA 80 SE Madison #130 Portland, OR 97214

# ledlenserusa.com



@ledlenserusa



@ledlenseramericas